KOLAR DOC ID _____ WELL ID_

WATER WELL RECORD (WWC-5)

From _____ ft. to _____ ft.

OCATION OF WATER WE	:LL					Original I	Recor	d Co	rrection	Chang	e in We	ll Use
Latitude	Longitude		Section	1	Township	R	ange	E W	Fraction	1/4	1/4	1/4
Datum	Elevation		Count	7				VV				
WATER WELL OWNER		· W	ELL WATER					NEAREST S	SOURCE OF	POTENTIAL C	ONTAMIN	IATIO
Name												
			OMBI ETIO									
Business			OMPLETIO					from well	:	Direction from we	ii:	
Address					well:ter encountered:		ft.	Source description	n:			
			(1) fi	.; (2)	ft.;			Source:				
Well location			(3) ft	.; (4)	dry well			Distance		Dinastia		
at owner's address			Static water level in well: ft. measured below land surface on (mm/dd/yy):					from well: from well:				
CONSTRUCTION					land surface		_			ce of contami	nation	
Borehole interval:	Borehole dia	meter:	on (mm/				_	within	100 feet.			
from to ft in.			Estimated yield: gpm					PERMIT & ID NUMBERS (AS REQUIRED)				
fromto ft.			•			hours		DWR Ap	plication No).:		
	Į.		Water level was:ft. afterhours pumping gpm					KDHE / EPA Project Code:				
Casing height above land surface:in.			pumping gpm Pump installed? Yes No				Site Name:					
If casing height is less t has a variance been ap		s No	ump motun		105 110		_			Form Complet		No
*variance not required for monitoring			Water well d	sinfect	ed? Yes No)				s No Perm		
or environmental rem	ediation wells		Date disinfed	ted (m	m/dd/yy):		_	1		:		
Casing type:			A .C .C1				\dashv	1		# of dewater		
Blank casing interval:			Aquifer, if kr									
Blank casing diameter:			THOLOGIC									
Casing joints:			FROM	то	LITHOLOGY II	NTERVALS						
Weight:l												
Wall thickness or gauge												
Blank casing interval:		ft										
Blank casing diameter:												
Casing joints:												
Weight:l												
Wall thickness or gauge	e no.:											
Grout interval: ft.												
Grout interval: ft.												
Grout material:		C	OMMENTS									
Screen / perforation materi	al:											
Screen / perforation opening			ONTRACTO	R'S OR	LANDOWNERS	CERTIFICA	ATION					
Screen / perforation interva			This water	well wa	as constructed	d reco	onstru	cted t	oursuant to	the stated w	vater well	
Fromft. to					se and was com			•		nat this recor		
Slot size unit					owledge and be	_			•			
Fromft. to				-	_				=			
Slot size unit					ss name of							,
Gravel pack intervals:					ll Contractor's					•	_	
Gravel pack not used:	Gravel size	in 1	person as d	efined	in K.A.R. 28-3	0-2(j) and	signe	d and certif	ied by the	electronic siş	gnature o	f the
	ft.		designated	persor	n at its submitta	al:						
Gravel pack not used:	Gravel size	in Se	end one copy	to WA	TER WELL OW	NER and ret	ain on	e for your rec	ords. Fee of	\$5.00 for each	constructe	ed we

KANSAS DEPARTMENT OF HEALTH AND ENVIRONMENT Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka KS 66612-1367 (785) 296-3565 | K.S.A. 82a-1212 | v2022c

Form	WWC5.2 - Water Well Record
Doc ID	1773201
Well Owner	LORIN D & MARSHA L KOEHN
Contractor	Downey Drilling, Inc. #748

Lithology

From	То	Lithology Intervals
0	4	topsoil,brown,soft
4	12	clay,silty,brown,soft
12	43	clay,sandy,brown,firm
43	52	clay,green,soft
52	62	clay,sandy,tan,firm
62	66	sand,fine,white,firm
66	73	sand,fine to coarse,firm
73	135	clay,fine to medium,tan,soft
135	175	sand,fine to coarse,firm
175	181	clay,brown,soft
181	242	sand,fine to medium,firm
242	271	clay,blue,soft
271	334	sand & gravel,fine to coarse,firm
334	339	gravel,fine to medium,stiff
339	341	clay,blue,soft
341	413	sand,fine to coarse,firm
413	429	clay,sandy,tan,soft
429	438	clay,sandy,tan,firm
438	452	clay,sandy,white,firm
452	464	clay,silty,brown,soft
464	469	sand,fine to medium,soft
469	472	sand,fine to coarse,white,firm
472	481	clay,brown

Form	WWC5.2 - Water Well Record
Doc ID	1773201
Well Owner	LORIN D & MARSHA L KOEHN
Contractor	Downey Drilling, Inc. #748

Lithology

From	То	Lithology Intervals
481	491	sand,fine to medium,clayey,white,firm
491	514	sand,fine to coarse,brown,firm
514	525	clay,brown,soft