WELL ID

KOLAR DOC ID

(785) 296-3565 | K.S.A. 82a-1212 | v2022c

WATER WELL RECORD (WWC-5)

OCATION OF WATER WELL						Original Reco	ord Co	rrection	Chang	je in Wel	l Use
Latitude	Longitude			Section	Township	Range	E		1/4	1/4	1/4
Datum	Elevation			County							
WATER WELL OWNER		l	WELL	WATER USE			NEAREST	SOURCE OF	POTENTIAL C	ONTAMIN	IATION
Name											
			COMP	LETION							
Business				LETION			from well	l:	Directio from we	·II:	
Address			Depth of completed well:ft.				Source				
] -	-	water encountered	:	description	on:			
******					(2) ft.;		Source:				
Well location			(3)	ft.; ((4) dry well		Distance	ı.	Directio from we	n 11.	
at owner's			Static	water level	in well:	ft.	Source	l÷	110111 we	11;	
address			m	measured below land surface				on:			
CONCEDUCTION			on	(mm/dd/y	y):		No no	tantial source	a of contami	ination	
CONSTRUCTION	D 1 1 1			measured above land surface			No potential source of contamination within 100 feet.				
Borehole interval: Borehole diameter:			on (mm/dd/yy):			PERMIT & ID NUMBERS (AS REQUIRED)					
fromtoft.		in.	Estim	ated yield: _	gpm						
fromto ft.		in.	Water	level was:	ft. after	hours	1 -	-	:		
Casing height above land surf	face:	in.			pumping	gpm	KDHE / EPA Project Code:				
If casing height is less that			Pump	installed?	Yes No		Site Name:				
has a variance been approved?* Yes No			T17 .	Water well disinfected? Yes No					orm Complet		
*variance not required for monitoring or environmental remediation wells									No Perm		
Casing type:			Date disinfected (mm/dd/yy):			Lease Name & Well #:					
Blank casing interval:	ft. to	ft.	Aquif	er, if known	:		# of borel	noles:	# of dewate	ring wells:	
Blank casing diameter:			LITHO	LOGIC LOG	i						
Casing joints:			FRO	м то	LITHOLOGY	NTERVALS					
Weight: lbs/											
Wall thickness or gauge n											
Blank casing interval:											
Blank casing diameter:											
Casing joints:											
Weight: lbs/	ft.										
Wall thickness or gauge n	10.:										
Court interval 6 to											
Grout interval: ft. to_											
Grout material: ft. to											
			COMM	IENTS							
Grout material:											
Screen / perforation material:											
Screen / perforation material:			CONT	RACTOR'S	OR LANDOWNER	S CERTIFICATION	N				
Screen / perforation openings								numouset t-	the stated -	vatar 11	
From ft. to					was constructe			•	the stated v		
					ense and was con	=		-			
Slot size unit _ From ft. to					knowledge and b						
					ness name of						
Slot size unit _			Kans	as Water V	Vell Contractor's	License No	u	nder the au	thority of th	ne designa	ated
Gravel pack intervals:	Cmarcel et		perso	on as defin	ed in K.A.R. 28-	30-2(j) and sign	ed and certi	fied by the e	electronic si	gnature o	f the
Gravel pack not used:		in	^		on at its submitt	,					
From ft. to	_				VATER WELL OW	<u> </u>	ne for your rea	ords. Fee of 9	5 00 for each	constructe	d well
Gravel pack not used:		in	Jena O	copy to v		EPARTMENT OF	•			constituent	a men
From ft. to	_ tt.			Bureau	of Water, Geology					2-1367	

Form	WWC5.2 - Water Well Record
Doc ID	1769511
Well Owner	ARCH FRINK
Contractor	Downey Drilling, Inc. #748

Lithology

From	То	Lithology Intervals
0	3	topsoil,brown,soft
3	78	clay,silty,brown,soft
78	90	clay,fine,sandy,brown,soft
90	127	clay,fine to coarse,sandy,white,firm
127	144	gravel,fine to coarse,stiff
144	164	sand & gravel,fine to coarse,firm
164	170	clay,sandy,brown,soft
170	224	sand & gravel,fine to medium,white,stiff
224	230	gravel,fine to medium,stiff
230	255	clay,sandy,brown,soft
255	265	sand & gravel,fine to medium,white,stiff
265	275	clay,brown,soft
275	333	sand,fine to coarse,firm
333	360	clay,brown
360	374	sand,fine to coarse,firm
374	403	clay,brown
403	413	sand,fine to coarse,firm
413	416	clay,sandy,tan,soft
416	424	sand,fine to coarse,firm
424	435	clay,brown,soft
435	443	sand,fine to coarse,firm
	-	

Form	WWC5.2 - Water Well Record		
Doc ID	1769511		
Well Owner	ARCH FRINK		
Contractor	Downey Drilling, Inc. #748		

Lithology

From	То	Lithology Intervals
443	454	clay,sandy,tan,soft
454	470	sand,fine to coarse,brown,stiff
470	483	clay,gray,soft
483	485	gravel,coarse,brown,stiff