WELL ID

KOLAR DOC ID

(785) 296-3565 | K.S.A. 82a-1212 | v2022c

## **WATER WELL RECORD** (WWC-5)

OCATION OF WATER W	/ELL					Original Re	ecord	d Co	rrection	Chang	e in We	ll Use
Latitude	Longitude		9	Section	Township	Rar	nge	E	Fraction	1/4	1/4	1/4
Datum	Elevation			County				VV				
WATER WELL OWNER				/ATER US				NEARESTS	OURCE OF	POTENTIAL C	ONTAMIN	OITAL
Name												.,
			COMPI	FTION				Dictance		Direction	n	
Business			COMPL	EHON			$\neg$	from well:		from wel	il:	
Address					ed well:			Source				
			1 -		water encountered			descriptio				
747 II I					(2) ft.;			Source:				
Well location			(3)	ft.;	(4) dry well			Distance from well-		Direction from wel	n II.	
at owner's			Static	vater level	in well:	t.		Source				
address					ow land surface			descriptio	n:			
CONSTRUCTION				(mm/dd/y			-	No pot	tential sour	ce of contami	nation	
Borehole interval:	Borehole dia	meter:		asured abo (mm/dd/y	ve land surface y):				100 feet.			
fromtoft.					<u> </u>		=	PERMIT &	ID NUMBE	RS (AS REQUI	RED)	
		in.			gpm ft after	1		DW/R Ass	nlication No	.:		
fromto ft.	·		vvater		ft. after			1				
Casing height above land surface:in.			pumpinggpm  Pump installed? Yes No				KDHE / EPA Project Code:Site Name:					
If casing height is less than 12 in. has a variance been approved?* Yes No			Fullip	ilistalieu:	ies No					orm Complet		N
*variance not required for monitoring			Water	well disinfo	ected? Yes N	0				No Permi		
or environmental remediation wells			Date disinfected (mm/dd/yy):			_	1		:			
Casing type:			A :C	.01			$\dashv$			# of dewater		
Blank casing interval:		ft.		r, if known								
Blank casing diameter:				OGIC LOG								
Casing joints:			FROM	і то	LITHOLOGY	NTERVALS						
Weight:												
Wall thickness or gat												
Blank casing interval:		п.										
Blank casing diameter:												
Casing joints: Weight:												
Wall thickness or gau	_											
Grout interval: f												
Grout material:												
Grout interval:f			СОММ	ENTS	1							
Grout material:												
S / / / /	1											
Screen / perforation mate			CONTO	ACTORIC:	OD I ANDOMNES	C CEDTIFIC **	1011					
Screen / perforation open Screen / perforation inter					OR LANDOWNER			. 1		41	11	
-					was constructe			•		the stated w		
Fromft. to					ense and was con	•			•			
Slot size un From ft. to				-	knowledge and b				_			
Slot size u					ness name of							
Gravel pack intervals:	·····		Kansa	s Water V	Vell Contractor's	License No.		uı	nder the au	thority of th	e designa	ated
Gravel pack mervais:	· Gravel cize		perso	n as defin	ed in K.A.R. 28-	30-2(j) and si	igned	l and certif	ied by the	electronic się	gnature o	f th
From ft. to		in	design	nated pers	on at its submitt	al:						
Gravel pack not used:		in	Send on	e copy to V	VATER WELL OW	NER and retai	n one	for your rec	ords. Fee of	\$5.00 for each	constructo	ed we
From ft. to _		m		17	KANSAS D	EPARTMENT (	OF HE	EALTH AND	ENVIRON	MENT		
11011111.10 _	11.			Bureau	of Water, Geology	Section, 1000	SW Ja	ackson St., S	uite 420, Toj	peka KS 66612	2-1367	

Form	WWC5.2 - Water Well Record
Doc ID	1774838
Well Owner	Kevin Hlavaty
Contractor	Associated Drilling, Inc. #990

## Casing

From	То	Casing Diameter	Casing Joint	Wall Thickness or Gauge Number
0	40	6	Glued	sdr26
60	80	6	Glued	sdr26
100	110	6	Glued	sdr26

Form	WWC5.2 - Water Well Record
Doc ID	1774838
Well Owner	Kevin Hlavaty
Contractor	Associated Drilling, Inc. #990

## Lithology

From	То	Lithology Intervals
0	3	clay
3	7	shale,unweathered
7	15	sandstone,unweathered,Shale y
15	41	shale,unweathered
41	56	sandstone,completely weathered
56	67	shale,unweathered
67	78	sandstone,unweathered,w/ shale
78	95	sandstone,unweathered,w. coal streaks
95	110	shale,unweathered