WELL ID

KOLAR DOC ID

WATER WELL RECORD (WWC-5)

OCATION OF WATER W	VELL					Original F	Recor	d Coi	rrection	Chang	e in Wel	l Use
Latitude	Longitude		S	Section	Township	R	ange	E W	Fraction	1/4	1/4	1/4
Datum	Elevation		(County	1		0	VV				
WATER WELL OWNER	Elevation			VATER USI	-			NEADECT	OUDCE OF I	POTENTIAL C	ONITA MIN	ATIO
			VVLLLV	VAI ER OSI	-							AHO
Name								Distance		Direction		
Business			COMPL	ETION				from well:		from wel	l:	
Address			Depth	of complet	ted well:	f	t.	Source				
ridaress			Depth	(s) ground	water encountered	:		descriptio	n:			
			(1)	ft.;	(2) ft.;			Source:				
Well location			(3)	ft.;	(4) dry well			D		Direction from wel	n	
, ,			Static v	water level	in well:	ft.				from wel	1:	
at owner's address				asured belo (mm/dd/y	ow land surface			Source descriptio	n:			
CONSTRUCTION			me	asured abo	ve land surface				ential sourc	ce of contami	nation	
Borehole interval:	Borehole dia	meter:	on	(mm/dd/y	y):		_			RS (AS REQUI	RED)	
fromto ft.		in.	Estima	ted yield:	gpm					((,	
fromto ft.		in.	Water	level was:	ft. after	hours		DWR App	olication No.	.:		
Casing height above land	d surface:	in.			pumping	gpm		KDHE / E	PA Project (Code:		
If casing height is les	s than 12 in.		Pump	installed?	Yes No			Site Name	:			
has a variance been approved?* Yes No					. 10			KDHE UI	C Class V F	orm Complete	ed: Yes	No
*variance not require or environmental re			Water well disinfected? Yes No				County Permit: Yes No Permit ID:					
Casing type:	mediation wens		Date disinfected (mm/dd/yy):				Lease Name & Well #:					
Blank casing interval:	ft. to	ft.	Aquife	r, if known	::			# of boreh	oles:	# of dewater	ring wells:	
Blank casing diameter:			LITHOL	OGIC LOG	 i							
Casing joints:			FROM		LITHOLOGY	INTERVALS						
Weight:												
Wall thickness or gau												
Blank casing interval:	-											
Blank casing diameter:												
Casing joints:												
Weight:	lbs/ft.											
Wall thickness or gau	uge no.:											
Grout interval:f												
Grout internal												
Grout interval:f	п. toп.		соммі	ENTS								
Grout material:												
Screen / perforation mate	orial.											
Screen / perforation oper			CONTR	ACTOR'S	OR LANDOWNER	C CEDTIEIC	TION					
										.1 1	. 11	
Screen / perforation inter					was constructe		onstru	•		the stated w		
Fromft. to					ense and was con	•			•			0
Slot size u			the be	est of my l	knowledge and b	elief. This w	vater v	vell record v	was comple	eted on		
From ft. to			under	the busin	ness name of							,
Slot size u	nıt		Kansa	s Water V	Vell Contractor's	License No)	ur	nder the au	thority of th	e designa	ited
Gravel pack intervals:	0 1:		person	n as defin	ed in K.A.R. 28-	30-2(j) and	signe	d and certifi	ied by the e	electronic sig	gnature o	f the
Gravel pack not used		in	-		son at its submitt				•		,	
From ft. to _					VATER WELL OW		ain on	for your so	orde Eas of d	\$5.00 for 22.24	constructs	d wal
Gravel pack not used		in	sena on	е сору ю ч		NER and reta		•			constructe	u wel
From ft. to	ft.			D.,,,,,,,,	of Water Coology						1267	

KANSAS DEPARTMENT OF HEALTH AND ENVIRONMENT Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka KS 66612-1367 (785) 296-3565 | K.S.A. 82a-1212 | v2022c

Form	WWC5.2 - Water Well Record
Doc ID	1774825
Well Owner	Don Eickholt
Contractor	Associated Drilling, Inc. #990

Casing

From	То	Casing Diameter	Casing Joint	Wall Thickness or Gauge Number
0	18	6	Glued	sdr26
38	88	6	Glued	sdr26
108	138	6	Glued	sdr26

Form	WWC5.2 - Water Well Record
Doc ID	1774825
Well Owner	Don Eickholt
Contractor	Associated Drilling, Inc. #990

Lithology

From	То	Lithology Intervals
0	5	clay
5	9	limestone,unweathered
9	10	shale,unweathered,gray
10	16	limestone,unweathered,hard
16	32	shale,unweathered,gray
32	34	limestone,broken
34	58	shale,unweathered
58	65	limestone,unweathered
65	85	shale,unweathered
85	90	limestone,unweathered
90	138	shale,unweathered