WATER WELL RECORD (WWC-5)

VATER WELL RE	ECORD (W	WC-5)			KOLAR D	OC ID	WELL ID	
OCATION OF WATER W	ELL			Ori	ginal Recor	d Correction	Change in We	II Us؛
Latitude	Longitude		Section	Township	Range	E W Fraction	1/4 1/4	1,
Datum	Elevation		County	-		***		
ATER WELL OWNER			WELL WATER USE			NEAREST SOURCE OF PO	OTENTIAL CONTAMI	NATIC
Jame						Source:		
Business			COMPLETION			Distance	Direction	
743111033						from well:	from well:	
Address			Depth of completed Depth(s) groundwa	d well:	ft.	Source description:		
			(1) ft.; (2					
Well location			(3) ft.; (4)			Source:		
						Distance from well:	from well:	
at owner's address			Static water level in measured below			Source		
address			on (mm/dd/yy)			description:		
ONSTRUCTION			measured above			No potential source within 100 feet.	of contamination	
Borehole interval:	Borehole dia	neter:	on (mm/dd/yy)):			(AC DECUIDED)	
romto ft.		in.	Estimated yield:	gpm		PERMIT & ID NUMBERS	(AS REQUIRED)	
fromto ft.		in.	Water level was:	ft. after	hours	DWR Application No.:		
Casing height above land	surface:	in.		pumping	gpm	KDHE / EPA Project C	ode:	
If casing height is less			Pump installed?	Yes No		Site Name:		
has a variance been ap		No	747 . II 1: C	. 10		KDHE UIC Class V For	•	
*variance not required for monitoring or environmental remediation wells			Water well disinfec			County Permit: Yes		
Casing type:	nediation wens		Date disinfected (n	nm/dd/yy):		Lease Name & Well #: _		
Blank casing interval:	ft. to	ft.	Aquifer, if known:			# of boreholes:	# of dewatering wells	::
Blank casing diameter:			LITHOLOGIC LOG					
Casing joints:			FROM TO	LITHOLOGY INTE	RVALS			
Weight:	lbs/ft.							
Wall thickness or gaug	ge no.:	_						
Blank casing interval:	ft. to	ft.						
Blank casing diameter: _	in.							
Casing joints:								
0	lbs/ft.							
Wall thickness or gau	ge no.:							
Grout interval: ft	t. toft.							
Grout material:								
Grout interval: ft	t. toft.		COMMENTS					
Grout material:			COMMENTS					
Screen / perforation mater								
creen / perforation open				R LANDOWNERS CE		. 1	1	11
Screen / perforation interv				vas constructed	reconstru	•	he stated water wel	
Fromft. to				•		I certify that		
Slot size un From ft. to			•			vell record was complet		
Slot size un								
Gravel pack intervals:			Kansas Water We	ell Contractor's Lic	ense No	under the autl	nority of the design	ıatec
Gravel pack not used:	Gravel size	in	person as defined	d in K.A.R. 28-30-2	(j) and signed	d and certified by the el	ectronic signature	of th
From ft. to		III	designated perso	on at its submittal:_		·		
			-					
Gravel pack not used:	Gravel size	in	Send one copy to WA	ATER WELL OWNER	and retain one	for your records. Fee of \$5	5.00 for each construct	tea w

(785) 296-3565 | K.S.A. 82a-1212 | v2022c

Form	WWC5.2 - Water Well Record	
Doc ID	1775352	
Well Owner	KDHE - BER	
Contractor	GSI Engineering, LLC	

Lithology

From	То	Lithology Intervals
0	2.5	clay-lean,LEAN CLAY - 0.5' of concrete, 0.25' of fine to mrfium coarse grained sand to lean clay, brown to black, high plasticity, solid consistency, strong odor, moist.
2.5	4	clay-lean,- Sandy clay (fine to medium) to black lean clay, high plasticity, solid consistency, moist, strong odor.
4	5	clay-lean,- Sand lense.
5	8	clay-lean,- Black lean clay to brown, high plasticity, solid consistency, moist, strong odor.
8	8.5	clay-lean,- Light brown.
8.5	9	clay-lean,- Black
9	10	clay-lean,- Lean clay and weathered grey/green shale, strong odor.
10	12.5	clay-lean,- Black lean clay to grey/green weathered shale, moderate plasticity, solid consistency, slightly moist.
12.5	13	clay-lean,- Black to tan weathered shale.
13	16	clay-lean,- Tan/grey clay and weathered shale, very little odor.

Form	WWC5.2 - Water Well Record	
Doc ID	1775352	
Well Owner	KDHE - BER	
Contractor	GSI Engineering, LLC	

Lithology

From	То	Lithology Intervals
16	18	clay-lean,- Tan.
18		clay-lean,- Tan with black streaks.
23	25	clay-lean,- Very little smell.

