KOLAR Document ID: 1777786

Confidentiality Requested:

Yes No

Kansas Corporation Commission Oil & Gas Conservation Division

Form ACO-1
January 2018
Form must be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No.:				
Name:	Spot Description:				
Address 1:	SecTwpS. R East West				
Address 2:	Feet from North / South Line of Section				
City:	Feet from _ East / _ West Line of Section				
Contact Person:	Footages Calculated from Nearest Outside Section Corner:				
Phone: ()	□NE □NW □SE □SW				
CONTRACTOR: License #	GPS Location: Lat:, Long:				
Name:	(e.g. xx.xxxxxx) (e.gxxx.xxxxxx)				
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84				
Purchaser:	County:				
Designate Type of Completion:	Lease Name: Well #:				
New Well Re-Entry Workover	Field Name:				
	Producing Formation:				
☐ Oil ☐ WSW ☐ SWD	Elevation: Ground: Kelly Bushing:				
☐ Gas ☐ DH ☐ EOR	Total Vertical Depth: Plug Back Total Depth:				
☐ OG ☐ GSW	Amount of Surface Pipe Set and Cemented at: Feet				
CM (Coal Bed Methane)	Multiple Stage Cementing Collar Used? Yes No				
Cathodic Other (Core, Expl., etc.):					
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet				
Operator:	If Alternate II completion, cement circulated from:				
Well Name:	feet depth to: w/ sx cmt.				
Original Comp. Date: Original Total Depth:					
☐ Deepening ☐ Re-perf. ☐ Conv. to EOR ☐ Conv. to SWD	Drilling Fluid Management Plan				
☐ Plug Back ☐ Liner ☐ Conv. to GSW ☐ Conv. to Producer	(Data must be collected from the Reserve Pit)				
Commingled Permit #:	Chloride content:ppm Fluid volume:bbls				
Dual Completion Permit #:	Dewatering method used:				
SWD Permit #:	Location of fluid disposal if hauled offsite:				
EOR Permit #:	Location of haid disposal in hadica offsite.				
GSW Permit #:	Operator Name:				
	Lease Name: License #:				
Spud Date or Date Reached TD Completion Date or	QuarterSecTwpS. R East West				
Recompletion Date Recompletion Date	County: Permit #:				

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY
Confidentiality Requested
Date:
Confidential Release Date:
Wireline Log Received Drill Stem Tests Received
Geologist Report / Mud Logs Received
UIC Distribution
ALT I II Approved by: Date:

KOLAR Document ID: 1777786

Page Two

Operator Name:				Lease Name:			Well #:	
Sec Twp.	S. R.	Ea	st West	County:				
	lowing and shu	ıt-in pressures, w	hether shut-in pre	ssure reached st	atic level, hydrosta	tic pressures, bot		val tested, time tool erature, fluid recovery,
Final Radioactivity files must be subm						iled to kcc-well-lo	gs@kcc.ks.gov	v. Digital electronic log
Drill Stem Tests Ta			Yes No			on (Top), Depth ar		Sample
Samples Sent to G	eological Surv	ey	Yes No	Na	me		Тор	Datum
Cores Taken Electric Log Run Geologist Report / List All E. Logs Ru	_		Yes No Yes No Yes No					
		Re			New Used	ion, etc.		
Purpose of Strin		Hole	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
			ADDITIONAL	CEMENTING / SO	QUEEZE RECORD	l		
Purpose:		epth Ty Bottom	pe of Cement	# Sacks Used		Type and F	Percent Additives	
Protect Casi								
Plug Off Zon								
 Did you perform a Does the volume o Was the hydraulic 	of the total base f	luid of the hydraulic	fracturing treatment	_	_	No (If No, sk	ip questions 2 an ip question 3) out Page Three	,
Date of first Producti Injection:	on/Injection or Re	esumed Production	/ Producing Meth	nod:	Gas Lift 0	Other <i>(Explain)</i>		
Estimated Production Per 24 Hours	on	Oil Bbls.					Gas-Oil Ratio	Gravity
DISPOS	SITION OF GAS:		N	METHOD OF COMP	LETION:			ON INTERVAL:
	_	on Lease	Open Hole			mmingled mit ACO-4)	Тор	Bottom
,	Submit ACO-18.)							
Shots Per Foot	Perforation Top	Perforation Bottom	Bridge Plug Type	Bridge Plug Set At	Acid,	Fracture, Shot, Cer (Amount and Kind	menting Squeeze I of Material Used)	Record
TUBING RECORD:	Size:	Set /	At:	Packer At:				
. 5513 1200 10.	5120.		···	. 30.0.71				

Form	ACO1 - Well Completion
Operator	Pitman, John Douglas Revocable Trust
Well Name	A.D. BERRY B-3
Doc ID	1777786

Casing

Purpose Of String	Size Hole Drilled	Size Casing Set	Weight	Setting Depth	Type Of Cement		Type and Percent Additives
Surface	12.25	8.625	20	21	Portland	5	N/A
Production	6.75	4.5	9.5	802	50/50 pozmix cement	105	N/A



CEMENT FIELD TICKET AND TREATMENT REPORT

	Pitman Resources	State, County	Montgomery , Kansas		(CLASS A
Туре	Long String	Section	33	Excess (%)		30
stomer Acct #		TWP	33	Density	100	13.8
II No.	A.D. Berry B-3	RGE	14	Water Required	1	6.1
iling Address		Formation		Yeild		1.38
/ & State		Tubing		Sacks of Cement		105
Code		Drill Pipe		Slurry Volume		25.8
ntact		Casing Size	4 1/2"	Displacement		12.8
ail	THE STATE OF THE S	Hole Size	6 3/4"	Displacement PSI		400
1		Casing Depth	804'	MIX PSI		200
	BARTLESVILLE		810'			
patch Location		Hole Depth		Rate		4 bpm
de	Cement Pump Charges and Mileage	Quantity	Unit	Price per Unit		
5401	CEMENT PUMP (2 HOUR MAX)	1	2 HRS MAX		\$	1,085.
5402	FOOTAGE	804	PER FOOT		\$	184.
5406	EQUIPMENT MILEAGE (ONE-WAY)	30	PER MILE		\$	126.
5407	MIN. BULK DELIVERY (WITHIN 50 MILES)	1	PER LOAD		\$	368.
0		THE PERSON OF TH	0	\$0.00	\$	-
0			0	\$0.00	\$	- The Real Property
0		E TO STANTING	0	\$0.00	\$	
0			0	\$0.00	\$	
0			0		\$	ASSILL .
					\$	1,763.
	Coment Chemicals and Water	THE THE WORLD SERVICE		EGGII MENT TOTAL	Ψ	1,700.
1104	Cement, Chemicals and Water	405	^	044 50	•	4 007
1124	50/50 POZMIX CEMENT W/ NO ADDITIVES	105	0		\$	1,207.
1107A	PHENOSEAL	40	0		\$	54.
1110A	KOL SEAL (50 # SK)	550	0		\$	253
1111	GRANULATED SALT (50#) SELL BY #	250	0		\$	97
1118B	PREMIUM GEL/BENTONITE (50#)	350	0		\$	77.
0			0		\$	
0			0	\$0.00	\$	
0		- Harrison	0	\$0.00	\$	
0			0	\$0.00	\$	
0		STATE BY STATE	0		\$	NO PATE OF
0			0		\$	CHO & MICH.
0			0		\$	
0			0		\$	
0			0		\$	
U			0			4.000
				Chemical Total	\$	1,689.
	Cement Water Transports					
0		THE REAL PROPERTY OF	0		\$	and the same
0			0		\$	-
0			0		\$	
				Transports Total	\$	1000
	Cement Floating Equipment (TAXABLE)		Section of Contracts			
	Cement Basket		PARTICIPANT CONTRACTOR			
			0	\$0.00	•	ECONOMIC INTER-
0			0	Ψ0.00	\$	
0	Centralizer			\$0.00	\$	
0	Centralizer		0		\$	
	Centralizer			\$0.00	\$	
0			0	\$0.00		
0	Centralizer Float Shoe		0 0	\$0.00 \$0.00	\$	
0	Float Shoe		0	\$0.00 \$0.00	\$	
0 0			0 0	\$0.00 \$0.00	\$ \$	
0	Float Shoe Float Collars		0 0	\$0.00 \$0.00	\$	
0 0	Float Shoe		0 0	\$0.00 \$0.00 \$0.00	\$ \$ \$	
0 0	Float Shoe Float Collars Guide Shoes		0 0	\$0.00 \$0.00 \$0.00	\$ \$	
0 0 0 0	Float Shoe Float Collars		0 0	\$0.00 \$0.00 \$0.00 \$0.00	\$ \$ \$	
0 0	Float Shoe Float Collars Guide Shoes Baffle and Flapper Plates		0 0	\$0.00 \$0.00 \$0.00 \$0.00	\$ \$ \$	
0 0 0 0 0	Float Shoe Float Collars Guide Shoes			\$0.00 \$0.00 \$0.00 \$0.00 \$0.00	\$ \$ \$ \$ \$	
0 0 0 0	Float Shoe Float Collars Guide Shoes Baffle and Flapper Plates Packer Shoes		0 0	\$0.00 \$0.00 \$0.00 \$0.00 \$0.00	\$ \$ \$	
0 0 0 0 0 0	Float Shoe Float Collars Guide Shoes Baffle and Flapper Plates			\$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
0 0 0 0 0	Float Shoe Float Collars Guide Shoes Baffle and Flapper Plates Packer Shoes DV Tools			\$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00	\$ \$ \$ \$ \$	
0 0 0 0 0 0	Float Shoe Float Collars Guide Shoes Baffle and Flapper Plates Packer Shoes			\$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
0 0 0 0 0 0 0	Float Shoe Float Collars Guide Shoes Baffle and Flapper Plates Packer Shoes DV Tools			\$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
0 0 0 0 0 0	Float Shoe Float Collars Guide Shoes Baffle and Flapper Plates Packer Shoes DV Tools			\$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
0 0 0 0 0 0 0	Float Shoe Float Collars Guide Shoes Baffle and Flapper Plates Packer Shoes DV Tools			\$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
0 0 0 0 0 0 0	Float Shoe Float Collars Guide Shoes Baffle and Flapper Plates Packer Shoes DV Tools			\$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
0 0 0 0 0 0 0	Float Shoe Float Collars Guide Shoes Baffle and Flapper Plates Packer Shoes DV Tools Ball Valves, Swedges, Clamps, Misc. Plugs and Ball Sealers			\$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	47
0 0 0 0 0 0 0	Float Shoe Float Collars Guide Shoes Baffle and Flapper Plates Packer Shoes DV Tools Ball Valves, Swedges, Clamps, Misc. Plugs and Ball Sealers 4'1/2" RUBBER PLUG			\$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
0 0 0 0 0 0 0 0 0	Float Shoe Float Collars Guide Shoes Baffle and Flapper Plates Packer Shoes DV Tools Ball Valves, Swedges, Clamps, Misc. Plugs and Ball Sealers		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	\$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
0 0 0 0 0 0 0	Float Shoe Float Collars Guide Shoes Baffle and Flapper Plates Packer Shoes DV Tools Ball Valves, Swedges, Clamps, Misc. Plugs and Ball Sealers 4'1/2" RUBBER PLUG		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	\$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	47
0 0 0 0 0 0 0 0 0 0 0 0 4404	Float Shoe Float Collars Guide Shoes Baffle and Flapper Plates Packer Shoes DV Tools Ball Valves, Swedges, Clamps, Misc. Plugs and Ball Sealers 4' 1/2" RUBBER PLUG Downhole Tools		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	\$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	47
0 0 0 0 0 0 0 0 0	Float Shoe Float Collars Guide Shoes Baffle and Flapper Plates Packer Shoes DV Tools Ball Valves, Swedges, Clamps, Misc. Plugs and Ball Sealers 4'1/2" RUBBER PLUG		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	\$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	47 47 3,500
0 0 0 0 0 0 0 0 0 0 0 4404 0	Float Shoe Float Collars Guide Shoes Baffle and Flapper Plates Packer Shoes DV Tools Ball Valves, Swedges, Clamps, Misc. Plugs and Ball Sealers 4' 1/2" RUBBER PLUG Downhole Tools DRIVER NAME		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	\$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	47 47 3,500 109
0 0 0 0 0 0 0 0 0 0 0 4404 0	Float Shoe Float Collars Guide Shoes Baffle and Flapper Plates Packer Shoes DV Tools Ball Valves, Swedges, Clamps, Misc. Plugs and Ball Sealers 4' 1/2" RUBBER PLUG Downhole Tools DRIVER NAME Kirk Sanders		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	\$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	47 47 3,500 109 3,609
0 0 0 0 0 0 0 0 0 0 0 0 4404 0 TRUCK# 577 398	Float Shoe Float Collars Guide Shoes Baffle and Flapper Plates Packer Shoes DV Tools Ball Valves, Swedges, Clamps, Misc. Plugs and Ball Sealers 4' 1/2" RUBBER PLUG Downhole Tools DRIVER NAME Kirk Sanders James Ness		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	\$0.00 \$0.00	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	47 47 3,500 109 3,609 175
0 0 0 0 0 0 0 0 0 0 0 0 4404 0 TRUCK# 577 398	Float Shoe Float Collars Guide Shoes Baffle and Flapper Plates Packer Shoes DV Tools Ball Valves, Swedges, Clamps, Misc. Plugs and Ball Sealers 4' 1/2" RUBBER PLUG Downhole Tools DRIVER NAME Kirk Sanders James Ness Jeff Fildes		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	\$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	47 47 3,500 109 3,609 175
0 0 0 0 0 0 0 0 0 0 0 4404 0 TRUCK# 577 398	Float Shoe Float Collars Guide Shoes Baffle and Flapper Plates Packer Shoes DV Tools Ball Valves, Swedges, Clamps, Misc. Plugs and Ball Sealers 4' 1/2" RUBBER PLUG Downhole Tools DRIVER NAME Kirk Sanders James Ness Jeff Fildes		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	\$0.00 \$0.00	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	47 47 3,500 109 3,609
0 0 0 0 0 0 0 0 0 0 0 4404 0 TRUCK# 5777 398	Float Shoe Float Collars Guide Shoes Baffle and Flapper Plates Packer Shoes DV Tools Ball Valves, Swedges, Clamps, Misc. Plugs and Ball Sealers 4' 1/2" RUBBER PLUG Downhole Tools DRIVER NAME Kirk Sanders James Ness Jeff Fildes		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	\$0.00 \$0.00	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	47 47 3,500 109 3,609 175
0 0 0 0 0 0 0 0 0 0 0 4404 0 TRUCK# 5777 398	Float Shoe Float Collars Guide Shoes Baffle and Flapper Plates Packer Shoes DV Tools Ball Valves, Swedges, Clamps, Misc. Plugs and Ball Sealers 4' 1/2" RUBBER PLUG Downhole Tools DRIVER NAME Kirk Sanders James Ness Jeff Fildes Nunneley's		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	\$0.00 \$0.00	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	47 47 3,500 109 3,609 175



CEMENT FIELD TICKET AND TREATMENT REPORT

Customer	Pitman Resources	State, County	Montgomery , Kansas	Cement Type	CLASS A
lob Type	Long String	Section	33	Excess (%)	30
Customer Acct #	0	TWP	33	Density	13.8
Well No.	A.D. Berry B-3	RGE	14	Water Required	6.1
Mailing Address	0	Formation	0	Yeild	1.38
City & State	0	Tubing	0	Sacks of Cement	105
Zip Code	0	Drill Pipe	0	Slurry Volume	25.8
Contact	0	Casing Size	4 1/2"	Displacement	12.8
Email	0	Hole Size	6 3/4"	Displacement PSI	400
Cell	0	Casing Depth	804'	MIX PSI	200
Dispatch Location	BARTLESVILLE	Hole Depth	810'	Rate	4 bpm
Time:	Description	Rate (bpm)	Volume (bbl)	Pressure	Notes
Amo	ount of Cement Left in Casing	2			
D1/16	1	Remarks:	h 400 h 0 43.0 m	1. 1. 1	
Kan gei / LCIV	I to establish circulation, ran 105sx of 50/50 PC				opped plug
	and displaced 12.8 bbl to land plug. Landed p			t down and wasned up.	
100000	Nur	nneley charged customer for T	r & water		
	Att Variable Sharesant				
					20114 - 21