| For KCC Use    | <b>)</b> : |
|----------------|------------|
| Effective Date | e:         |
| District #     |            |
| SGA?           | Yes No     |

# Kansas Corporation Commission Oil & Gas Conservation Division

Form C-1

March 2010

Form must be Typed

Form must be Signed

All blanks must be Filled

#### NOTICE OF INTENT TO DRILL

| Expected Spud Date:   | Spot Description:   |
|---|---|
| DPERATOR: License#  | Sec Twp S. R E V  |
| lame:   | feet from E / W Line of Section   |
| ddress 1:   | Is SECTION: Regular Irregular?  |
| ddress 2:   | (Note: Locate well on the Section Plat on reverse side)   |
| ity: State: Zip: +  | County:   |
| ontact Person:hone:   | Lease Name: Well #:   |
| TIONS   | Field Name:   |
| CONTRACTOR: License#  | Is this a Prorated / Spaced Field?  |
| lame:   | Target Formation(s):  |
| Well Drilled For: Well Class: Type Equipment:   | Nearest Lease or unit boundary line (in footage):   |
| Oil Enh Rec Infield Mud Rotary  | Ground Surface Elevation:feet MS  |
| Gas Storage Pool Ext. Air Rotary  | Water well within one-quarter mile:  Public water supply well within one mile:  Yes N  Yes N  |
| Disposal Wildcat Cable  | Public water supply well within one mile: Yes Yes Yes   |
| Seismic ; # of Holes Other  | Depth to bottom of usable water:  |
| Other:  | Surface Pipe by Alternate: I III  |
| If OWWO: old well information as follows:   | Length of Surface Pipe Planned to be set:   |
| 0   | Length of Conductor Pipe (if any):  |
| Operator:   | Projected Total Depth:  |
| Original Completion Date: Original Total Depth:   | Formation at Total Depth:   |
|   | Water Source for Drilling Operations:   |
| irectional, Deviated or Horizontal wellbore? Yes No   | Well Farm Pond Other:   |
| Yes, true vertical depth:   | DWR Permit #:   |
| Bottom Hole Location:   | (Note: Apply for Permit with DWR)   |
|   | MCII O   - 4 -   0  |
| OO DICT π.  |   |
| (CC DKT #:  | If Yes, proposed zone:  |
| AF  | If Yes, proposed zone:  |
| AF The undersigned hereby affirms that the drilling, completion and eventual pl   | If Yes, proposed zone:  |
| AF  The undersigned hereby affirms that the drilling, completion and eventual pl t is agreed that the following minimum requirements will be met:   | If Yes, proposed zone:  |
| AF  The undersigned hereby affirms that the drilling, completion and eventual plet is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  | If Yes, proposed zone:  |
| AF  The undersigned hereby affirms that the drilling, completion and eventual plet is agreed that the following minimum requirements will be met:   | If Yes, proposed zone:  |
| The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac.  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  | If Yes, proposed zone:  FIDAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  In drilling rig;  by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  |
| AF The undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the second of the province of the p      | If Yes, proposed zone:  FIDAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  In drilling rig;  by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  trict office on plug length and placement is necessary prior to plugging;   |
| AF The undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the district of the second | If Yes, proposed zone:  FIDAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  In drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in;  |
| The undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the district office will be a minimum of 20 feet into the second all unconsolidated materials plus a minimum of 20 feet into the second and the district office will be notified before well is either plug for the appropriate district office will be notified before well is either plug for the appropriate district office will be notified before well is either plug for the appropriate district office will be notified before well is either plug for the appropriate district office will be notified before well is either plug for the appropriate district office will be notified before well is either plug for the appropriate district office will be notified before well is either plug for the appropriate district office will be notified before well is either plug for the appropriate district office will be notified before well is either plug for the appropriate district office will be notified before well is either plug for the appropriate district office will be notified before well is either plug for the appropriate district office will be notified before well is either plug for the appropriate district office will be notified before well is either plug for the appropriate district office will be notified before well is either plug for the appropriate district office will be notified before well appropriate district office wi | If Yes, proposed zone:  FIDAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  In drilling rig;  by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  trict office on plug length and placement is necessary prior to plugging;   |
| AF The undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the district of the second | If Yes, proposed zone:  FIDAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  In drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  It trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.  |
| AF The undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the district of the second | If Yes, proposed zone:  FIDAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  In drilling rig;  by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing  |
| he undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac.  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set.  4. If the well is dry hole, an agreement between the operator and the dis.  5. The appropriate district office will be notified before well is either plug.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be   | If Yes, proposed zone:  FIDAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  In drilling rig;  by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing  |
| he undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac.  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set.  4. If the well is dry hole, an agreement between the operator and the dis.  5. The appropriate district office will be notified before well is either plug.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be   | If Yes, proposed zone:  FIDAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  In drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  It ict office on plug length and placement is necessary prior to plugging;  ged or production casing is cemented in;  and from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing   |
| he undersigned hereby affirms that the drilling, completion and eventual pleas agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac.  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be abmitted Electronically  | FIDAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  In drilling rig;  by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.   |
| he undersigned hereby affirms that the drilling, completion and eventual pleas agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the agreed of the approved notice of intent to drill <i>shall be</i> posted on each and the district office will be a seen through all unconsolidated materials plus a minimum of 20 feet into the standard of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be appropriated before the | FIDAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  In drilling rig;  by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification   |
| he undersigned hereby affirms that the drilling, completion and eventual pleas agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac.  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug.  5. The appropriate district office will be notified before well is either plug.  6. If an ALTERNATE II COMPLETION, production pipe shall be comented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be about the completed within 30 days of the spud date or the well shall be about the completed within 30 days of the spud date or the well shall be about the spud sate of the well shall be about the spud sate of the spud date or the well shall be about the spud sate of the spud sate or the well shall be about the spud sate of the spud sate or the well shall be about the spud sate of the spud sate or the well shall be about the spud sate of spud sate of the spud sate of the spud sate of the spud sate of sate of the spud sa | FIDAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  In drilling rig;  by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;   |
| he undersigned hereby affirms that the drilling, completion and eventual pleas agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac.  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set.  4. If the well is dry hole, an agreement between the operator and the dise. The appropriate district office will be notified before well is either plug. If an ALTERNATE II COMPLETION, production pipe shall be cemente. Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be submitted Electronically  For KCC Use ONLY  API # 15   | FIDAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  In drilling rig;  by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  - File Drill Pit Application (form CDP-1) with Intent to Drill;  |
| The undersigned hereby affirms that the drilling, completion and eventual pleas agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac.  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be submitted Electronically  For KCC Use ONLY  API # 15   | FIDAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  In drilling rig;  by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;   |
| The undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the sear through all unconsolidated materials plus a minimum of 20 feet into the sear through all unconsolidated materials plus a minimum of 20 feet into the sear through all unconsolidated materials plus a minimum of 20 feet into the sear through all unconsolidated materials plus a minimum of 20 feet into the sear through all unconsolidated materials plus a minimum of 20 feet into the search search and the district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the search      | FIDAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  In drilling rig;  by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  trict office on plug length and placement is necessary prior to plugging;  ged or production casing is cemented in;  and from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  |
| The undersigned hereby affirms that the drilling, completion and eventual please agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set into the se | If Yes, proposed zone:  FIDAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  In drilling rig;  by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days); |
| he undersigned hereby affirms that the drilling, completion and eventual pleasured that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each as through all unconsolidated materials plus a minimum of 20 feet into the seasure of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be submitted Electronically  For KCC Use ONLY  API # 15   | FIDAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  In drilling rig;  by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  trict office on plug length and placement is necessary prior to plugging;  ged or production casing is cemented in;  and from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  |

Well will not be drilled or Permit Expired Date: \_

Signature of Operator or Agent:

Side Two

| For KCC Use ONLY |
|------------------|
| API # 15         |


#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

| Operator:                             | Location of Well: County:  |
|---------------------------------------|--|
| Lease:                                | feet from N / S Line of Section  |
| Well Number:                          | feet from E / W Line of Section  |
| Field:                                | Sec Twp S. R 🗌 E 🔲 W   |
| Number of Acres attributable to well: | Is Section: Regular or Irregular   |
|                                       | If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW |

#### **PLAT**

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if desired.



NOTE: In all cases locate the spot of the proposed drilling locaton.

### 1886 ft.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

# Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 May 2010 Form must be Typed

# **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

| Operator Name:  |   |   | License Number:  |  |
|---|---|---|--|--|
| Operator Address:   |   |   |  |  |
| Contact Person:   |   | Phone Number:                                   |  |  |
| Lease Name & Well No.:  |   | Pit Location (QQQQ):                            |  |  |
| Type of Pit:  | Pit is:   |   |  |  |
| Emergency Pit Burn Pit  | Proposed Existing  If Existing, date constructed: |   | SecTwp R   |  |
| Settling Pit Drilling Pit   |   |   | Feet from North / South Line of Section  |  |
| Workover Pit Haul-Off Pit  (If WP Supply API No. or Year Drilled)   | Pit capacity:                                     | (111)   | Feet from East / West Line of Section  |  |
|   | (bbls)  |   | County   |  |
| Is the pit located in a Sensitive Ground Water Area? Yes No   |   | No  | Chloride concentration: mg/l  (For Emergency Pits and Settling Pits only)      |  |
| Is the bottom below ground level?  Yes No   | Artificial Liner?                                 | lo  | How is the pit lined if a plastic liner is not used?                           |  |
| Pit dimensions (all but working pits):  | Length (feet)                                     |   | Width (feet) N/A: Steel Pits   |  |
| Depth fro   | om ground level to dee                            | pest point:                                     | (feet) No Pit  |  |
| If the pit is lined give a brief description of the li<br>material, thickness and installation procedure. | ilei  |   | dures for periodic maintenance and determining cluding any special monitoring. |  |
| Distance to nearest water well within one-mile of pit:  |   | Depth to shallow<br>Source of inforr            | west fresh water feet.   |  |
| feet Depth of water well  | feet  | measured  | well owner electric log KDWR   |  |
| Emergency, Settling and Burn Pits ONLY:   |   | Drilling, Worko                                 | ver and Haul-Off Pits ONLY:  |  |
| Producing Formation:  |   | Type of material utilized in drilling/workover: |  |  |
| Number of producing wells on lease:   |   | Number of working pits to be utilized:          |  |  |
| Barrels of fluid produced daily:  |   | Abandonment p                                   | procedure:   |  |
| Does the slope from the tank battery allow all spilled fluids to flow into the pit?   Yes No              |   | Drill pits must b                               | e closed within 365 days of spud date.   |  |
|   | -   |   |  |  |
| Submitted Electronically  |   |   |  |  |
| KCC OFFICE USE ONLY   |   |   |  |  |
| Date Received: Permit Numl  | ber:  | Permi   | Liner Steel Pit RFAC RFAS  t Date: Lease Inspection: Yes No                    |  |

## Kansas Corporation Commission Oil & Gas Conservation Division

Form KSONA-1
July 2021
Form Must Be Typed
Form must be Signed
All blanks must be Filled


# CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

| Select the corresponding form being filed: C-1 (Intent) CB-1 (Calculation)   | athodic Protection Borehole Intent)  |  |  |
|--|--|--|--|
| OPERATOR: License #  | Well Location:   |  |  |
| Name:  | SecTwpS. R   |  |  |
| Address 1:   | County:  |  |  |
| Address 2:   | Lease Name: Well #:  |  |  |
| City: State: Zip:+   | If filing a Form T-1 for multiple wells on a lease, enter the legal description of   |  |  |
| Contact Person:  | the lease below:   |  |  |
| Phone: ( ) Fax: ( )  |  |  |  |
| Email Address:   |  |  |  |
| Surface Owner Information:   |  |  |  |
| Name:  | sheet listing all of the information to the left for each surface owner. Surface   |  |  |
| Address 1:   |  |  |  |
| Address 2:   | county, and in the real estate property tax records of the county treasurer.   |  |  |
| City: State: Zip:+   |  |  |  |
| provided the following to the surface owner(s) of the land upon Form C-1, Form CB-1, Form T-1, or Form CP-1 that I am filing C-1 or Form CB-1, the plat(s) required by this form; and 3) my out I have not provided this information to the surface owner(s). I the KCC will be required to send this information to the surface | Act (see Chapter 55 of the Kansas Statutes Annotated), I have on which the subject well is or will be located: 1) a copy of the gin connection with this form; 2) if the form being filed is a Form operator name, address, phone number, fax, and email address.  acknowledge that, because I have not provided this information, owner(s). To mitigate the additional cost of the KCC performing ress of the surface owner by filling out the top section of this form |  |  |
| If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-1  | fee with this form. If the fee is not received with this form, the KSONA-1 will be returned.   |  |  |
| Submitted Electronically   |  |  |  |

# DOUBLE G PETRO, LLC KIRK BROWN LEASE SW. 1/4. SECTION 36. T13S. R14W RUSSELL COUNTY, KANSAS




<sup>\*</sup> Controlling data is based upon the best maps and photographs available to us and upon a regular section of land containing 640 acres.

# Elevations derived from Hational Geodetic Vertical Datum.

April 9. 2024

<sup>\*</sup> Approximate section lines were determined using the normal standard of care of dilfield surveyors practicing in the state of Ransos. The section garners, which establish the precise section lines, were not necessarily facated, and the exact location of the drillsite location in the section is not quaranteed. Therefore, the operator securing this service and accepting this plot and all other parties relying thereon agree to haid Central Konsos dilfield Services, Inc., its officers and employees harmless from all losses, costs and expenses and sold entities released from any liability from incidental or consequential damages



Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Laura Kelly, Governor

Andrew J. French, Chairperson Dwight D. Keen, Commissioner Annie Kuether, Commissioner

May 15, 2024

Clayton Bennett Bennett Oil Company, LLC 18212 WALTERS LANE RUSSELL, KS 67665-8708

Re: Drilling Pit Application Kathy Jo 1 SW/4 Sec.36-13S-14W Russell County, Kansas

#### Dear Clayton Bennett:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again within 72 hours after drilling operations have ceased.

KEEP PITS away from draw/drainage.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (785) 261-6250 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to **Drill**. If you have any questions or concerns please feel free to contact the District Office at (785) 261-6250.