WELL ID

KOLAR DOC ID

(785) 296-3565 | K.S.A. 82a-1212 | v2022c

## **WATER WELL RECORD** (WWC-5)

LOCATION OF WATER WEL	.L					Original Reco	rd Correction	Change	in Wel ؛	ll Use
Latitude	Longitude			Section	Township	Range	E W Fraction	1/4	1/4	1/4
Datum	Elevation		(	County	1		**			
WATER WELL OWNER			WELL V	VATER USE	•		NEAREST SOURCE OF PO	OTENTIAL CO	ONTAMIN	NATION
Name							Source:			
Business			COMPL	FTION			Distance from well:		1	
Dubiness					1 11		from well:	from well	:	
Address					ed well:		Source description:			
			1 -		water encountered	:	-			
Well location					(2) ft.; (4) dry well		Source:			
77611100411011							Distance from well:	Direction from well	l:	
at owner's					in well:	ft.	Source			
address				asured belo (mm/dd/yy	ow land surface		description:			
CONSTRUCTION					ve land surface		No potential source	of contamir	ation	
Borehole interval:	Borehole dia	meter:	on (mm/dd/yy):			within 100 feet.				
fromto ft.		in.	Estima	ited vield:	gpm		PERMIT & ID NUMBERS	(AS REQUI	RED)	
fromto ft.			I	-	ft. after	hours	DWR Application No.:			
Casing height above land su				_	pumping		KDHE / EPA Project Co	ode:		
If casing height is less th			Pump	installed?	Yes No		Site Name:			
has a variance been app		s No					KDHE UIC Class V For	m Complete	d: Yes	No
*variance not required for monitoring			Water well disinfected? Yes No			County Permit: Yes No Permit ID:				
or environmental reme Casing type:	diation wells		Date disinfected (mm/dd/yy):			Lease Name & Well #:				
Blank casing interval:	ft. to	ft	Aquife	r, if known	:		# of boreholes:	# of dewateri	ing wells:	
Blank casing diameter:			LITHOL	OGIC LOG						
Casing joints:			FROM	то то	LITHOLOGY	INTERVALS				
Weight: lb										
Wall thickness or gauge	no.:									
Blank casing interval:	ft. to	ft.								
Blank casing diameter:	in.									
Casing joints:										
Weight:lb	s/ft.									
Wall thickness or gauge	no.:									
Grout interval: ft. t	o ft.									
Grout material:										
Grout interval: ft. t	oft.									
Grout material:			COMM	ENTS						
Screen / perforation materia	l:									
Screen / perforation openin	-		CONTR	ACTOR'S	OR LANDOWNER	S CERTIFICATION				
Screen / perforation interval			This v	vater well	was constructe	d reconstru	icted pursuant to t	he stated wa	ater well	.
Fromft. to			contra	actor's lice	nse and was con	npleted on	I certify that	this record	l is true	to
Slot size unit			the be	est of my k	nowledge and b	elief. This water	well record was complet	ed on		
From ft. to	_		under	the busin	ess name of					,
Slot size unit			Kansa	ıs Water V	Vell Contractor's	License No	under the auth	nority of the	e designa	ated
Gravel pack intervals:	Cwarral -!	.	perso	n as defin	ed in K.A.R. 28-	30-2(j) and signe	d and certified by the ele	ectronic sig	nature o	of the
Gravel pack not used: From ft. to		in	1 -		on at its submitt	,	· 	C		
Gravel pack not used:		20-					e for your records. Fee of \$5	.00 for each c	constructe	ed well.
From ft. to		in			KANSAS D	EPARTMENT OF H	EALTH AND ENVIRONME	ENT		
11011111.10	1			Bureau	of Water, Geology	Section, 1000 SW	Jackson St., Suite 420, Tope	ka KS 66612	-1367	

Form	WWC5.2 - Water Well Record
Doc ID	1777903
Well Owner	Luke Helten
Contractor	Weninger Drilling, LLC

## Lithology

From	То	Lithology Intervals
0	2	topsoil
2	5	sand,medium
5	15	clay,sandy,tan
15	21	clay,white
21	24	sand,fine
24	26	clay,gray
26	30	shale,moderately weathered,red,hard
30	35	shale,broken,red
35	37	shale,broken,blue
37	40	shale,moderately weathered,red,soft
40	46	shale,broken,red
46	61	shale,moderately weathered,red,hard
61	70	shale,broken,red
70	77	shale,moderately weathered,red,soft
77	88	shale,broken,red,hard,broken layers
88	93	shale,moderately weathered,green,hard
93	95	limestone,moderately weathered,soapstone/Green shale

Form	WWC5.2 - Water Well Record		
Doc ID	1777903		
Well Owner	Luke Helten		
Contractor	Weninger Drilling, LLC		

## Lithology

From	То	Lithology Intervals
95		shale,moderately weathered,greenish,red,Gyp/ soapstone