

Confidentiality Requested:

Yes No

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

Form ACO-1

January 2018

Form must be Typed

Form must be Signed

All blanks must be Filled

WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # _____

Name: _____

Address 1: _____

Address 2: _____

City: _____ State: _____ Zip: _____ + _____

Contact Person: _____

Phone: (_____) _____

CONTRACTOR: License # _____

Name: _____

Wellsite Geologist: _____

Purchaser: _____

Designate Type of Completion:

New Well Re-Entry Workover

Oil WSW SWD

Gas DH EOR

OG GSW

CM (Coal Bed Methane)

Cathodic Other (Core, Expl., etc.): _____

If Workover/Re-entry: Old Well Info as follows:

Operator: _____

Well Name: _____

Original Comp. Date: _____ Original Total Depth: _____

Deepening Re-perf. Conv. to EOR Conv. to SWD

Plug Back Liner Conv. to GSW Conv. to Producer

Commingled Permit #: _____

Dual Completion Permit #: _____

SWD Permit #: _____

EOR Permit #: _____

GSW Permit #: _____

Spud Date or Date Reached TD Completion Date or Recompletion Date

API No.: _____

Spot Description: _____

_____ - _____ - _____ Sec. _____ Twp. _____ S. R. _____ East West

_____ Feet from North / South Line of Section

_____ Feet from East / West Line of Section

Footages Calculated from Nearest Outside Section Corner:

NE NW SE SW

GPS Location: Lat: _____, Long: _____
(e.g. xx.xxxxx) (e.g. -xxx.xxxxx)

Datum: NAD27 NAD83 WGS84

County: _____

Lease Name: _____ Well #: _____

Field Name: _____

Producing Formation: _____

Elevation: Ground: _____ Kelly Bushing: _____

Total Vertical Depth: _____ Plug Back Total Depth: _____

Amount of Surface Pipe Set and Cemented at: _____ Feet

Multiple Stage Cementing Collar Used? Yes No

If yes, show depth set: _____ Feet

If Alternate II completion, cement circulated from: _____

feet depth to: _____ w/ _____ sx cmt.

Drilling Fluid Management Plan

(Data must be collected from the Reserve Pit)

Chloride content: _____ ppm Fluid volume: _____ bbls

Dewatering method used: _____

Location of fluid disposal if hauled offsite:

Operator Name: _____

Lease Name: _____ License #: _____

Quarter _____ Sec. _____ Twp. _____ S. R. _____ East West

County: _____ Permit #: _____

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY

Confidentiality Requested

Date: _____

Confidential Release Date: _____

Wireline Log Received Drill Stem Tests Received

Geologist Report / Mud Logs Received

UIC Distribution

ALT I II III Approved by: _____ Date: _____

Operator Name: _____ Lease Name: _____ Well #: _____

Sec. _____ Twp. _____ S. R. _____ East West County: _____

INSTRUCTIONS: Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed.

Final Radioactivity Log, Final Logs run to obtain Geophysical Data and Final Electric Logs must be emailed to kcc-well-logs@kcc.ks.gov. Digital electronic log files must be submitted in LAS version 2.0 or newer AND an image file (TIFF or PDF).

Drill Stem Tests Taken <input type="checkbox"/> Yes <input type="checkbox"/> No <i>(Attach Additional Sheets)</i> Samples Sent to Geological Survey <input type="checkbox"/> Yes <input type="checkbox"/> No Cores Taken <input type="checkbox"/> Yes <input type="checkbox"/> No Electric Log Run <input type="checkbox"/> Yes <input type="checkbox"/> No Geologist Report / Mud Logs <input type="checkbox"/> Yes <input type="checkbox"/> No List All E. Logs Run:	<input type="checkbox"/> Log Formation (Top), Depth and Datum <input type="checkbox"/> Sample Name Top Datum
------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------

CASING RECORD <input type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	# Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate <input type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone				

1. Did you perform a hydraulic fracturing treatment on this well? Yes No *(If No, skip questions 2 and 3)*
2. Does the volume of the total base fluid of the hydraulic fracturing treatment exceed 350,000 gallons? Yes No *(If No, skip question 3)*
3. Was the hydraulic fracturing treatment information submitted to the chemical disclosure registry? Yes No *(If No, fill out Page Three of the ACO-1)*

Date of first Production/Injection or Resumed Production/Injection:	Producing Method: <input type="checkbox"/> Flowing <input type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other <i>(Explain)</i> _____				
Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity

DISPOSITION OF GAS: <input type="checkbox"/> Vented <input type="checkbox"/> Sold <input type="checkbox"/> Used on Lease <i>(If vented, Submit ACO-18.)</i>	METHOD OF COMPLETION: <input type="checkbox"/> Open Hole <input type="checkbox"/> Perf. <input type="checkbox"/> Dually Comp. <input type="checkbox"/> Commingled <i>(Submit ACO-5)</i> <i>(Submit ACO-4)</i>	PRODUCTION INTERVAL: Top Bottom
-------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	------------------------------------

Shots Per Foot	Perforation Top	Perforation Bottom	Bridge Plug Type	Bridge Plug Set At	Acid, Fracture, Shot, Cementing Squeeze Record <i>(Amount and Kind of Material Used)</i>

TUBING RECORD:	Size:	Set At:	Packer At:	
----------------	-------	---------	------------	--



Remit To: Hurricane Services, Inc.
 250 N. Water, Suite 200
 Wichita, KS 67202
 316-303-9515

Customer:
 RH CAPITAL-BEETS LLC
 1133 CORNETT BRANCH RD
 ATTN: THOMAS HECKMAN
 LAKE OZARK, MO 65049

Invoice Date: 4/10/2024
 Invoice #: 0375732
 Lease Name: John Gage
 Well #: 2-23 & 4-23 (New)
 County: Douglas, Ks
 Job Number: EP13054
 District: East

Date/Description	HRS/QTY	Rate	Total
Longstrings	0.000	0.000	0.00
Cement Pump Service	2.000	900.000	1,800.00
Heavy Eq Mileage	55.000	4.000	220.00
Light Eq Mileage	55.000	2.000	110.00
Ton Mileage	517.660	1.500	776.49
Transport 130bbl	4.500	135.000	607.50
Oil well cement	181.000	25.000	4,525.00
Pheno Seal	91.000	1.750	159.25
Bentonite Gel	400.000	0.450	180.00
2 7/8" Rubber Plug	2.000	40.000	80.00
Fresh water	6,510.000	0.020	130.20

Total 8,588.44

TERMS: Net 30 days. Interest may be charged on past due invoice at rate of 1 ½% per month or maximum allowed by applicable state or federal laws. HSI has right to revoke any discounts applied in arriving at net invoice price if invoice is past due. If revoked, full invoice price without discount plus additional sales tax, as applicable, is due immediately and subject to interest charges. Customer agrees to pay all collection costs directly or indirectly incurred by HSI in the event HSI engages a third party to pursue collection of past due invoice.

SALES TAX: Services performed on oil, gas and water wells in Kansas are subject to sales tax, with certain exceptions. HSI relies on the well information provided by the customer in identifying whether the services performed on wells qualify for exemption.

WE APPRECIATE YOUR BUSINESS!



Customer	RH Capital-Beets	Lease & Well #	John Gage 2-23, 4-23		Date	4/10/2024	
Service District	Garnett	County & State	DG, KS	Legals S/T/R	14-13-20	Job #	
Job Type	Longstrings	<input checked="" type="checkbox"/> PROD	<input type="checkbox"/> INJ	<input type="checkbox"/> SWD	New Well?	<input checked="" type="checkbox"/> YES <input type="checkbox"/> No	Ticket #
Equipment #	Driver	Job Safety Analysis - A Discussion of Hazards & Safety Procedures					
931	Casey Kennedy	<input checked="" type="checkbox"/> Hard hat	<input checked="" type="checkbox"/> Gloves	<input type="checkbox"/> Lockout/Tagout	<input type="checkbox"/> Warning Signs & Flagging		
239	Devin Katzer	<input checked="" type="checkbox"/> H2S Monitor	<input checked="" type="checkbox"/> Eye Protection	<input type="checkbox"/> Required Permits	<input type="checkbox"/> Fall Protection		
215	Nick Beets	<input checked="" type="checkbox"/> Safety Footwear	<input type="checkbox"/> Respiratory Protection	<input checked="" type="checkbox"/> Slip/Trip/Fall Hazards	<input checked="" type="checkbox"/> Specific Job Sequence/Expectations		
136/128	Dan Detwiler	<input checked="" type="checkbox"/> FRC/Protective Clothing	<input type="checkbox"/> Additional Chemical/Acid PPE	<input type="checkbox"/> Overhead Hazards	<input checked="" type="checkbox"/> Muster Point/Medical Locations		
		<input checked="" type="checkbox"/> Hearing Protection	<input checked="" type="checkbox"/> Fire Extinguisher	<input type="checkbox"/> Additional concerns or issues noted below			
Comments							

Product/ Service Code	Description	Unit of Measure	Quantity	Net Amount
C011	Cement Pump Service	ea	2.00	\$1,800.00
M010	Heavy Equipment Mileage	mi	55.00	\$220.00
M015	Light Equipment Mileage	mi	55.00	\$110.00
M020	Ton Mileage	tm	517.66	\$776.49
T030	Transport - 130 bbl	hr	4.50	\$607.50
CP020	H226 OWC	sack	181.00	\$4,525.00
CP125	Pheno Seal	lb	91.00	\$159.25
CP095	Bentonite Gel	lb	400.00	\$180.00
FE025	2 7/8" Rubber Plug	ea	2.00	\$80.00
AF080	Fresh Water	gal	6,510.00	\$130.20

Customer Section: On the following scale how would you rate Hurricane Services Inc.?		Net:	\$8,588.44
		Total Taxable	\$ -
		Tax Rate:	
Based on this job, how likely is it you would recommend HSI to a colleague?		Sale Tax:	\$ -
<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		Total:	\$ 8,588.44
Unlikely 1 2 3 4 5 6 7 8 9 10 Extremely Likely			
HSI Representative: <i>Casey Kennedy</i>			

TERMS: Cash in advance unless Hurricane Services Inc. (HSI) has approved credit prior to sale. Credit terms of sale for approved accounts are total invoice due on or before the 30th day from the date of invoice. Past due accounts shall pay interest on the balance past due at the rate of 1 1/2% per month or the maximum allowable by applicable state or federal laws. In the event it is necessary to employ an agency and/or attorney to affect the collection, Customer hereby agrees to pay all fees directly or indirectly incurred for such collection. In the event that Customer's account with HSI becomes delinquent, HSI has the right to revoke any discounts previously applied in arriving at net invoice price. Upon revocation, the full invoice price without discount is immediately due and subject to collection. Prices quoted are estimates only and are good for 30 days from the date of issue. Pricing does not include federal, state, or local taxes, or royalties and stated price adjustments. Actual charges may vary depending upon time, equipment, and material ultimately required to perform these services. Any discount is based on 30 days net payment terms or cash. **DISCLAIMER NOTICE:** Technical data is presented in good faith, but no warranty is stated or implied. HSI assumes no liability for advice or recommendations made concerning the results from the use of any product or service. The information presented is a best estimate of the actual results that may be achieved and should be used for comparison purposes and HSI makes no guarantee of future production performance. Customer represents and warrants that well and all associated equipment in acceptable condition to receive services by HSI. Likewise, the customer guarantees proper operational care of all customer owned equipment and property while HSI is on location performing services. The authorization below acknowledges the receipt and acceptance of all terms/conditions stated above, and Hurricane has been provided accurate well information in determining taxable services.

X _____ **CUSTOMER AUTHORIZATION SIGNATURE**



CEMENT TREATMENT REPORT

Customer: RH Capital-Beets	Well: John Gage 2-23, 4-23	Ticket: EP13054
City, State: Jefferson City, MO	County: DG, KS	Date: 4/10/2024
Field Rep: Zach Devorss	S-T-R: 14-13-20	Service: Longstrings

Downhole Information		Calculated Slurry - Lead		Calculated Slurry - Tail	
Hole Size:	5 7/8 in	Blend:	OWC 1/2# PS	Blend:	
Hole Depth:	710/715 ft	Weight:	14.83 ppg	Weight:	ppg
Casing Size:	2 7/8 in	Water / Sx:	6.77 gal / sk	Water / Sx:	gal / sk
Casing Depth:	697/701 ft	Yield:	1.45 ft ³ / sk	Yield:	ft ³ / sk
Tubing / Liner:	in	Annular Bbls / Ft.:	bbs / ft.	Annular Bbls / Ft.:	bbs / ft.
Depth:	ft	Depth:	ft	Depth:	ft
Tool / Packer:		Annular Volume:	0.0 bbls	Annular Volume:	0 bbls
Tool Depth:	ft	Excess:		Excess:	
Displacement:	4.03/4.06 bbls	Total Slurry:	bbls	Total Slurry:	0.0 bbls
		Total Sacks:	0 sks	Total Sacks:	0 sks

TIME	RATE	PSI	STAGE BBLs	TOTAL BBLs	REMARKS
4:00 PM			-	-	on location, held safety meeting
					#2-23
	4.0				established circulation
	4.0				mixed and pumped 200# Benonite Gel followed by 4 bbls fresh water
	4.0				mixed and pumped 90 sks OWC cement w/ 1/2# PS per sk, cement to surface
	4.0				flushed pump clean
	1.0				pumped 2 7/8" rubber plug to casing TD w/ 4.03 bbls fresh water
	1.0				pressured to 800 PSI, well held pressure
					released pressure to set float valve, float held
	4.0				washed up equipment
					waited for rig to run casing
5:30 PM	4.0				established circulation
	4.0				mixed and pumped 200# Benonite Gel followed by 4 bbls fresh water
	4.0				mixed and pumped 91 sks OWC cement w/ 1/2# PS per sk, cement to surface
	4.0				flushed pump clean
	1.0				pumped 2 7/8" rubber plug to casing TD w/ 4.06 bbls fresh water
	1.0				pressured to 800 PSI, well held pressure
					released pressure to set float valve, float held
	4.0				washed up equipment
6:30 PM					left location

CREW		UNIT	SUMMARY		
Cementer:	Casey Kennedy	931	Average Rate	Average Pressure	Total Fluid
Pump Operator:	Devin Katzer	239	3.1 bpm	- psi	- bbls
Bulk:	Nick Beets	215			
H2O:	Dan Detwiler	136/128			

WoCo Drilling LLC
 1135 30th Rd
 Yates Center, Kansas 66783
 Steve 620-330-6326 Nick 620-228-2320

Operator License # 35722	API # 15-045-22309
Operator: RH Capital-Beets, LLC	Lease: John Gage
Address: 1133 Cornett Branch Rd, Lake Ozark, Mo, 65049	Well # 2-23
Phone: 816-651-5248	Spud Date: 4/08/2024 Completed: 4/09/2024
Contractor License: 33800	Location: Sec: 14 TWP: 13s R: 20s
T.D. 710	2270' FSL
Surface Pipe Size: 7"	Surface Depth: 63.7'
Kind of Well: oil	2845' FEL
	County: Douglas

Drilling Log

Strata	From	To	Strata	From
Soil	0	12	Shale	627
Clay & Sand	12	30	Mucky Shale	639
Shale	30	62	Oil Sand	643
Lime	62	68	Badly Brkn Sand	653
Shale	68	105	Shale	655
Lime	105	142		
Shale	142	185	TD 710'	
Lime	185	230		
Shale	230	242	Ran 2-7/8" Pipe to	
Lime	242	291	697.1	
Shale	291	298		
Lime	298	333	Cemented Surface	
Shale	333	338	12 Sacks	
Lime	338	353		
Shale	353	358		
Lime	358	369		
Shale	369	546		
Lime	546	552		
Shale	552	555		
Lime	555	560		
Shale	560	568		
Lime	568	572		
Shale	572	588		
Lime	588	592		
Shale	592	604		
Lime	604	609		
Shale	609	622		
Lime	622	627		