KOLAR DOC ID _____ WELL ID_

WATER WELL RECORD (WWC-5)

From _____ ft. to _____ ft.

LOCATIO	N OF V	VATER WELL	_					Original Reco	ord Correction	Chang	e in Well Us	e
Latitude			Longitude		Section		Township	Range	E Fraction	1/4	1/4 1/	4
Datum			Elevation		County							
WATER W	ELL O	WNER	1	WI	LL WATER (JSE			NEAREST SOURCE OF PO	OTENTIAL C	ONTAMINATIO	N
Name									Source:			
Business			co	COMPLETION				Distance from well:	Direction	n		
									from well:	_ from wel	ll:	
Address				Depth of completed well:ft. Depth(s) groundwater encountered:				Source description:				
				(1	(1) ft.; (2) ft.;				Source:			
Well location				(3) ft.; (4) dry well				Distance from well:	Direction			
	- au ² a			St	Static water level in well: ft.					_ irom wei	ll:	-
at owner's address			measured below land surface				Source description:					
CONSTRUCTION			on (mm/dd/yy): measured above land surface				No potential source	of contami	nation	_		
Borehole	interv	al:	Borehole dia	meter:	on (mm/dd/yy):			within 100 feet.				
from	to	ft.		in. E	Estimated yield: gpm				PERMIT & ID NUMBERS (AS REQUIRED)			_
from	to	ft.			Water level was: ft. after hours				DWR Application No.:			
			face:		pumpinggpm				KDHE / EPA Project Code:			
· ·	-	ght is less tha			ımp installe	d? Y			Site Name:	Site Name:		
		ce been appr		s No					KDHE UIC Class V Form Completed: Yes No			o
l		•	r monitoring		Water well disinfected? Yes No				County Permit: Yes No Permit ID:			
		nental remed	iation wells		Date disinfected (mm/dd/yy):				Lease Name & Well #:			_
Casing ty	-	erval:	ft. to	ft A	Aquifer, if known:				# of boreholes:	# of dewater	ring wells:	_
	-				HOLOGIC L							_
Blank casing diameter:in. Casing joints:						LITHOLOGY II	NTFRVALS				_	
		lbs				+						_
"			10.:									
			ft. to									
	_	ameter:										_
Casin	ng join	s:										
Weight:lbs/ft.												
Wall thickness or gauge no.:							_					
Grout int	erval:	ft. to	ft.									
Grou	t mate	rial:										
Grout int	erval:	ft. to	ft.									_
Grou	t mate	rial:		CC	COMMENTS							
Screen / p	perfora	tion material:										
Screen / I	perfora	tion opening	s:		NTRACTOR	'S OR I	LANDOWNERS	CERTIFICATION	N			
Screen / p	Screen / perforation intervals: This water well was constructed reconstructed pursuant to the stated water well											
From _	Fromft. toft. contractor's license and was completed on I certify that this record is true to											
	Slot size unit the best of my knowledge and belief. This water well record was completed on											
Fromft. toft. under the business name of												
	Slot size unit Kansas Water Well Contractor's License No under the authority of the designated											
Gravel pack intervals:				person as defined in K.A.R. 28-30-2(j) and signed and certified by the electronic signature of the								
Gravel pack not used: Gravel sizein				in -								
From ft. to ft.					designated person at its submittal:							
Grave	Gravel pack not used: Gravel size in Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well.											

KANSAS DEPARTMENT OF HEALTH AND ENVIRONMENT Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka KS 66612-1367 (785) 296-3565 | K.S.A. 82a-1212 | v2022c

Form	WWC5.2 - Water Well Record
Doc ID	1774995
Well Owner	Kaw Valley Drainage District
Contractor	Griffin Dewatering, LLC


Lithology


From	То	Lithology Intervals
0	8	clay,fine,silty,light,brownish,br own,dry,soft,not cemented
8	15	clay,fine,silty,light,brownish,br own,dry,soft,not cemented
15	17	sand,fine,clayey,light,brownis h,brown,dry,loose,not cemented
17	21	clay,fine,silty,light,grayish,gray ,dry,soft,not cemented
21	23	sand,medium to coarse,silty,light,brownish,bro wn,dry,firm,not cemented
23	30	sand,fine to coarse,light,brownish,brown,d ry,firm,not cemented
30	32	sand,fine to coarse,gravelly,light,brownish ,brown,dry,firm,not cemented
32	37	sand,fine to coarse,gravelly,light,brownish ,brown,dry,firm,not cemented
37	42	sand,fine to coarse,gravelly,light,brownish ,brown,very moist,firm,not cemented
42	52	sand,fine to coarse,clayey,dark,brownish, brown,saturated,dense,not cemented

Form	WWC5.2 - Water Well Record
Doc ID	1774995
Well Owner	Kaw Valley Drainage District
Contractor	Griffin Dewatering, LLC

Lithology

From	То	Lithology Intervals
52	58	sand,fine to coarse,gravelly,dark,brownish ,brown,saturated,dense,not cemented
58	62	sand,fine to coarse,clayey,dark,brownish, brown,saturated,dense,not cemented
62	72	sand,fine to coarse,gravelly,dark,brownish ,brown,saturated,dense,not cemented
72	81.5	sand,fine to coarse,gravelly,dark,brownish ,brown,saturated,dense,not cemented





NOTES:

- 1. ALL PIPE IS 12" 304 STAINLESS STEEL
- 2. CASING IS SCH. 40
- 3. SCREEN SLOT IS AS SHOWN
- 4. DRAWING IS N.T.S.

COUPLINGS WILL BE SPLINE LOC ALL CONNECTIONS WELDED AT FACTORY



