WATER WELL RECORD (WWC-5)

From _____ ft. to _____ ft.

WATER WELL RECO	RD (W)	NC-5)				KOLAR D	OC ID	WELL ID		
OCATION OF WATER WELL					Ori	ginal Recor	d Correction	Change	in Wel	II Use
	ongitude		Sec	tion	Township	Range	E W Fraction	1/4	1/4	1/4
	Elevation		Со	unty	1		VV			
WATER WELL OWNER			WELL WA	TER USE			NEAREST SOURCE OF PO	OTENTIAL CO	ONTAMIN	NOITA
Name							Source:			
Business			COMPLET	ION					Į.	
Dusiness							from well:	from well	:	
Address			1		ed well: rater encountered:	ft.	Source description:			
			(1)	_ ft.; (2	2) ft.;		Source:			
Well location					4) dry well		Distance from well:			
at owner's address			measi	ired belo	n well: ft. w land surface		Source description:			
CONSTRUCTION Borehole interval: Bo	orehole dian		measi	m/dd/yy ired abov m/dd/yy	re land surface		No potential source within 100 feet.	of contamin	ation	
	orenoie dian						PERMIT & ID NUMBERS	(AS REQUIF	RED)	
fromtoft. fromtoft.		_in.			gpm ft. after	houre	DWR Application No.:			
			vvater icv	ci was	pumping		KDHE / EPA Project Co			
Casing height above land surface		in.	Pump in	talled?	Yes No	_ 81111	Site Name:			
If casing height is less than I has a variance been approve		No	Tump m	runcu.	103 110		KDHE UIC Class V For			No
*variance not required for n			Water we	ll disinfe	cted? Yes No		County Permit: Yes	•		
or environmental remediat	ion wells		Date disi	nfected (1	mm/dd/yy):		Lease Name & Well #: _			
Casing type:			Acuifon	f len oxen			# of boreholes:			
Blank casing interval:		ft.	Aquifer,							
Blank casing diameter:			LITHOLO		T					
Casing joints:			FROM	то	LITHOLOGY INTE	RVALS				
Weight:lbs/ft.										
Wall thickness or gauge no.: Blank casing interval:										
Blank casing diameter:										
Casing joints:										
Weight: lbs/ft.										
Wall thickness or gauge no.:										
Grout interval: ft. to					+					
Grout material:										
Grout interval: ft. to Grout material:	II.		COMMEN	TS						
Giout material:										
Screen / perforation material:										
Screen / perforation openings:			CONTRAC	TOP'S O	R LANDOWNERS CE	DTIEICATION				
Screen / perforation openings Screen / perforation intervals:					was constructed		atad nursuant to t	ha stated viv	2 top 212011	
Fromft. toft.						reconstru	1			
Slot size unit					nse and was comple		•			
From ft. to ft.				-	_		vell record was complete			
Slot size unit										
Gravel pack intervals:			Kansas	Water W	ell Contractor's Lice	ense No	under the auth	nority of the	e designa	ated
Gravel pack not used: Gr	avel size	,	person a	ıs define	d in K.A.R. 28-30-2	(j) and signed	d and certified by the ele	ectronic sig	nature o	f the
From ft. to f		111	designa	ed perso	on at its submittal:_					
	ravel size	in	Send one o	opy to W	ATER WELL OWNER	and retain one	for your records. Fee of \$5	.00 for each c	onstructe	ed well.

KANSAS DEPARTMENT OF HEALTH AND ENVIRONMENT Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka KS 66612-1367 (785) 296-3565 | K.S.A. 82a-1212 | v2022c

Form	WWC5.2 - Water Well Record		
Doc ID	1779781		
Well Owner	Aden Miller		
Contractor	Associated Drilling, Inc. #990		

Casing

From		Casing Diameter	Casing Joint	Wall Thickness or Gauge Number
0	76	6	Glued	sdr26
96	108	6	Glued	sdr26
118	138	6	Glued	sdr26

Form	WWC5.2 - Water Well Record		
Doc ID	1779781		
Well Owner	Aden Miller		
Contractor	Associated Drilling, Inc. #990		

Lithology

From	То	Lithology Intervals
0	6	clay
6	25	shale,unweathered,tannish,gr ay
25	29	shale,unweathered,reddish,gr ay
29	36	limestone,unweathered,soft
36	51	shale,unweathered,gray
51	74	shale,unweathered,red
74	88	limestone,completely weathered,H2O
88	109	shale,unweathered,gray
109	111	limestone,completely weathered,H2O
111	138	shale,unweathered,reddish,gr ay