WELL ID

KOLAR DOC ID

(785) 296-3565 | K.S.A. 82a-1212 | v2022c

WATER WELL RECORD (WWC-5)

LOCATION OF WATER WELL						Original Reco	rd Correction	Change	in We	ll Use
Latitude	Longitude		Se	ection	Township	Range	E W Fraction	1/4	1/4	1/4
Datum	Elevation		С	ounty	'		**			
WATER WELL OWNER			WELL W	ATER USE	:		NEAREST SOURCE OF PO	OTENTIAL CO	ONTAMIN	IATION
Name							Source:			
Business			COMPLE	TION			Distance from well:		L	
Dubiness							from well:	from well	:	
Address					ed well:		Source			
			-	•	vater encountered	•	description:			
Well location					(2) ft.; (4) dry well		Source:			
Well location							Distance from well:	Direction from well	:	
at owner's					in well:	ft.	Source			
address			1	sured belo mm/dd/yy	w land surface		description:			
CONSTRUCTION					ve land surface		No potential source	of contamir	ation	
Borehole interval:	Borehole dia	meter:		mm/dd/yy			within 100 feet.			
fromto ft.		in.			gpm		PERMIT & ID NUMBERS	(AS REQUI	RED)	
fromtoft.					gpm ft. after	hours	DWR Application No.:_			
Casing height above land sur			/ rater it		pumping		KDHE / EPA Project Co			
If casing height is less that		m.	Pump i	nstalled?	Yes No		Site Name:			
has a variance been appro		s No					KDHE UIC Class V For			No
*variance not required fo			Water v	vell disinfe	ected? Yes N	o	County Permit: Yes	No Permit	ID:	
or environmental remed	iation wells		Date disinfected (mm/dd/yy):				Lease Name & Well #:			
Casing type:Blank casing interval:	ft to		Aguifer	, if known	<u>:</u>		# of boreholes:	# of dewateri	ing wells:	
Blank casing diameter:		11.		OGIC LOG						
Casing joints:			FROM		LITHOLOGY	INTERVALS				
Weight: lbs/			rkow	10	Ennotogn	INTERVALS				
Wall thickness or gauge n										
Blank casing interval:		I .								
Blank casing diameter:										
Casing joints:										
Weight:lbs/										
Wall thickness or gauge r	10.:									
Grout interval: ft. to	ft									
Grout material:										
Grout interval: ft. to										
Grout material:			COMME	NTS						
Screen / perforation material:										
Screen / perforation opening	s:		CONTRA	CTOR'S	OR LANDOWNER	S CERTIFICATION	I			I
Screen / perforation intervals:			This w	ater well	was constructe	d reconstru	icted pursuant to the	he stated w	ater well	
Fromft. to	ft.		contra	ctor's lice	nse and was con	npleted on	I certify that	this record	l is true	to
Slot size unit _						=	well record was complete			
From ft. to	ft.			-	_		wen record was compress			
Slot size unit _							under the auth			
Gravel pack intervals:										
Gravel pack not used:		in	-			,	ed and certified by the ele	etronic sig	nature 0	ı me
From ft. to	_ ft.				on at its submitt					
Gravel pack not used:	Gravel size _	in	Send one	copy to W			e for your records. Fee of \$5 IEALTH AND ENVIRONME		onstructe	ed well.
From ft. to	_ ft.			Bureau			Jackson St., Suite 420, Tope		-1367	

Form	WWC5.2 - Water Well Record
Doc ID	1773127
Well Owner	Don/ Jennifer Phillips
Contractor	Rosencrantz-Bemis Ent., Inc.

Casing

From	То	Casing Diameter	Casing Joint	Wall Thickness or Gauge Number
0	250	5	Glued	SDR - 21
250	360	5	Glued	SDR - 17
380	400	5	Glued	SDR - 17

Form	WWC5.2 - Water Well Record
Doc ID	1773127
Well Owner	Don/ Jennifer Phillips
Contractor	Rosencrantz-Bemis Ent., Inc.

Lithology

From	То	Lithology Intervals
0	3	topsoil
3	34	clay,tan
34	207	shale,slightly weathered,black,& gray shale
207	230	shale,broken,dakota
230	323	shale,slightly weathered,clayey,red
323	325	shale,broken,dakota w/ sandstone streaks
325	363	shale,broken,dakota
363	365	sandstone,slightly weathered
365	405	shale,slightly weathered,clayey,red
405	410	sandstone,slightly weathered,& shale
410	427	shale,slightly weathered,gray
427	432	sandstone,slightly weathered
432	460	sandstone,slightly weathered,& gray shale