_ WELL ID_

KOLAR DOC ID

WATER WELL RECORD (WWC-5)

OCATION OF WATER WE	LL					Original F	Recor	d Coi	rrection	Chang	e in We	l Use
Latitude	Longitude			Section	Township	Ra	ange	E W	Fraction	1/4	1/4	1/4
Datum	Elevation			County								
WATER WELL OWNER			WELL	NATER USI				NEAREST S	OURCE OF	POTENTIAL C	ONTAMIN	IATION
Name								Source:				
Business			COMP	LETION				Distance		Direction	n	
Dustriess					. 1 . 11			from well:		from we	l:	
Address					ted well:		t.	Source descriptio	n.			
			-	-	water encountered: (2) ft.;							
Well location					(4) dry well							
					·		_	from well:		Direction from we	ll:	
at owner's address			Static water level in well: ft. measured below land surface				Source description:					
CONSTRUCTION				(mm/dd/y	y): ve land surface		-	No pot	ential sour	ce of contami	nation	
Borehole interval: Borehole diameter:				easured abo (mm/dd/y			_	within 100 feet.				
fromto ft.				Estimated yield:gpm			$\overline{}$	PERMIT & ID NUMBERS (AS REQUIRED)				
fromtoft.					gpm ft. after	houre		DWR Apr	olication No	o.:		
			, vaici					1				
Casing height above land surface:in.			pumping gpm Pump installed? Yes No				KDHE / EPA Project Code: Site Name:					
If casing height is less than 12 in. has a variance been approved?* Yes No							_	KDHE UI	C Class V I	Form Complet	ed: Yes	No
*variance not required for monitoring					ected? Yes No			County Pe	ermit: Ye	s No Perm	it ID:	
or environmental remediation wells			Date of	lisinfected ((mm/dd/yy):		_	Lease Nan	ne & Well #	:		
Casing type:	ft to		Aquif	er, if known	:			# of boreh	oles:	# of dewater	ring wells:	
Blank casing diameter:				LOGIC LOG								
Casing joints:			FRO		LITHOLOGY I	NTERVALS						
Weight:ll												
Wall thickness or gauge												
Blank casing interval:	ft. to	ft.										
Blank casing diameter:	in.											
Casing joints:												
Weight:ll	bs/ft.											
Wall thickness or gauge	e no.:											
Grout interval: ft.	toft.											
Grout material:												
Grout interval: ft.	toft.		50111									
Grout material:			COMM	ENIS								
Screen / perforation materia												
Screen / perforation opening					OR LANDOWNERS							
Screen / perforation interva					was constructed			_		the stated w		
Fromft. to					ense and was com	•			•			
Slot size unit				•	knowledge and be				•			
From ft. to Slot size unit					ness name of							
Gravel pack intervals:	·		Kans	as Water V	Vell Contractor's	License No		ur	nder the au	ithority of th	e designa	ated
Gravel pack not used:	Gravel size	in	perso	n as defin	ed in K.A.R. 28-3	30-2(j) and	signe	d and certifi	ied by the	electronic sią	gnature o	f the
From ft. to		111	desig	nated pers	son at its submitta	al:			·			
Gravel pack not used:		in	Send or	ne copy to V	VATER WELL OW	NER and reta	ain one	for your reco	ords. Fee of	\$5.00 for each	constructe	ed well
Fromft. to				Bureau	of Water, Geology	Section, 100	0 SW J	EALTH AND ackson St., S A. 82a-1212	uite 420, To		2-1367	

Form	WWC5.2 - Water Well Record
Doc ID	1771698
Well Owner	Don Riedl
Contractor	Rosencrantz-Bemis Ent., Inc.

Casing

From	То	Casing Diameter	Casing Joint	Wall Thickness or Gauge Number
0	140	5	Glued	SDR - 21
160	200	5	Glued	SDR - 21
240	260	5	Glued	SDR - 21

Form	WWC5.2 - Water Well Record
Doc ID	1771698
Well Owner	Don Riedl
Contractor	Rosencrantz-Bemis Ent., Inc.

Lithology

From	То	Lithology Intervals
0	3	topsoil
3	80	shale,slightly weathered,yellowish
80	140	shale,slightly weathered,black,brittle
140	160	sandstone,slightly weathered
160	202	shale,slightly weathered,gray
202	244	sandstone,slightly weathered,w/ white shale streaks
244	260	shale,slightly weathered,clayey,red