KOLAR DOC ID _____ WELL ID_

WATER WELL RECORD (WWC-5)

LOCATION OF WATER WELI	L				Orio	ginal Recor	d Correction	Change in \	Well Us
Latitude	Longitude		Sec	ction	Township	Range	E W Fraction	1/4 1/4	1
Datum	Elevation		Co	unty					
WATER WELL OWNER			WELL WA	TER USE			NEAREST SOURCE OF PO	TENTIAL CONTA	MINATIO
Name							Source:		
Business			COMPLET	TION .			Distance	Direction	
Dusiness							from well:	from well:	
Address	ddress			Depth of completed well:ft. Depth(s) groundwater encountered:			Source description:		
			(1)	ft.; (2	2) ft.;		Source:		
Well location	ell location			(3) ft.; (4) dry well			Distance from well:	Direction	
at owner's address			Static water level in well: ft. measured below land surface				Source description:	nom wem	
CONSTRUCTION				nm/dd/yy			No potential source	of contamination	1
Borehole interval:	Borehole dia	meter:	1	ured abov nm/dd/yy	ve land surface '):		within 100 feet.		
fromto ft.		in.	Estimated yield: gpm						
fromto ft.			Water level was: ft. after hours DWR Application No.:						
Casing height above land sur				_	pumping		KDHE / EPA Project Code:		
If casing height is less that			Pump in	stalled?		_ 01	Site Name:		
has a variance been appr		s No	Pump installed? Yes No				KDHE UIC Class V Form Completed: Yes		
*variance not required fo	or monitoring		Water well disinfected? Yes No				County Permit: Yes	No Permit ID:	
or environmental remediation wells			Date disi	nfected (1	mm/dd/yy):		Lease Name & Well #:		
Casing type:			1 :6	.61			# of boreholes:		
Blank casing interval:		ft.	Aquiter,	if known:	!			——————————————————————————————————————	CHO
Blank casing diameter:			LITHOLO	GIC LOG					
Casing joints:			FROM	то	LITHOLOGY INTER	RVALS			
Weight:lbs									
Wall thickness or gauge									
Blank casing interval:		ft.							
Blank casing diameter:	in.								
Casing joints:									
Weight:lbs	s/ft.								
Wall thickness or gauge	no.:								
Grout interval: ft. to	ft.								
Grout material:									
Grout interval: ft. to									
Grout material:			COMMEN	ITS					
Orout Mutorius									
Screen / perforation material:	:								
Screen / perforation opening			CONTRAC	CTOR'S C	OR LANDOWNERS CER	RTIFICATION			
Screen / perforation intervals					was constructed	reconstru	cted nursuant to the	he stated water v	well
From ft. to							•		
Slot size unit _					_		I certify that		
From ft. to				-	=		vell record was complete		
Slot size unit _									
Gravel pack intervals:			Kansas	Water W	Vell Contractor's Lice	nse No	under the auth	ority of the des	ignated
-	Gravel cize	:	person	as define	ed in K.A.R. 28-30-2(j) and signed	d and certified by the ele	ctronic signatu	re of th
Gravel pack not used: Gravel size in From ft. to ft.			designated person at its submittal:						
Gravel pack not used:		in	Send one	copy to W	ATER WELL OWNER	and retain one	for your records. Fee of \$5.	.00 for each constr	ructed w
From ft. to			KANSAS DEPARTMENT OF HEALTH AND ENVIRONMENT Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka KS 66612-1367						

Form	WWC5.2 - Water Well Record		
Doc ID	1771332		
Well Owner	Jamie Holopirek		
Contractor	Rosencrantz-Bemis Ent., Inc.		

Casing

From	То	Casing Diameter	Casing Joint	Wall Thickness or Gauge Number
0	120	5	Glued	SDR - 21
140	200	5	Glued	SDR - 21
220	240	5	Glued	SDR - 21

Form	WWC5.2 - Water Well Record		
Doc ID	1771332		
Well Owner	Jamie Holopirek		
Contractor	Rosencrantz-Bemis Ent., Inc.		

Lithology

From	То	Lithology Intervals
0	3	topsoil
3	25	clay,yellowish
25	125	shale,slightly weathered,black,& gray shale
125	145	sandstone,slightly weathered
145	205	shale,slightly weathered,clayey,red
205	219	sandstone,slightly weathered
219	240	shale,slightly weathered,clayey,red,hard