_ WELL ID_

KOLAR DOC ID

WATER WELL RECORD (WWC-5)

OCATION OF WATER WE	LL					Original F	Recor	d Coi	rrection	Chang	e in We	l Use
Latitude	Longitude			Section	Township	Ra	ange	E W	Fraction	1/4	1/4	1/4
Datum	Elevation			County								
WATER WELL OWNER			WELL	NATER USI				NEAREST S	OURCE OF	POTENTIAL C	ONTAMIN	IATION
Name								Source:				
Business			COMPI	LETION				Distance		Direction	n	
Dustriess					. 1 . 11			from well:		from we	l:	
Address					ted well:		t.	Source descriptio	n.			
			-	-	water encountered: (2) ft.;							
Well location					(4) dry well							
					·		_	from well:		Direction from we	ll:	
at owner's address			Static water level in well: ft. measured below land surface					Source description:				
CONSTRUCTION				(mm/dd/y			-	No pot	ential sour	ce of contami	nation	
Borehole interval:	Borehole dia	meter:	measured above land surface on (mm/dd/yy):				within 100 feet.					
fromto ft.				Estimated yield: gpm			$\overline{}$	PERMIT & ID NUMBERS (AS REQUIRED)				
fromtoft.					gpm ft. after	houre		DWR Apr	olication No	o.:		
			, vaici					1				
Casing height above land s		m.	pumping gpm Pump installed? Yes No				KDHE / EPA Project Code: Site Name:					
If casing height is less than 12 in. has a variance been approved?* Yes No			Tamp motanear 165 110			_	KDHE UIC Class V Form Completed: Yes N County Permit: Yes No Permit ID:				No	
*variance not required for monitoring			Water well disinfected? Yes No									
or environmental remediation wells			Date disinfected (mm/dd/yy):			_	Lease Name & Well #:					
Casing type:	ft to		Aquif	er, if known	:			# of boreh	oles:	# of dewater	ring wells:	
Blank casing diameter:				LOGIC LOG								
Casing joints:			FRO		LITHOLOGY I	NTERVALS						
Weight:ll												
Wall thickness or gauge												
Blank casing interval:	ft. to	ft.										
Blank casing diameter:	in.											
Casing joints:												
Weight:ll	bs/ft.											
Wall thickness or gauge	e no.:											
Grout interval: ft.	toft.											
Grout material:												
Grout interval: ft.	toft.		50111									
Grout material:			COMM	ENIS								
Screen / perforation materia												
Screen / perforation opening					OR LANDOWNERS							
Screen / perforation interva					was constructed			_		the stated w		
Fromft. to					ense and was com	•			•			
Slot size unit				•	knowledge and be				•			
From ft. to Slot size unit					ness name of							
Gravel pack intervals:	·		Kans	as Water V	Vell Contractor's	License No		ur	nder the au	ithority of th	e designa	ated
Gravel pack not used:	Gravel size	in	perso	n as defin	ed in K.A.R. 28-3	30-2(j) and	signe	d and certifi	ied by the	electronic sią	gnature o	f the
From ft. to		111	desig	nated pers	son at its submitta	al:			·			
Gravel pack not used:		in	Send or	ne copy to V	VATER WELL OW	NER and reta	ain one	for your reco	ords. Fee of	\$5.00 for each	constructe	ed well
Fromft. to				Bureau	of Water, Geology	Section, 100	0 SW J	EALTH AND ackson St., S A. 82a-1212	uite 420, To		2-1367	

Form	WWC5.2 - Water Well Record		
Doc ID	1780138		
Well Owner	Warren & Jessica Bell		
Contractor	Allen's Holdings and Investments D/B/A Evans Energy #1011		

Lithology

From	То	Lithology Intervals
0	8	topsoil,clayey
8	23	limestone,unweathered
23	29	shale,unweathered
29	34	limestone,unweathered
34	35	shale,unweathered
35	61	limestone,unweathered
61	116	shale,unweathered
116	128	limestone,unweathered
128	129	shale,unweathered
129	130	limestone,unweathered
130	148	shale,unweathered
148	151	limestone,unweathered
151	168	shale,unweathered
168	176	sandstone,unweathered
176	188	shaley limestone,unweathered
188	199	shale,unweathered
199	200	limestone,unweathered
200	203	shale,unweathered
203	206	limestone,unweathered
206	213	shale,unweathered
213	226	limestone,unweathered
226	230	shale,unweathered
230	252	limestone,unweathered
252	268	shale,unweathered

Form	WWC5.2 - Water Well Record		
Doc ID	1780138		
Well Owner	Warren & Jessica Bell		
Contractor	Allen's Holdings and Investments D/B/A Evans Energy #1011		

Lithology

From	То	Lithology Intervals
268	269	limestone,unweathered
269	373	shale,unweathered
373	377	limestone,unweathered
377	392	sandstone,unweathered
392	400	shale,unweathered