_ WELL ID_

KOLAR DOC ID

WATER WELL RECORD (WWC-5)

OCATION OF WATER WELL						Original I	Recor	d Co	rrection	Chang	e in We	l Use
Latitude	Longitude			Section	Township	R	lange	E W	Fraction	1/4	1/4	1/4
Datum	Elevation			County	<u> </u>							
WATER WELL OWNER		l	WELL	NATER US	 			NEAREST S	OURCE OF	POTENTIAL C	ONTAMIN	IATION
Name								Source:				
Business			COMP	LETION				Distance		Direction	n	
Dustriess					. 1 . 11			from well:		from we	ll:	
Address					ted well:		ft.	Source descriptio	n.			
			1 -	•	water encountered: (2) ft.;	•		•				
Well location					(2) it.; (4) dry well							
								from well:		Direction from we	n ll:	
at owner's address			Static water level in well: ft. measured below land surface					Source description:				
CONSTRUCTION				(mm/dd/y				No not	ential cour	ce of contami	nation	
CONSTRUCTION Parabala interval.	Donahal. J.	um at c ==			ve land surface				100 feet.			
Borehole interval: Borehole diameter:			on (mm/dd/yy):			=	PERMIT & ID NUMBERS (AS REQUIRED)					
fromtoft.		in.			gpm			DIATE 4	ali anti e - NT			
fromto ft.			Water		ft. after		•	1).: Code:		
Casing height above land sur		in.	pumpinggpm					KDHE / EPA Project Code:				
If casing height is less that has a variance been appropriately		s No	Pump installed? Yes No				Site Name: KDHE UIC Class V Form Completed: Yes No				No	
*variance not required for monitoring			Water well disinfected? Yes No							s No Perm		
or environmental remediation wells			Date disinfected (mm/dd/yy):			_	1		:			
Casing type:			A au : 6	er, if knowr						# of dewater		
Blank casing interval:		ft.										
Blank casing diameter:				LOGIC LOG		NITED\/A.I.C						
Casing joints:lbs			FROI	и то	LITHOLOGY	NIERVALS	'					
Wall thickness or gauge r												
Blank casing interval:												
Blank casing diameter:												
Casing joints:												
Weight:lbs												
Wall thickness or gauge r	10.:											
Grout interval:ft. to	ft											
Grout material:												
Grout interval: ft. to												
Grout material:			СОММ	ENTS								
Screen / perforation material:												
Screen / perforation opening			CONTE	RACTOR'S	OR LANDOWNER	S CERTIFIC	ATION					
Screen / perforation intervals			This	water well	was constructe	d reco	onstru	cted p	oursuant to	the stated w	ater well	
Fromft. to			contr	actor's lice	ense and was con	npleted on		·	I certify th	nat this recor	d is true	to
Slot size unit _			the b	est of my l	knowledge and b	elief. This v	vater v	well record	was compl	eted on		
From ft. to			unde	r the busii	ness name of							,
Slot size unit _			Kans	as Water V	Vell Contractor's	License No	o	uı	nder the au	thority of th	e designa	ited
Gravel pack intervals:	Cmar1 - '				ed in K.A.R. 28-3					•	_	
Gravel pack not used:		in	-		son at its submitt	•	٥				-	
From ft. to Gravel pack not used:					VATER WELL OW		ain one	e for vour rec	ords. Fee of	\$5.00 for each	constructe	d well
From ft. to		in		· · · · · · · · · · · · · · · · · · ·				EALTH AND				
710m n. to	11.			Bureau	of Water, Geology (7			Jackson St., S A. 82a-1212		peka KS 66612	2-1367	

Form	WWC5.2 - Water Well Record		
Doc ID	1777310		
Well Owner	Kelly Magee		
Contractor	Allen's Holdings and Investments D/B/A Evans Energy #1011		

Lithology

From	То	Lithology Intervals
0	15	topsoil,clayey
15	30	limestone,unweathered
30	49	shale,unweathered
49	55	limestone,unweathered
55	60	shale,unweathered
60	86	limestone,unweathered
86	101	shale,unweathered
101	102	limestone,unweathered
102	105	shale,unweathered
105	106	limestone,unweathered
106	112	shale,unweathered
112	135	limestone,unweathered
135	137	shale,unweathered
137	138	limestone,unweathered
138	146	shale,unweathered
146	167	limestone,unweathered
167	170	shale,unweathered
170	171	limestone,unweathered
171	180	shale,unweathered
180	188	limestone,unweathered
188	228	shale,unweathered
228	230	limestone,unweathered
230	355	shale,unweathered
355	367	sandstone,unweathered,Oil

Form	WWC5.2 - Water Well Record		
Doc ID	1777310		
Well Owner	Kelly Magee		
Contractor	Allen's Holdings and Investments D/B/A Evans Energy #1011		

Lithology

From	То	Lithology Intervals
367	380	shale,unweathered
380	387	limestone,unweathered
387	391	shale,unweathered
391	397	limestone,unweathered
397	400	shale,unweathered