For KCC	Use:
Effective	Date:
District #	
SGA?	Yes No

# Kansas Corporation Commission Oil & Gas Conservation Division

Form C-1
March 2010
Form must be Typed
Form must be Signed
All blanks must be Filled

## NOTICE OF INTENT TO DRILL

Expected Spud Date:	Spot Description:
•	
PERATOR: License#	feet from N / S Line of Section
lame:	feet from E / W Line of Section
ddress 1:	Is SECTION: Regular Irregular?
.iddress 2:	(Note: Locate well on the Section Plat on reverse side)
contact Person: State Zip +	County:
hone:	Lease Name: Well #:
	Field Name:
ONTRACTOR: License#	Is this a Prorated / Spaced Field?
ame:	Target Formation(s):
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage):
Oil Enh Rec Infield Mud Rotary	Ground Surface Elevation:feet MSI
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
Disposal Wildcat Cable	Public water supply well within one mile: Yes N
Seismic ; # of Holes Other	Depth to bottom of fresh water:
Other:	Depth to bottom of usable water:
If OWWO: old well information as follows:	Surface Pipe by Alternate: III
Il Owwo. dd wei illomation as follows.	Length of Surface Pipe Planned to be set:
Operator:	Length of Conductor Pipe (if any):
Well Name:	Projected Total Depth:
Original Completion Date: Original Total Depth:	Formation at Total Depth:
irectional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations:
Yes, true vertical depth:	Well Farm Pond Other:
Bottom Hole Location:	DWR Permit #:(Note: Apply for Permit with DWR )
CCC DKT #:	Will Cores be taken?
	If Yes, proposed zone:
A = =	ID AV (IT
AFF he undersigned hereby affirms that the drilling, completion and eventual plup.	IDAVIT gaing of this well will comply with K.S.A. 55 et seg
is agreed that the following minimum requirements will be met:	gging of this well will comply with 14.0.7. 35 ct. 364.
<ol> <li>Notify the appropriate district office prior to spudding of well;</li> </ol>	drilling rig:
2. A copy of the approved notice of intent to drill chall be nected an each	
<ol> <li>A copy of the approved notice of intent to drill shall be posted on each</li> <li>The minimum amount of surface pipe as specified below shall be set to</li> </ol>	
<ul> <li>2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each</li> <li>3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the</li> </ul>	by circulating cement to the top; in all cases surface pipe shall be set
<ul> <li>3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>4. If the well is dry hole, an agreement between the operator and the distriction</li> </ul>	by circulating cement to the top; in all cases surface pipe <b>shall be set</b> underlying formation.  ict office on plug length and placement is necessary <b>prior to plugging</b> ;
<ul> <li>3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>4. If the well is dry hole, an agreement between the operator and the district.</li> <li>5. The appropriate district office will be notified before well is either plugging.</li> </ul>	by circulating cement to the top; in all cases surface pipe <b>shall be set</b> underlying formation.  ict office on plug length and placement is necessary <b>prior to plugging</b> ; ed or production casing is cemented in;
<ol> <li>The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the district.</li> <li>The appropriate district office will be notified before well is either plugge.</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented.</li> </ol>	by circulating cement to the top; in all cases surface pipe <b>shall be set</b> underlying formation.  ict office on plug length and placement is necessary <b>prior to plugging</b> ; ed or production casing is cemented in; I from below any usable water to surface within <b>120 DAYS</b> of spud date.
<ol> <li>The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge.</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented.</li> </ol>	by circulating cement to the top; in all cases surface pipe <b>shall be set</b> underlying formation.  ict office on plug length and placement is necessary <b>prior to plugging</b> ; ed or production casing is cemented in; I from below any usable water to surface within <b>120 DAYS</b> of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing
<ol> <li>The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge.</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1.</li> </ol>	by circulating cement to the top; in all cases surface pipe <b>shall be set</b> underlying formation.  ict office on plug length and placement is necessary <b>prior to plugging</b> ; ed or production casing is cemented in; I from below any usable water to surface within <b>120 DAYS</b> of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing
<ol> <li>The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge.</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1.</li> </ol>	by circulating cement to the top; in all cases surface pipe <b>shall be set</b> underlying formation.  ict office on plug length and placement is necessary <b>prior to plugging</b> ; ed or production casing is cemented in; I from below any usable water to surface within <b>120 DAYS</b> of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing
<ol> <li>The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be</li> </ol>	by circulating cement to the top; in all cases surface pipe <b>shall be set</b> underlying formation.  ict office on plug length and placement is necessary <b>prior to plugging</b> ; ed or production casing is cemented in; I from below any usable water to surface within <b>120 DAYS</b> of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing
<ol> <li>The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the district.</li> <li>The appropriate district office will be notified before well is either plugge.</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be</li> </ol> Ibmitted Electronically	by circulating cement to the top; in all cases surface pipe <b>shall be set</b> underlying formation.  ict office on plug length and placement is necessary <b>prior to plugging</b> ; ed or production casing is cemented in; I from below any usable water to surface within <b>120 DAYS</b> of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing
3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be about the defendance of the well shall be about the complete of the spud date or the well shall be about the spud because of the spud date or the well shall be about the spud because of the spud be	by circulating cement to the top; in all cases surface pipe shall be set underlying formation.  ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification
3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distr 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be  submitted Electronically  For KCC Use ONLY	oy circulating cement to the top; in all cases surface pipe shall be set underlying formation.  ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugg. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be about the defendance of the well shall be about the completed within 30 days of the spud date or the well shall be about the completed within 30 days of the spud date or the well shall be about the complete of the complete of the complete of the spud date or the well shall be about the complete of the com	oy circulating cement to the top; in all cases surface pipe shall be set underlying formation.  ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  - File Drill Pit Application (form CDP-1) with Intent to Drill;
3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be submitted Electronically  For KCC Use ONLY  API # 15	oy circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;
3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distr 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1:  must be completed within 30 days of the spud date or the well shall be  submitted Electronically  For KCC Use ONLY  API # 15 -  Conductor pipe required	py circulating cement to the top; in all cases surface pipe <i>shall be set</i> underlying formation.  ict office on plug length and placement is necessary <i>prior to plugging;</i> ed or production casing is cemented in; I from below any usable water to surface within <i>120 DAYS</i> of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.  **Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders;
3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district of the specific structure of the properties of the specific structure of the speci	oy circulating cement to the top; in all cases surface pipe shall be set underlying formation.  ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;
3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be submitted Electronically  For KCC Use ONLY  API # 15	py circulating cement to the top; in all cases surface pipe shall be set underlying formation.  ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;  - File acreage attribution plat according to field proration orders;  - Notify appropriate district office 48 hours prior to workover or re-entry;
3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distr 5. The appropriate district office will be notified before well is either plugg. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1:  must be completed within 30 days of the spud date or the well shall be  ubmitted Electronically  For KCC Use ONLY  API # 15 -  Conductor pipe required feet  Minimum surface pipe required feet per ALT I II  Approved by:  This authorization expires:	py circulating cement to the top; in all cases surface pipe shall be set underlying formation.  ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;  - File acreage attribution plat according to field proration orders;  - Notify appropriate district office 48 hours prior to workover or re-entry;  - Submit plugging report (CP-4) after plugging is completed (within 60 days);

Well will not be drilled or Permit Expired Date: \_

Signature of Operator or Agent:

Side Two

For KCC Use ONLY
API # 15

### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:
Lease:	feet from N / S Line of Section
Well Number:	feet from E / W Line of Section
Field:	SecTwpS. R 🗌 E 🔲 W
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW

### **PLAT**

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032).

You may attach a separate plat if desired.



, , ,

320 ft.

## In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

# Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 May 2010 Form must be Typed

# **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name:			License Number:		
Operator Address:					
Contact Person:			Phone Number:		
Lease Name & Well No.:			Pit Location (QQQQ):		
Type of Pit:	Pit is:				
Emergency Pit Burn Pit	Proposed	Existing	SecTwp R		
Settling Pit Drilling Pit	If Existing, date cor	nstructed:	Feet from North / South Line of Section		
Workover Pit Haul-Off Pit  (If WP Supply API No. or Year Drilled)	Pit capacity:	(bbls)	Feet from East / West Line of SectionCounty		
Is the pit located in a Sensitive Ground Water A	rea? Yes	No	Chloride concentration: mg/l  (For Emergency Pits and Settling Pits only)		
Is the bottom below ground level?  Yes No	Artificial Liner?	lo	How is the pit lined if a plastic liner is not used?		
Pit dimensions (all but working pits):	Length (fee	et)	Width (feet) N/A: Steel Pits		
Depth fro	om ground level to dee	pest point:	(feet) No Pit		
material, thickness and installation procedure.			cluding any special monitoring.		
Distance to nearest water well within one-mile of	of pit:	Depth to shallo Source of inform	west fresh water feet. nation:		
feet Depth of water well	feet	measured	well owner electric log KDWR		
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	ver and Haul-Off Pits ONLY:		
Producing Formation:		Type of material utilized in drilling/workover:			
Number of producing wells on lease:		Number of working pits to be utilized:			
Barrels of fluid produced daily:		Abandonment p	procedure:		
Does the slope from the tank battery allow all s flow into the pit? Yes No	pilled fluids to	Drill pits must b	e closed within 365 days of spud date.		
Submitted Electronically					
KCC OFFICE USE ONLY  Liner Steel Pit RFAC RFAS					
Date Received: Permit Numl	ber:	Permi	t Date: Lease Inspection:		

## Kansas Corporation Commission Oil & Gas Conservation Division

Form KSONA-1
July 2021
Form Must Be Typed
Form must be Signed
All blanks must be Filled

# CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (C	Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)
OPERATOR: License #	Well Location:
Name:	SecTwpS. R
Address 1:	County:
Address 2:	Lease Name: Well #:
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description of
Contact Person:	the lease below:
Phone: ( ) Fax: ( )	
Email Address:	
Surface Owner Information:	
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the
Address 2:	county, and in the real estate property tax records of the county treasurer.
City: State: Zip:+	
the KCC with a plat showing the predicted locations of lease roads, tank	dic Protection Borehole Intent), you must supply the surface owners and a batteries, pipelines, and electrical lines. The locations shown on the plat in the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.
Select one of the following:	
provided the following to the surface owner(s) of the land up Form C-1, Form CB-1, Form T-1, or Form CP-1 that I am filing C-1 or Form CB-1, the plat(s) required by this form; and 3) my of I have not provided this information to the surface owner(s). I	Act (see Chapter 55 of the Kansas Statutes Annotated), I have son which the subject well is or will be located: 1) a copy of the g in connection with this form; 2) if the form being filed is a Form operator name, address, phone number, fax, and email address.  acknowledge that, because I have not provided this information, e owner(s). To mitigate the additional cost of the KCC performing
this task, I acknowledge that I must provide the name and additional and that I am being charged a \$30.00 handling fee, payable to	ress of the surface owner by filling out the top section of this form the KCC, which is enclosed with this form.
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-1	fee with this form. If the fee is not received with this form, the KSONA-1 1 will be returned.
Submitted Electronically	

For KCC Use ONLY	
API # 15	_

**Brobee SWD** 

Operator:

Lease: \_

Sanguine Resources, LLC

### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Location of Well: County:\_

321

Ford

SEWARD CO.

feet from N /

S Line of Section

1980' FSL

Well Number: #1-26	669 feet from E / W Line of Section
Field: WC	Sec. 26 Twp. 26 S. R. 24 🔲 E 🔳 W
Number of Acres attributable to well: 12.18  QTR/QTR/QTR/QTR of acreage:SE - SW - SE - SE	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW
PL	AT
Show location of the well. Show footage to the nearest lease roads, tank batteries, pipelines and electrical lines, as requestion You may attach a segretary Ford 669' FEL	uired by the Kansas Surface Owner Notice Act (House Bill 2032).
	LEGEND  O Well Location  Tank Battery Location  Pipeline Location  Electric Line Location  Lease Road Location
321' FEL 26	EXAMPLE

NOTE: In all cases locate the spot of the proposed drilling locaton.

### In plotting the proposed location of the well, you must show

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Laura Kelly, Governor

Andrew J. French, Chairperson Dwight D. Keen, Commissioner Annie Kuether, Commissioner

# NOTICE TO OPERATORS FILING INTENT TO DRILL FOR DISPOSAL OR ENHANCED RECOVERY INJECTION WELLS, (CLASS II INJECTION WELL)

The attached approved Notice of Intent to Drill indicates the proposed well is to be used for injection. An approved "Intent to Drill" does not approve injection authority as a Class II Injection Well in Kansas.

Before any well is used for injection purposes, the operator must file an application for injection authority in accordance with K.A.R. 82-3-401 and provide notice in accordance with K.A.R. 82-3-402. The Conservation Division must issue a written permit granting the application before commencement of injection.

The Conservation Division requirements and restrictions associated with Class II Injection are identified in K.A.R. 82-3-400 et seq of our regulations. Associated regulations governing drilling, completion and injection applications may be found in K.A.R. 82-3-135, Table I, Table II, in the Cedar Hills Sandstone Moratorium, (Docket #156,397-C), and the Eastern Kansas Surface Casing Order, (Docket #133,891-C).

If you have questions regarding the approval of injection authority, an injection application may be filed as a "Design Approval" before actual drilling and completion of the well occurs. If you have any questions or concerns regarding Class II injection wells or regulations, call the Underground Injection Control Department at 316-337-6200.

Failure to obtain commission approval before beginning injection is punishable by a penalty, shut-in of the well or both.



**Notice:** Fill out COMPLETELY and return to Conservation Division at the address below within 60 days from plugging date.

the same are true and correct, so help me God.

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

### 1176933

Form CP-4
March 2009
Type or Print on this Form
Form must be Signed
All blanks must be Filled

## WELL PLUGGING RECORD K.A.R. 82-3-117

OPERATOR: License #:			API N	No. 15			
Name:				Spot Description:			
Address 1:				Sec T	wp S. R East West		
Address 2:				Feet from North / South Line of Section			
City:				Feet from East / West Line of Section			
Contact Person:			Foota	Footages Calculated from Nearest Outside Section Corner:			
Phone: ( )				NE NW	SE SW		
Type of Well: (Check one)			ic Cour	ty:			
Water Supply Well	Other:	SWD Permit #:		Lease Name: Well #:			
ENHR Permit #:	Gas Sto	orage Permit #:	Date	Well Completed:			
Is ACO-1 filed? Yes	No If not, is well	I log attached? Yes			roved on: (Date)		
Producing Formation(s): List A		r sheet)	by:_		(KCC <b>District</b> Agent's Name)		
Depth to		m: T.D	I Plugo	ging Commenced:			
Depth to		m: T.D	Plugg	ging Completed:			
Depth to	o Top: Botto	m: T.D					
Show depth and thickness of		ations.					
Oil, Gas or Water				(Surface, Conductor & Produ	, ·		
Formation	Content	Casing	Size	Setting Depth	Pulled Out		
					_		
cement or other plugs were us	. 00				ods used in introducing it into the hole. If		
Plugging Contractor License #	<b>#</b> :		Name:				
Address 1:			Address 2:				
City:			State	:	Zip:+		
Phone: ( )							
Name of Party Responsible fo	or Plugging Fees:						
State of	County, _		, SS.				
			Employee of Operator or	Operator on above-described well,			

Submitted Electronically

being first duly sworn on oath, says: That I have knowledge of the facts statements, and matters herein contained, and the log of the above-described well is as filed, and



TICKET NUMBER	44551
LOCATIONO	ahla 15
FOREMAN 7971	115 Shall

## FIELD TICKET & TREATMENT REPORT

20-431-9210 DATE	CUSTOMER#		L NAME & NUM		SECTION	TOWNSHIP	RANGE	COUNTY
1)-5-13 USTOMER	50-20	Broke.	· SWDA,		24	765	246	Ford
USTOWER	Tiles W	ell Ferus	· ·	Huy283)50 501 Supr	TRUCK#	DRIVER	TRUCK#	DRIVER
AILING ADDRI				to Lorist	4/, 3	CareD		
				MS	460	Danel		
TY		STATE	ZIP CODE	100				
	÷							
OB TYPE	TA	HOLE SIZE		_ HOLE DEPTH		CASING SIZE &	WEIGHT	
ASING DEPTH		DRILL PIPE		_tubing2	7/+	·	OTHER	
LURRY WEIGH	ıт <u> /3</u> .8	SLURRY VOL_	1.4	WATER gal/s	k	CEMENT LEFT in	CASING	
SPLACEMENT	Γ	DISPLACEMEN	NT PSI	MIX PSI		RATE		,
EMARKS:	Solety m	ertina C	indr. 8 9.	10- 7	tan Wil	1 Source	18/4c 9	sarda
						essued to		
						Thanks 7	11/1/15 3	1/201
ACCOUNT	QUANITY	or UNITS	DE	SCRIPTION of	SERVICES or PR		1	
CODE	QUANITY	or UNITS	-		SERVICES or PR		UNIT PRICE	TOTAL
CODE #o/	QUANITY	1	PUMP CHARG		SERVICES or PR		UNIT PRICE	TOTAL /355°
CODE Hol Sloce		10	PUMP CHARG	SE ,	/ 3		UNIT PRICE  1395 %  5.25	73.55°
CODE Hol S106 S407	L,	10 62 100	PUMP CHARG	SE Pilyose M	/ 3		UNIT PRICE  1395 9  5.25  1-75	13.55° 315° 632,10
CODE #01 S106 S407 131	C1,	1 62 100 10 SNS	PUMP CHARGE MILEAGE Tun 177	SE Pilsose (A	/ 3		UNIT PRICE  1395 <sup>60</sup> 5.25 1.75 1.5184	73.55°
CODE Hol S104 S407	C1,	1 62 120 10 SHS	PUMP CHARG	SE Pilsose (A	/ 3		UNIT PRICE  1395 9  5.25  1-75	13.55° 315° 632,10
CODE #01 S10(0 S407	C1,	1 62 100 10 SNS	PUMP CHARGE MILEAGE Tun 177	SE Pilsose (A	Tolivery	ODUCT	UNIT PRICE 1395 5.25 1.75 1.5.84 ,27	13.55° 315° 632,10
CODE #01 \$100 \$407 131	C1,	1 62 100 10 SNS	PUMP CHARGE MILEAGE Tun 177	SE Pilsose (A	Tolivery		UNIT PRICE 1395 5.25 1.75 1.5.84 ,27	1395 315 632,10 2220, 129,67 46923
CODE #01 S10(0 S407	C1,	1 62 100 10 SNS	PUMP CHARGE MILEAGE Tun 177	SE Pilsose (A	Tolivery	ODUCT	UNIT PRICE 1395 5.25 1.75 1.5.84 ,27	13.55° 315° 632,10
CODE #01 510(1 5407	C1,	1 62 100 10 SNS	PUMP CHARGE MILEAGE Tun 177	SE Pilsose (A	Tolivery	ODUCT	UNIT PRICE 1395 5.25 1.75 1.5.84 ,27	1395 315 632,10 2220, 129,67 46923
CODE #01 510(1 5407	C1,	1 62 100 10 SNS	PUMP CHARGE MILEAGE Tun 177	SE Pilsose (A	Tolivery	ODUCT	UNIT PRICE 1395 5.25 1.75 1.5.84 ,27	1395 315 632,10 2220, 129,67 46923
CODE #01 510(1 5407	C1,	1 62 100 10 SNS	PUMP CHARGE MILEAGE Tun 177	SE Pilsose (A	Tolivery	ODUCT	UNIT PRICE 1395 5.25 1.75 1.5.84 ,27	1395 315 632,10 2220, 129,67 46923
CODE #01 StOCE S407	C1,	1 62 100 10 SNS	PUMP CHARGE MILEAGE Tun 177	SE Pilsose (A	Tolivery	ODUCT	UNIT PRICE 1395 5.25 1.75 1.5.84 ,27	1395 315 632,10 2220, 129,67 46923
CODE #01 S10(1 S407	C1,	1 62 100 10 SNS	PUMP CHARGE MILEAGE Tun 177	SE Pilsose (A	Tolivery	ODUCT	UNIT PRICE 1395 5.25 1.75 1.5.84 ,27	1395 315 632,10 2220, 129,67 46923
CODE #01 S10(0 S407	C1,	1 62 100 10 SNS	PUMP CHARGE MILEAGE Tun 177	SE Pilsose (A	Tolivery	ODUCT	UNIT PRICE 1395 5.25 1.75 1.5.84 ,27	1395 315 632,10 2220, 129,67 46923
CODE #01 \$100 \$407 131	C1,	1 62 100 10 SNS	PUMP CHARGE MILEAGE Tun 177	SE Pilsose (A	Tolivery	ODUCT	UNIT PRICE 1395 5.25 1.75 1.5.84 ,27	1395 315 632,10 2220, 129,67 46923
CODE #01 SIDG SYOT 13/ II/BR	C1,	1 62 100 10 SNS	PUMP CHARGE MILEAGE Tun 177	SE Pilsose (A	Tolivery	ODUCT	UNIT PRICE  1395  5.25  1.75  1.5,84  ,27  Salskyl  Sublestyl  Sublestyl	1395 315 632,10 2220, 129,67 46923
CODE #01 S10(1 S407 131	C1,	1 62 100 10 SNS	PUMP CHARGE MILEAGE Tun 177	SE Pilsose (A	Tolivery	ODUCT	UNIT PRICE  1395 60  5.25  1.75  1.5.84  ,27  Sublekt	1395 315 632,10 2220, 129,67 46923

I acknowledge that the payment terms, unless specifically amended in writing on the front of the form or in the customer's account records, at our office, and conditions of service on the back of this form are in effect for services identified on this form.



TICKET NUMBER	44521
LOCATION (C)	4/4

FOREMAN Miles Show

PO Box 884, Chanute, KS 66720 620-431-9210 or 800-467-8676

FIELD TICKET & TREATMENT REPORT

	or 800-467-8676				TV				
DATE	CUSTOMER#	WE	LL NAME & NUM	MBER	SECTION	TOWNSHIP	RANGE	COUNT	
12-4-13	5000	Brober	# SWD	1-26	DC0	265	DYW	Ford	
SUSTOMER _	Til 1	2011 000		40-150125	TDUOL				
MAILING ADDRESS			110	-25	TROCK #	DRIVER	TRUCK#	DRIVER	
				400	4547118	Danek		- Ti	
ITY		STATE	ZIP CODE	14.5					
			-						
OB TYPE/	<b>清</b> 4	HOLE SIZE		HOLE DEBT	`L	CASING SIZE 9 V	NEICHT	<u> </u>	
CASING DEPTH DRIL		DRILL PIPE	RILL PIPE		_ HOLE DEPTH CASING SIZE & _ TUBING			OTHER_	
				WATER gal/sk CEMENT LEFT in			2 27232 227		
				MIX PSI RATE					
EMARKS:	Salety m	offine	V. V 4 0 60	Tilon	Liells	y Pump	das da	1. 1.	
till cir	culate Bo	off sich	9						
						*			
							-		
						. 121	1 1		
						10601015	701,10	1010	
	# 1 # al			2		Thunks	74/1/15 .	f.C/Y	
ACCOUNT CODE	QUANITY	or UNITS	DE	SCRIPTION o	f SERVICES or PR		UNIT PRICE	TOTAL	
CODE	QUANITY	or UNITS	DE PUMP CHARG		f SERVICES or PR		UNIT PRICE		
CODE	QUANITY	or UNITS			f SERVICES or PR			TOTAL	
5401	QUANITY /	2	PUMP CHARG		f SERVICES or PR		1395 0	TOTAL 1395	
5401	QUANITY	2	PUMP CHARG		f SERVICES or PR		1395 0	TOTAL 1395	
5401	QUANITY /	2	PUMP CHARG		f SERVICES or PR		1395 0	TOTAL 1395 3.15, ""	
5401	QUANITY	2	PUMP CHARG			ODUCT	1395 a	TOTAL 1395 325.	
5401	QUANITY /	2	PUMP CHARG			ODUCT	1395 a 5.25 Sylle 61	1395	
5401	QUANITY	2	PUMP CHARG			ODUCT	1395 a	TOTAL 1395 325, 325, 325, 325, 325, 325, 325, 325,	
<b>CODE</b> 5401	QUANITY	2	PUMP CHARG			ODUCT	1395 a 5.25 Sylle 61	TOTAL 1395 325, 325, 325, 325, 325, 325, 325, 325,	
<b>CODE</b> 5401	QUANITY	2	PUMP CHARG			ODUCT	1395 a 5.25 Sylle 61	TOTAL 1395 325, 325, 325, 325, 325, 325, 325, 325,	
<b>CODE</b> 5401	QUANITY	2	PUMP CHARG			ODUCT	1395 a 5.25 Sylle 61	TOTAL 1395 325, 325, 325, 325, 325, 325, 325, 325,	
<b>CODE</b> 5401	QUANITY	2	PUMP CHARG			ODUCT	1395 a 5.25 Sylle 61	TOTAL  1395 3.15, ""  1710 ""  171	
<b>CODE</b> 5401	QUANITY	2	PUMP CHARG			ODUCT	1395 a 5.25 Sylle 61	TOTAL 1395 325, 325, 325, 325, 325, 325, 325, 325,	
<b>CODE</b> 5401	QUANITY	2	PUMP CHARG			ODUCT	1395 a 5.25 Sylle 61	TOTAL 1395 325, 325, 325, 325, 325, 325, 325, 325,	
<b>CODE</b> 5401	QUANITY	2	PUMP CHARG			ODUCT	1395 a 5.25 Sylle 61	TOTAL 1395 325, 325, 325, 325, 325, 325, 325, 325,	
5401	QUANITY	2	PUMP CHARG			ODUCT	1395 a 5.25 Sylle 61	TOTAL 1395 325, 325, 325, 325, 325, 325, 325, 325,	
5401	QUANITY	2	PUMP CHARG			ODUCT	1395 a 5.25 Sylle 61	TOTAL 1395 325, 325, 325, 325, 325, 325, 325, 325,	
<b>CODE</b> 5401	QUANITY	2	PUMP CHARG			ODUCT	1395 a 5.25 Sylle 61	TOTAL 1395 325, 325, 325, 325, 325, 325, 325, 325,	
CODE   5401   5400	QUANITY	2	PUMP CHARG	GE .		ODUCT	1395 a 5.25 Syllikil Subfold	TOTAL  1395 3.15, ""  1710 ""  171	
5401	QUANITY	2	PUMP CHARG	GE .		ODUCT	1395 a 5.25 Sylle 61	TOTAL  1395 3.15, ""  1710 ""  171	

I acknowledge that the payment terms, unless specifically amended in writing on the front of the form or in the customer's account records, at our office, and conditions of service on the back of this form are in effect for services identified on this form.