WELL ID

KOLAR DOC ID

(785) 296-3565 | K.S.A. 82a-1212 | v2022c

WATER WELL RECORD (WWC-5)

OCATION OF WATER WELL						Original Reco	ord Co	rrection	Chang	je in Wel	l Use
Latitude	Longitude			Section	Township	Range	E		1/4	1/4	1/4
Datum	Elevation			County							
WATER WELL OWNER		l	WELL	WATER USE			NEAREST	SOURCE OF	POTENTIAL C	ONTAMIN	IATION
Name											
			COMP	LETION							
Business				LETION			from well	l:	Directio from we	·II:	
Address			Depth of completed well:ft.				Source				
] -	-	water encountered	:	description	on:			
******					(2) ft.;		Source:				
Well location			(3)	ft.; ((4) dry well		Distance	ı.	Directio from we	n 11.	
at owner's			Static	Static water level in well: ft.			Source	l÷	110111 we	11;	
address			m	measured below land surface				on:			
CONCEDUCTION			on	(mm/dd/y	y):		No no	tantial source	a of contami	ination	
CONSTRUCTION	D 1 1 1		measured above land surface			No potential source of contamination within 100 feet.					
	Borehole interval: Borehole diameter:		on (mm/dd/yy):			PERMIT & ID NUMBERS (AS REQUIRED)					
fromtoft.		in.	Estim	ated yield: _	gpm						
fromto ft.		in.	Water	level was:	ft. after	hours	1 -	-	:		
Casing height above land surf	face:	in.			pumping	gpm	KDHE / EPA Project Code:				
If casing height is less that			Pump	installed?	Yes No			Site Name:			
has a variance been approved?* Yes No			T17 .	11 11	. 10				orm Complet		
*variance not required for monitoring or environmental remediation wells			Water well disinfected? Yes No			County Permit: Yes No Permit ID:					
Casing type:			Date disinfected (mm/dd/yy):			Lease Name & Well #:					
Blank casing interval:	ft. to	ft.	Aquif	er, if known	:		# of borel	noles:	# of dewate	ring wells:	
Blank casing diameter:			LITHO	LOGIC LOG	i						
Casing joints:			FROI	м то	LITHOLOGY	NTERVALS					
Weight: lbs/											
Wall thickness or gauge n											
Blank casing interval:											
Blank casing diameter:											
Casing joints:											
Weight: lbs/	ft.										
Wall thickness or gauge n	10.:										
Court interval 6 to											
Grout interval: ft. to_											
Grout material: ft. to											
			COMM	IENTS							
Grout material:											
Screen / perforation material:											
Screen / perforation material:			CONT	RACTOR'S	OR LANDOWNER	S CERTIFICATION	N				
Screen / perforation openings								numouset t-	the stated -	vatar 11	
From ft. to					was constructe			•	the stated v		
					ense and was con	=		-			
Slot size unit _ From ft. to					knowledge and b						
					ness name of						
Slot size unit _			Kans	as Water V	Vell Contractor's	License No	u	nder the au	thority of th	ne designa	ated
Gravel pack intervals:	Cmarcel et		perso	on as defin	ed in K.A.R. 28-	30-2(j) and sign	ed and certi	fied by the e	electronic si	gnature o	f the
Gravel pack not used:		in	^		on at its submitt	,					
From ft. to	_				VATER WELL OW	<u> </u>	ne for your red	ords. Fee of 9	5 00 for each	constructe	d well
Gravel pack not used:		in	Jena O	copy to v		EPARTMENT OF	•			constituent	a men
From ft. to	_ tt.			Bureau	of Water, Geology					2-1367	

Form	WWC5.2 - Water Well Record
Doc ID	1778291
Well Owner	Jordan Lukert
Contractor	Weninger Drilling, LLC

Lithology

From	То	Lithology Intervals
0	2	topsoil
2	4	clay,brown
4	12	clay,tan
12	22	clay,silty,tan
22	37	shale,moderately weathered,gray,soft
37	39	shale,moderately weathered,gray,limestone layers
39	45	shale,moderately weathered,gray,soft
45	48	shale,broken,green
48	57	shale,moderately weathered,gray,soft
57	59	shale,broken,gray
59	65	shale,moderately weathered,gray,soft
65	69	shale,broken,green,broken layers
69	76	shale,moderately weathered,gray,Limestone/br oken layers
76	87	shale,moderately weathered,gray,soft
87	90	shale,broken,gray
90	97	shale,moderately weathered,gray,soft

Form	WWC5.2 - Water Well Record		
Doc ID	1778291		
Well Owner	Jordan Lukert		
Contractor	Weninger Drilling, LLC		

Lithology

From	То	Lithology Intervals
97	103	shale,moderately weathered,greenish,red
103	118	shale,moderately weathered,gray,soft,limestone layers
118	120	shale,moderately weathered,gray,hard,limeston e/soapstone layers