## **WATER WELL RECORD** (WWC-5)

From \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

<b>NATER WELL REC</b>	CORD (W	WC-5)				KOLAR D	OOC ID	WELL ID_		
OCATION OF WATER WEL	L				(	Original Reco	rd Correction	Chang	e in We	ll Use
Latitude	Longitude		Se	ection	Township	Range	E W Fraction	1/4	1/4	1/4
Datum	Elevation		C	ounty						
WATER WELL OWNER			WELL W	ATER USE			NEAREST SOURCE OF P	POTENTIAL C	ONTAMIN	NATION
Name							Source:			
Business			COMPLE	TION						
24011000					1 11	c	Distance from well:	_ from we	ll:	
Address					ed well: vater encountered:	ft.	Source description:			
			-	-	2) ft.;					
Well location					4) dry well		Source:  Distance	Directio	n	
, ,			Static w	ater level i	n well: ft.		from well:	_ from we	ll:	
at owner's address				sured belo mm/dd/yy	w land surface		Source description:			
CONSTRUCTION  Borehole interval:	Borehole dia	neter:	mea	• • •	ve land surface		No potential source within 100 feet.	e of contami	nation	
fromto ft.		in.					PERMIT & ID NUMBER	S (AS REQU	IRED)	
fromtoft.					gpm ft. after	h	DWR Application No.:			
			vvater ie				KDHE / EPA Project C			
Casing height above land su		in.	Pump is	nstalled?	Yes No	5PIII	Site Name:			
If casing height is less th has a variance been app		No	T ump ii	iotulica:	105 100		KDHE UIC Class V Fo			No
*variance not required f	or monitoring		Water w	ell disinfe	cted? Yes No		County Permit: Yes	No Perm	it ID:	
or environmental reme	diation wells		Date dis	sinfected (1	mm/dd/yy):		Lease Name & Well #:			
Casing type:			A autiforn	if known:			# of boreholes:			
Blank casing interval:		ft.								
Blank casing diameter:				OGIC LOG						
Casing joints:			FROM	ТО	LITHOLOGY IN	IEKVALS				
Weight:lb										
Wall thickness or gauge Blank casing interval:										
Blank casing diameter:		1ι.								
Casing joints:lb	s/ft.									
Wall thickness or gauge		_								
Grout interval: ft. to										
Grout material:										
Grout interval: ft. to	oft.		COMME	NTS						
Grout material:										
Screen / perforation material	l:									
Screen / perforation openin	gs:		CONTRA	CTOR'S	R LANDOWNERS	CERTIFICATION				
Screen / perforation interval	s:		This wa	ater well v	was constructed	reconstru	icted pursuant to	the stated v	vater well	l _
Fromft. to	_ft.		contrac	ctor's lice	nse and was comp	oleted on	I certify tha	at this recor	d is true	to
Slot size unit					_		well record was comple			
From ft. to	_ft.			-	_		I			
Slot size unit							under the aut			, ated
Gravel pack intervals:								-	_	
Gravel pack not used:	Gravel size _	in	-				d and certified by the e	iectronic si	gnature o	or the
From ft. to	ft.				on at its submittal		·			
Gravel pack not used:	Craval ciza		Send one	copy to W	ATER WELL OWN	ER and retain on	e for your records. Fee of \$	5.00 for each	constructe	ed well

Form	WWC5.2 - Water Well Record			
Doc ID	1782574			
Well Owner	Charles Koehn			
Contractor	Jantzen Water Well LLC #1046			

## Casing

From	То	Casing Diameter	Casing Joint		Wall Thickness or Gauge Number
0	325	5	Glued	200	
345	365	5	Glued	200	
385	405	5	Glued	200	
425	445	5	Glued	200	
465	485	5	Glued	200	

Form	WWC5.2 - Water Well Record			
Doc ID	1782574			
Well Owner	Charles Koehn			
Contractor	Jantzen Water Well LLC #1046			

## Lithology

From	То	Lithology Intervals		
0	20	clay		
20	47	other,brown clay &caliche		
47	60	sand,fine		
60	70	sand,medium		
70	78	other,brown clay & caliche		
78	102	sand,medium		
102	110	other,white crumbly rock & sand		
110	117	other,gypsom		
117	160	clay,brown		
160	200	other,brown clay & white crumbly rock		
200	245	other,tan sandy clay & fine sand		
245	250	other,caliche & limestone		
250	275	other,black shale		
275	505	other,sandstone & shale layers		

Form	WWC5.2 - Water Well Record			
Doc ID	1782574			
Well Owner	Charles Koehn			
Contractor	Jantzen Water Well LLC #1046			

## Screen and Gravel

From	То	Slot Size	 Gravel Pack Used			Gravel Size
325	345		Yes	25	345	
365	385		Yes	345	385	
405	425		Yes	385	425	
445	465		Yes	425	465	
485	505		Yes	465	505	