### KOLAR Document ID: 1783002

Confiden	tiality Requested	:
Yes	No	

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION Form ACO-1 January 2018 Form must be Typed Form must be Signed All blanks must be Filled

## WELL COMPLETION FORM

WELL	HISTORY	- DESCRIP	WEII &	IFASE
	INSIONI		$\mathbf{W} \mathbf{L} \mathbf{L} \mathbf{L} \boldsymbol{\alpha}$	LLASL

OPERATOR: License #	API No.:					
Name:	Spot Description:					
Address 1:						
Address 2:	Feet from Dorth / South Line of Section					
City: State: Zip:+	Feet from East / West Line of Section					
Contact Person:	Footages Calculated from Nearest Outside Section Corner:					
Phone: ()						
CONTRACTOR: License #	GPS Location: Lat:, Long:					
Name:	(e.g. xx.xxxxx) (e.gxxx.xxxxx)					
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84					
Purchaser:	County:					
Designate Type of Completion:	Lease Name: Well #:					
New Well Re-Entry Workover	Field Name:					
	Producing Formation:					
	Elevation: Ground: Kelly Bushing:					
Gas DH EOR	Total Vertical Depth: Plug Back Total Depth:					
OG GSW	Amount of Surface Pipe Set and Cemented at: Feet					
CM (Coal Bed Methane)						
Cathodic Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used? Yes No					
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet					
Operator:	If Alternate II completion, cement circulated from:					
Well Name:	feet depth to:w/sx cmt.					
Original Comp. Date: Original Total Depth:						
Deepening Re-perf. Conv. to EOR Conv. to SWD	Drilling Fluid Management Plan					
Plug Back Liner Conv. to GSW Conv. to Producer	(Data must be collected from the Reserve Pit)					
Commingled Permit #:	Chloride content: ppm Fluid volume: bbls					
Commingled Permit #:      Dual Completion Permit #:	Dewatering method used:					
SWD     Permit #:	Leastion of fluid diagonal if hould offeite:					
EOR         Permit #:	Location of fluid disposal if hauled offsite:					
GSW Permit #:	Operator Name:					
	Lease Name: License #:					
Spud Date or Date Reached TD Completion Date or	Quarter Sec TwpS. R East West					
Recompletion Date Recompletion Date Recompletion Date	County: Permit #:					

#### AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

### Submitted Electronically

KCC Office Use ONLY							
Confidentiality Requested							
Date:							
Confidential Release Date:							
Wireline Log Received Drill Stem Tests Received							
Geologist Report / Mud Logs Received							
UIC Distribution							
ALT I II III Approved by: Date:							

#### KOLAR Document ID: 1783002

Operator Nam	ne:			Lease Name:	_ Well #:
Sec	Twp	S. R	East West	County:	

Page Two

**INSTRUCTIONS:** Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed.

Final Radioactivity Log, Final Logs run to obtain Geophysical Data and Final Electric Logs must be emailed to kcc-well-logs@kcc.ks.gov. Digital electronic log files must be submitted in LAS version 2.0 or newer AND an image file (TIFF or PDF).

Drill Stem Tests Taken (Attach Additional Sheets)		Y	′es 🗌 No			og Formatio	n (Top), Depth a	and Datum	Sample	
Samples Sent to Geolo			⁄es 🗌 No	1	Name	Э		Тор	Datum	
Cores Taken Electric Log Run Geologist Report / Mud List All E. Logs Run:		□ Y □ Y	Yes ☐ No Yes ☐ No Yes ☐ No							
		Rep	CASING ort all strings set-c		] Ne	w Used rmediate, productio	on, etc.			
Purpose of String	Size Hole Drilled	Siz	ze Casing et (In O.D.)	Weight Lbs. / Ft.		Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives	
[			ADDITIONAL	CEMENTING /	SQU	EEZE RECORD				
Purpose: Depth Perforate		Туре	e of Cement	# Sacks Used		Type and Percent Additives				
Protect Casing Plug Back TD Plug Off Zone										
<ol> <li>Did you perform a hydra</li> <li>Does the volume of the</li> <li>Was the hydraulic fracture</li> </ol>	total base fluid of the	hydraulic fr	acturing treatment		-	☐ Yes ns? ☐ Yes ☐ Yes	No (If No, s	kip questions 2 ar kip question 3) ill out Page Three		
Date of first Production/Inj Injection:	jection or Resumed Pr	oduction/	Producing Meth	iod:		Gas Lift 🗌 O	ther <i>(Explain)</i>			
Estimated Production Per 24 Hours	Oil	Bbls.	Gas Mcf			Water Bbls. Gas-Oil Ratio Gravity				
DISPOSITIO	N OF GAS:		METHOD OF			TION:		PRODUCTION INTERVAL: Top Bottom		
Vented Sold Used on Lease (If vented, Submit ACO-18.)			Open Hole Perf.		Dually Comp. Commingled (Submit ACO-5) (Submit ACO-4)		•	юр		
Shots Per Perforation Perforation Foot Top Bottom			Bridge Plug Type	Bridge Plug Set At		Acid,		ementing Squeezend of Material Used)		
TUBING RECORD:	Size:	Set At:		Packer At:						

Form	ACO1 - Well Completion
Operator	Wrestler, David L., a General Partnership
Well Name	WRESTLER 10
Doc ID	1783002

# Casing

Purpose Of String	Size Hole Drilled	Size Casing Set		Setting Depth	Type Of Cement		Type and Percent Additives
Surface	12	7	12	21	portland	6	0
Production	5.75	2.875	8	780	Portland	100	0

Ele Ki Pr Pa	ell No. $\bigcirc$ Farm cation $2145-2$ evation $999$ nd (Oil) Gas, Water, Dr oducing formation $\bigcirc$ cker Set at ner $3/4-24$ fro	y Hole) Aff	le ma	Ht. 2, Box 84A Well F K = EL s K ind	Producer Sec.	DMJOIN 12 Twp. 26 Rg. 19 E KANSAS County Alben DMJOIL Bottom 734 Size	
		LC	DG			Total Depth	_
Thick- ness	Strata	Depth	Thick- ness	Strata	Depth	Open Hole Casing 20F4 at 6 SUCES	-
	Eop soil	0	2			Casing at	
	Clay	2	8			Casing at	
	Gime-	31	128			Cement	-
1.0	Swle	128	141		ĺ		-
	Line	141	195			Tubing	-
-	Spule	195	370		<u>.                                    </u>	Rods	
	Shule	400	440			Additional Information	
	Cime 468	The second	504			Apit	
	Shall	504	543			15-001-31822-00-00	-
	Lime	543	10000	20++			-
	Spile	568	567	- #f		3145 FNL	-
	Lime Shale	571	668	0		2145 FEL	
	Line	668	669		1	2145 CE	-
	Shale	669	721	odor all ston		NW SW SW NE	_
	Sand oder	721	723	odor all ston	1		_
	Since	723	736	good bleed		12-26-19E	_
1	June	130	100		1		
2.5		2				Elevistim 997.	-
	T. D. 785		<u> </u>				-
	10			25	and the second		-
	(Poile						
	× 780						
							-
						·	10 
De	te Completed						

NSCO-17250

0. K.

Superintendent

		and/or collection				and the set for	•	
ivery is made beyond street curb line. ollection, including, but not limited to,								
			E tradition of the second of t					
			pue aldisson al		din piova noitstini nixs esuso vem	eternos as fuera acto	m (memeo bexin yineer) - NOITUAD	
	gallons		JANOITIQQA DL NO QƏQQA		of concrete is mixed with t It additional water is desire			
LATOT SUOIVES			01	12	Restler	M	Wer	
X JATC				Ħ	- 1	₹₽		
SCOUNT 	D~.	ARGE ARRIVE	FINISH DISCHA	JOE	TAHORID TRIATE	TIR BOL EVIRTA	15:34	
00°07 00'T	00'0T 00'T		ARGE	XIM 3	: Jauf 2 Mar Im 2	HVAT	ea 00'07 ea 00'T	
00°0T	00°0T	(GRAY RB)	A CKS P	S OT	Contraction of the second	MERT	PA 00 '07	
DELIVERED UNIT PRICE AMOUNT	OKDEKED		N CO	ALLE	DESCHIDIN DESCHIDIN HDEH	DDNCL SVFE2 OI	PERCHASE ORDER	
	1			877			HUMBOLDT SLEG I DAHC	
3000KB	INA 39AW	DELIVERY ADDRESS				seed (	MEESIFEES CORTOWER NAME	
5382¢	DRIVER	LENCK	110	rwa			E S. TIME 2.	
		)-554-5800 04f, KS 66701	1270/110	8-7200 56742		(Vb69)		