KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

All blanks must be complete

TEMPORARY ABANDONMENT WELL APPLICATION

OPERATOR: License#				API No. 15				
Name:				Spot Descript	ion:			
Address 1:					See	c Twp S. R	E	E 🗌 W
Address 2:						feet from D / D	=	
City:	State:	_ Zip: +				feet from E /	W Line of	f Section
Contact Person:		·		GPS Location		g. xx.xxxx) , Long:	.gxxx.xxxxx)	
Phone:()						Elevation:	GL	КВ
Contact Person Email:						Well #:		
Field Contact Person:				Well Type: (ch	neck one) 🗌 C	Dil Gas OG WSW Oth	er:	
Field Contact Person Phone						ENHR Permit #:		
	()							
				Spud Date:		Date Shut-In:		
	Conductor	Surface	Pro	duction	Intermedia	te Liner	Tubing	
Size								
Setting Depth								
Amount of Cement								
Top of Cement								
Bottom of Cement								
Casing Fluid Level from Sur	face:	Но	w Determined?			Date:		
Casing Squeeze(s):	to w	/ sacks	of cement,	to	ottom) w / _	sacks of cement. Date:		
Do you have a valid Oil & G	as Lease? 🗌 Yes 🛛	No						
Depth and Type: Junk i	n Hole at	Tools in Hole at _	Ca	sing Leaks: 🗌 \	res 🗌 No 🏾 I	Depth of casing leak(s):		
						Port Collar: w /		
Packer Type:			• •			,		
Total Depth:	Plug Ba	ack Depth:		Plug Back Method	:			
Geological Date:								
0	Formatio	n Top Formation Bas	se		Comp	eletion Information		
Formation Name	Formatio				1	Fast an Onen Hale latered	4	Fact
-		to	Feet Perfo	ration Interval	to	Feet or Open Hole Interval	to	reel

Submitted Electronically

Do NOT Write in This Space - KCC USE ONLY	Date Tested:	Results:	Date Plugged:	Date Repaired:	Date Put Back in Service:
Review Completed by:		Comments:			
TA Approved: Yes De	enied Date:				

Mail to the Appropriate KCC Conservation Office:

	KCC District Office #1 - 210 E. Frontview, Suite A, Dodge City, KS 67801	Phone 620.682.7933
	KCC District Office #2 - 3450 N. Rock Road, Building 600, Suite 601, Wichita, KS 67226	Phone 316.337.7400
100 100 <td>KCC District Office #3 - 137 E. 21st St., Chanute, KS 66720</td> <td>Phone 620.902.6450</td>	KCC District Office #3 - 137 E. 21st St., Chanute, KS 66720	Phone 620.902.6450
Anno been been for the been been been been been been been be	KCC District Office #4 - 2301 E. 13th Street, Hays, KS 67601-2651	Phone 785.261.6250

Form U-7 August 2019

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

CASING MECHANICAL INTEGRITY TEST

Disposal: 🖌 Enhanced Recovery:						
Operator License No.: 6039 Nar	KCC District No.: ne. L. D. Drilling,		API No.: 15-009-24 SW NW NE Se	c. 35 _{Twp.} 19	Permit No.:	
Address 1: 7 SW 26TH AVE	ne		4240			East 🖌 West
			2429	Feet from	North / 🖌 So	outh Line of Section
Address 2:	K0 070	-20 0505		Feet from		est Line of Section
City: GREAT BEND State	KS Zip: 675	530 ₊ 6525	Lease: SEYFERT		W	/ell No.: 2
Contact Person: Susan Schneweis	Phone: (62	20) 793-3051	County: Barton			
Well Construction Details: New well Maximum Authorized Injection Pressure: Conductor Size: NA Set at: Sacks of Cement: Cement Top: Cement Bottom:	0	with changes to const psi Maximum Injec Intermediate NA	3000	l with no change bbl/d <i>Liner</i> NA	es to construcion Size: Set al Type:	Tubing 2.375 3425 DUO LINED
Packer Type: R-4				Set at:	3425	
DV Tool Port Collar Depth of:	feet	t with sack	s of cement TD (and pl		3600 (3425)	feet depth
Zone of Injection Formation:		3,	452	3600		Open
Is there a Chemical Sealant or a Mechani		Top Feet:	Yes No		Perf. or Open H	ole:
If Dual Completion - Injection is: Ab	ove Production	Below Production				
GPS Location: Datum: NAD27	NAD83 🔽 W	FIELD		998.61693 on: 5-YEAR T	Date Acquired: 0	4/19/2022
GPS Location: Datum: NAD27 [MIT Type: Tubing and Packer (or Initial	NAD83 🔽 W	FIELD	.35946 Long:C			4/19/2022
GPS Location: Datum: NAD27 [MIT Type:Tubing and Packer (or Initial	NAD83 🖌 W Pressure) Test	GS84 Lat: 38	.35946 Long:C			4/19/2022
GPS Location: Datum: NAD27 [MIT Type: Tubing and Packer (or Initial Time in Minute(s): 0 300	NAD83 🔽 W Pressure) Test 15	GS84 Lat: 38	.35946 Long:C			4/19/2022
GPS Location: Datum: NAD27 [MIT Type: Tubing and Packer (or Initial Time in Minute(s): 0 Pressures: Set up 1	NAD83 🔽 W Pressure) Test 15	GS84 Lat: 38	.35946 Long:C			4/19/2022
GPS Location: Datum: □ NAD27 [MIT Type: Tubing and Packer (or Initial Time in Minute(s): 0 Pressures: Set up 1 300 Set up 2 5et up 3 Tested: □ Casing ✔ or Casing	NAD83 V Pressure) Test 15 300	GS84 Lat: 38 30 300 System Pressure du	.35946 MIT Reaso	on: 5-YEAR T	EST	1
GPS Location: Datum: □ NAD27 [MIT Type: Tubing and Packer (or Initial Time in Minute(s): 0 Pressures: Set up 1 300 Set up 2 5et up 3 Tested: □ Casing ✔ or Casing Test Date: 04/19/2022	NAD83 W Pressure) Test 15 300 - Tubing Annulus Using: AW Inc	GS84 Lat:	.35946 MIT Reaso	on: 5-YEAR T	EST	
GPS Location: Datum: ☐ NAD27 [MIT Type: Tubing and Packer (or Initial Time in Minute(s): 0 Pressures: Set up 1 300 Set up 2 Set up 3 Tested: ☐ Casing ✔ or Casing Test Date: 04/19/2022 The zone tested for this well is between	NAD83 V Pressure) Test 15 300 - Tubing Annulus Using: AW In 0 feet and	GS84 Lat: 38 30 300 System Pressure dur dustries, LLC	.35946 MIT Reaso	on: 5-YEAR T	EST	1
GPS Location: Datum: ☐ NAD27 [MIT Type: Tubing and Packer (or Initial Time in Minute(s): 0 Pressures: Set up 1 300 Set up 2 Set up 3 Tested: ☐ Casing ✔ or Casing Test Date: 04/19/2022 The zone tested for this well is between The test results were verified by operator's	NAD83 V Pressure) Test 15 300 - Tubing Annulus Using: AW In 0 feet and	FIELD GS84 Lat: 38 30 300 System Pressure dur dustries, LLC 3425 feet,	.35946 MIT Reaso	on: 5-YEAR T	EST	1 Impany's Equipment
GPS Location: Datum: ☐ NAD27 [MIT Type: Tubing and Packer (or Initial Time in Minute(s): 0 Pressures: Set up 1 300 Set up 2 Set up 3 Tested: ☐ Casing ✔ or Casing Test Date: 04/19/2022 The zone tested for this well is between The test results were verified by operator's	NAD83 V Pressure) Test 15 300 - Tubing Annulus Using: AW In 0 feet and	FIELD GS84 Lat: 38 30 300 System Pressure dur dustries, LLC 3425 feet,	.35946 MIT Reaso	on: 5-YEAR T	EST	1 Impany's Equipment
GPS Location: Datum: ☐ NAD27 [MIT Type: Tubing and Packer (or Initial Time in Minute(s): 0 Pressures: Set up 1 300 Set up 2 5et up 2 Set up 3 Tested: ☐ Casing ✔ or Casing Test Date: 04/19/2022 The zone tested for this well is between The test results were verified by operator's Name: Mike Kasselman	NAD83 V Pressure) Test 15 300 - Tubing Annulus Using: AW In 0 feet and representative:	FIELD GS84 Lat: 38 30 300 System Pressure dur dustries, LLC 3425 feet,	.35946MIT Reason MIT Reason ring test:0	on: 5-YEAR T	EST	1 Impany's Equipment
GPS Location: Datum: ☐ NAD27 [MIT Type: Tubing and Packer (or Initial Time in Minute(s): 0 Pressures: Set up 1 300 Set up 2 5et up 2 Set up 3 Tested: ☐ Casing ✔ or Casing Test Date: 04/19/2022 The zone tested for this well is between The test results were verified by operator's Name: Mike Kasselman	NAD83 V Pressure) Test 15 300 - Tubing Annulus Using: AW In 0 feet and representative:	FIELD GS84 Lat: 38 30 300 System Pressure dur dustries, LLC 3425 feet,	.35946 MIT Reaso	on: 5-YEAR T	EST	1 Impany's Equipment
GPS Location: Datum: ☐ NAD27 [MIT Type: Tubing and Packer (or Initial Time in Minute(s): 0 Pressures: Set up 1 300 Set up 2 Set up 3 Tested: ☐ Casing ♥ or Casing Test Date: 04/19/2022 The zone tested for this well is between The test results were verified by operator's Name: Mike Kasselman KCC Office Use Only State Agen	NAD83 V Pressure) Test 15 300 - Tubing Annulus Using: AW In 0 feet and	FIELD GS84 Lat: 38 30 300 System Pressure dur dustries, LLC 3425 feet,	US5946 Long: -C MIT Reason	on: 5-YEAR T	EST	1 Impany's Equipment
GPS Location: Datum: ☐ NAD27 [MIT Type: Tubing and Packer (or Initial Time in Minute(s): 0 Pressures: Set up 1 300 Set up 2 Set up 2 Set up 3 Tested: ☐ Casing ✔ or Casing Test Date: 04/19/2022 The zone tested for this well is between The test results were verified by operator's Name: Mike Kasselman KCC Office Use Only State Agen The results were: Remarks:	NAD83 V Pressure) Test 15 300 - Tubing Annulus Using: AW In 0 feet and representative:	FIELD GS84 Lat: 38 30 300 System Pressure dur dustries, LLC 3425 feet,	US5946 Long: -C MIT Reason	on: 5-YEAR T	EST	1 Impany's Equipment
GPS Location: Datum: ☐ NAD27 [MIT Type: Tubing and Packer (or Initial Time in Minute(s): 0 Pressures: Set up 1 300 Set up 2 5et up 3 Tested: ☐ Casing ♥ or Casing Test Date: 04/19/2022 The zone tested for this well is between The test results were verified by operator's Name: Mike Kasselman KCC Office Use Only The results were: ♥ Satisfactory State Agen Remarks: FSL 426	NAD83 V Pressure) Test 15 300 - Tubing Annulus Using: AW Int 0 feet and representative: t: Bruce Rodie	FIELD GS84 Lat: 38 30 300 System Pressure dur dustries, LLC 3425 feet,	US5946 Long: -C MIT Reason	on: 5-YEAR T	EST	1 Impany's Equipment
GPS Location: Datum: ☐ NAD27 [MIT Type: Tubing and Packer (or Initial Time in Minute(s): 0 Pressures: Set up 1 300 Set up 2 5et up 3 Tested: ☐ Casing ✔ or Casing Test Date: 04/19/2022 The zone tested for this well is between The test results were verified by operator's Name: Mike Kasselman KCC Office Use Only The results were: ✔ Satisfactory ☐ Not Satisfactory	NAD83 V Pressure) Test 15 300 - Tubing Annulus Using: AW Int 0 feet and representative: t: Bruce Rodie	FIELD GS84 Lat: 38 30 300 System Pressure dur dustries, LLC 3425 feet,	US5946 Long: -C MIT Reason	on: 5-YEAR T	EST	1 Impany's Equipment
GPS Location: Datum: ☐ NAD27 [MIT Type: Tubing and Packer (or Initial Time in Minute(s): 0 Pressures: Set up 1 300 Set up 2 5et up 3 Tested: ☐ Casing ♥ or Casing Test Date: 04/19/2022 The zone tested for this well is between The test results were verified by operator's Name: Mike Kasselman KCC Office Use Only The results were: ♥ Satisfactory State Agen Remarks: FSL 426	NAD83 V Pressure) Test 15 300 - Tubing Annulus Using: AW Int 0 feet and representative: t: Bruce Rodie	FIELD GS84 Lat: 38 30 300 System Pressure dur dustries, LLC 3425 feet,	US5946 Long: -C MIT Reason	on: 5-YEAR T	EST	1 Impany's Equipment
GPS Location: Datum: ☐ NAD27 [MIT Type: Tubing and Packer (or Initial Time in Minute(s): 0 Pressures: Set up 1 300 Set up 2 5et up 3 Tested: ☐ Casing ✔ or Casing Test Date: 04/19/2022 The zone tested for this well is between The test results were verified by operator's Name: Mike Kasselman KCC Office Use Only The results were: ✔ Satisfactory ☐ Not Satisfactory	NAD83 V Pressure) Test 15 300 - Tubing Annulus Using: AW Int 0 feet and representative: t: Bruce Rodie	FIELD GS84 Lat: 38 30 300 System Pressure dur dustries, LLC 3425 feet,	US5946 Long: -C MIT Reason	on: 5-YEAR T	EST	1 Impany's Equipment
GPS Location: Datum: ☐ NAD27 [MIT Type: Tubing and Packer (or Initial Time in Minute(s): 0 Pressures: Set up 1 300 Set up 2 5et up 2 Set up 3 Tested: ☐ Casing ♥ or Casing Test Date: 04/19/2022 The zone tested for this well is between The test results were verified by operator's Name: Mike Kasselman KCC Office Use Only The results were: ♥ Satisfactory Not Satisfactory	NAD83 V Pressure) Test 15 300 - Tubing Annulus Using: AW Int 0 feet and representative: t: Bruce Rodie	FIELD GS84 Lat: 38 30 300 System Pressure dur dustries, LLC 3425 feet,	US5946 Long: -C MIT Reason	on: 5-YEAR T	EST	1 Impany's Equipment

Conservation Division District Office No. 4 2301 E. 13th Street Hays, KS 67601-2651



Phone: 785-261-6250 http://kcc.ks.gov/

Andrew J. French, Chairperson Dwight D. Keen, Commissioner Annie Kuether, Commissioner Laura Kelly, Governor

07/05/2024

Rashell Patten L. D. Drilling, Inc. 7 SW 26 Ave GREAT BEND, KS 67530-6525

Re: Temporary Abandonment API 15-009-24158-00-00 SEYFERT 2 NE/4 Sec.35-19S-12W Barton County, Kansas

Dear Rashell Patten:

"Your temporary abandonment (TA) application for the well listed above has been approved. In accordance with K.A.R. 82-3-111 the TA status of this well will expire 07/05/2025.

* If you return this well to service or plug it, please notify the District Office.

* If you sell this well you are required to file a Transfer of Operator form, T-1.

* If the well will remain temporarily abandoned, you must submit a new TA application, CP-111, before 07/05/2025.

You may contact me at the number above if you have questions.

Very truly yours,

RICHARD WILLIAMS"