WELL ID

KOLAR DOC ID

(785) 296-3565 | K.S.A. 82a-1212 | v2022c

WATER WELL RECORD (WWC-5)

OCATION OF WATER WELL						Original Reco	ord Co	rrection	Chang	je in Wel	l Use
Latitude	Longitude			Section	Township	Range	E		1/4	1/4	1/4
Datum	Elevation			County							
WATER WELL OWNER		l	WELL	WATER USE			NEAREST	SOURCE OF	POTENTIAL C	ONTAMIN	IATION
Name											
			COMP	LETION							
Business				LETION			from wel	l:	Directio from we	·II:	
Address					ed well:		Source				
] -	-	water encountered	:	description	on:			
******					(2) ft.;		Source:				
Well location			(3)	ft.; ((4) dry well		Distance	1.	Directio from we	n 11.	
at owner's			Static	Static water level in well: ft.				l;	110111 we	11;	
address			m	measured below land surface				on:			
CONCEDUCTION			on	(mm/dd/y	y):		No no	tontial cours	a of contami	ination	
CONSTRUCTION	n 1 7 7			measured above land surface			No potential source of contamination within 100 feet.				
Borehole interval: Borehole diameter:			on (mm/dd/yy):			PERMIT & ID NUMBERS (AS REQUIRED)					
fromtoft.		in.	Estim	ated yield: _	gpm						
fromto ft.		in.	Water	level was:	ft. after	hours	1 -	-	:		
Casing height above land surf	face:	in.			pumping	gpm	KDHE / EPA Project Code:				
If casing height is less that			Pump	installed?	Yes No		Site Name:				
has a variance been appro		s No	T17 .	11 11	. 10				orm Complet		
*variance not required for monitoring or environmental remediation wells			Water well disinfected? Yes No			1		No Perm			
Casing type:			Date disinfected (mm/dd/yy):			Lease Name & Well #:					
Blank casing interval:	ft. to	ft.	Aquif	er, if known	:		# of borel	noles:	# of dewate	ring wells:	
Blank casing diameter:			LITHO	LOGIC LOG	i						
Casing joints:			FROI	м то	LITHOLOGY	NTERVALS					
Weight: lbs/											
Wall thickness or gauge n											
Blank casing interval:											
Blank casing diameter:											
Casing joints:											
Weight: lbs/	ft.										
Wall thickness or gauge n	o.:										
Court interval 6 to											
Grout interval: ft. to_											
Grout material: ft. to											
			COMM	IENTS							
Grout material:											
Screen / perforation material:											
Screen / perforation material:			CONT	RACTOR'S	OR LANDOWNER	S CERTIFICATION	N				
Screen / perforation openings								D118011224 + -	the stated -	vatar 11	
From ft. to					was constructe			•	the stated v		
					ense and was con	=		-			
Slot size unit _ From ft. to					knowledge and b						
Slot size unit _					ness name of						
			Kans	as Water V	Vell Contractor's	License No	u	nder the au	thority of th	ne designa	ated
Gravel pack intervals:	Cassel -		perso	on as defin	ed in K.A.R. 28-	30-2(j) and sign	ed and certi	fied by the e	electronic si	gnature o	f the
Gravel pack not used:		in	^		on at its submitt	,		•			
From ft. to					VATER WELL OW	<u> </u>	ne for your rea	ords. Fee of 9	5 00 for each	constructe	d well
Gravel pack not used:		in		top; to v		EPARTMENT OF	•			2011011 4010	
From ft. to	_ n.			Bureau	of Water, Geology					2-1367	

Form	WWC5.2 - Water Well Record			
Doc ID	1783861			
Well Owner	P&M Farms			
Contractor	Hydro Resources Mid Continent, Inc. #145			

Casing

From	То	Casing Diameter	Casing Joint	Wall Thickness or Gauge Number
0	410	16	Welded	.250
460	490	16	Welded	.250
640	650	16	Welded	.250

Form	WWC5.2 - Water Well Record		
Doc ID	1783861		
Well Owner	P&M Farms		
Contractor	Hydro Resources Mid Continent, Inc. #145		

Lithology

From	То	Lithology Intervals
0	4	topsoil
4	20	clay
20	40	sand,fine,clayey
40	110	clay,sandy
110	120	sand,fine to medium,clayey
120	170	sand,fine to coarse,clayey
170	200	clay
200	220	clay,sandy
220	285	sand,fine to coarse
285	300	sand,fine to medium,clayey
300	320	clay,sandy
320	370	sand,fine to coarse
370	395	clay
395	428	sand,fine to coarse,gravelly
428	435	clay
435	460	shale,highly weathered
460	466	sandstone,slightly weathered,clayey
466	473	shale,highly weathered,reddish,gray
473	477	shale,highly weathered,gray
477	480	shale,highly weathered
480	490	shale,highly weathered
490	500	shale,highly weathered,sandy

Form	WWC5.2 - Water Well Record			
Doc ID	1783861			
Well Owner	P&M Farms			
Contractor	Hydro Resources Mid Continent, Inc. #145			

Lithology

From	То	Lithology Intervals
500	565	shale,highly weathered,sandy
565	585	sandstone,moderately weathered,clayey
585	590	sandstone,unknown
590	650	sandstone,unknown