KOLAR Document ID: 1785367

Confiden	tiality Re	quested:
Yes	No	

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form ACO-1 January 2018 Form must be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM

WELL	HISTORY	 DESCRIPTION 	VOF WELL	& LEASE

OPERATOR: License #	API No.:				
Name:	Spot Description:				
Address 1:					
Address 2:	Feet from Dorth / South Line of Section				
City: State: Zip:+	Feet from East / West Line of Section				
Contact Person:	Footages Calculated from Nearest Outside Section Corner:				
Phone: ()					
CONTRACTOR: License #	GPS Location: Lat:, Long:				
Name:	(e.g. xx.xxxx) (e.gxxx.xxxx)				
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84				
Purchaser:	County:				
Designate Type of Completion:	Lease Name: Well #:				
New Well Re-Entry Workover	Field Name:				
	Producing Formation:				
OilWSWSWD GasDHEOR	Elevation: Ground: Kelly Bushing:				
	Total Vertical Depth: Plug Back Total Depth:				
CM (Coal Bed Methane)	Amount of Surface Pipe Set and Cemented at: Feet				
Cathodic Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used?				
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet				
Operator:	If Alternate II completion, cement circulated from:				
Well Name:	feet depth to:w/sx cmt.				
Original Comp. Date: Original Total Depth:					
Deepening Re-perf. Conv. to EOR Conv. to SWD	Drilling Fluid Management Plan				
Plug Back Liner Conv. to GSW Conv. to Producer	(Data must be collected from the Reserve Pit)				
	Chloride content: ppm Fluid volume: bbls				
Commingled Permit #:	Dewatering method used:				
Dual Completion Permit #:					
SWD Permit #:	Location of fluid disposal if hauled offsite:				
EOR Permit #: GSW Permit #:	Operator Name:				
	Lease Name: License #:				
Spud Date or Date Reached TD Completion Date or	Quarter Sec TwpS. R East West				
Recompletion Date Reached TD Recompletion Date of Recompletion Date	County: Permit #:				

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY									
Confidentiality Requested									
Date:									
Confidential Release Date:									
Wireline Log Received Drill Stem Tests Received									
Geologist Report / Mud Logs Received									
UIC Distribution									
ALT I II III Approved by: Date:									

KOLAR Document ID: 1785367

Operator Nam	ie:			Lease Name:	Well #:
Sec	Twp	S. R	East West	County:	

Page Two

INSTRUCTIONS: Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed.

Final Radioactivity Log, Final Logs run to obtain Geophysical Data and Final Electric Logs must be emailed to kcc-well-logs@kcc.ks.gov. Digital electronic log files must be submitted in LAS version 2.0 or newer AND an image file (TIFF or PDF).

Drill Stem Tests Taken (Attach Additional Sheets)			′es 🗌 No		Log Formation (Top), Depth and Datum			Sample		
Samples Sent to Geolo			⁄es 🗌 No	1	Name	Э		Тор	Datum	
Cores Taken Electric Log Run Geologist Report / Mud List All E. Logs Run:	□ Y □ Y	Yes ☐ No Yes ☐ No Yes ☐ No								
		Rep	CASING ort all strings set-c		Ne	w Used rmediate, productio	on, etc.			
Purpose of String	Size Hole Drilled	Siz	ze Casing et (In O.D.)	Weight Lbs. / Ft.		Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives	
[ADDITIONAL	CEMENTING /	SQU	EEZE RECORD				
Purpose:	Depth Top Bottom	Туре	e of Cement	# Sacks Use	d		Type and	Percent Additives		
Protect Casing Plug Back TD Plug Off Zone										
 Did you perform a hydra Does the volume of the Was the hydraulic fracture 	total base fluid of the	hydraulic fr	acturing treatment		-	☐ Yes ns? ☐ Yes ☐ Yes	No (If No, s	kip questions 2 ar kip question 3) ill out Page Three		
Date of first Production/Inj Injection:	jection or Resumed Pr	oduction/	Producing Meth	iod:		Gas Lift 🗌 O	ther <i>(Explain)</i>			
Estimated Production Per 24 Hours	Oil	Bbls.	. Gas Mcf			Water Bbls. Gas-Oil Ratio Gr				
DISPOSITIO	N OF GAS:		METHOD OF			TION:		PRODUCTION INTERVAL:		
Vented Sold (If vented, Subn	Used on Lease		Open Hole		Dually Comp. Commingled (Submit ACO-5) (Submit ACO-4)			Bottom		
	foration Perform Top Botto		Bridge Plug Type	Bridge Plug Set At		Acid,		ementing Squeezend of Material Used)		
TUBING RECORD:	Size:	Set At:		Packer At:						


Form	ACO1 - Well Completion
Operator	Magellan Pipeline Company LP
Well Name	MP 99.13 1
Doc ID	1785367

Casing

	Size Hole Drilled	Size Casing Set		Setting Depth	Type Of Cement		Type and Percent Additives
Surface	17	10	2337.72	210	neat	160	0

	BILL OF MATERIALS									
ITEM	DESCRIPTION	QTY.	UNITS							
1	UNIVERSAL ASAI 240326 75V/75A 115/230 1 PHASE MAX COURSE 6, MAX FINE 8	1	EACH							
2	ANODES, SET OF 14, 2684 CAST IRON 10' CENTERS AT 350', #8 HALAR	1	EACH							
3	SC-3 COKE BREEZE	100	50 LB BAGS							
4	BENTONITE PLUG	96	50 LB BAGS							

DIMENSIONS										
CALLOUT	ITEM	DIMENSIONS	UNITS							
A	HOLE DIAMETER	10	IN							
B	HOLE DEPTH	350	FT							
C	FIRST ANODE FROM BOTTOM	5	FT							
D	ANODE SPACING	10	FT CTC							
E	ANODE BACKFILL COLUMN	160	FT							
Ð	HOLE PLUG COLUMN	190	FT							
G	CASING LENGTH	210	FT							



REVISIONS						DEEP GROUNDBED LEGEND			Date:			CATHODIC PROTECTION LA	YOUT		
No.	Description	Drawn By:	Date	Chk'd By:	Date				Drawn By:				MP 99.13		
				,	<u> </u>	- 🗇	DEEP GROUNDBED	-(+)- POSITIVE CABLE	J. GREENFIELD	2024					
						AJB	ANODE JBOX	-(-)- NEGATIVE CABLE					DEEP GROUNDBED INSTALL	ATION	
							NEG. CONNECTION	PIPELINE ASSETS	Checked By:	Date:		STAFFORD			KS
								TH LENGE AGOE TO	R. McCLAIN	2024	PIPELINE SERVICES	Project No.	2024-0018	Sheet No.	Revision:
					1	R	RECTIFIER						2024-0010	2 of 2	0