KOLAR DOC ID _____ WELL ID_

WATER WELL RECORD (WWC-5)

OCATION OF WATER WELL	_				Orig	ginal Recor	d Correction	Change	ın Well	Us
Latitude	Longitude		S	ection	Township	Range	E W Fraction	1/4	1/4	1/2
Datum	Elevation		(County						
VATER WELL OWNER			WELL W	ATER USE			NEAREST SOURCE OF PO	TENTIAL CO	NTAMINA	\TIC
Name							Source:			
Business			COMPL	FTION			Distance	Direction		
Dusiness							from well:	from well:		
Address			1 -	-	ed well: water encountered:	ft.	Source description:			
			(1)	ft.;	(2) ft.;		Source:			_
Well location			(3)ft.; (4) dry well			Distance from well:	Direction			
at owner's address			Static water level in well: ft. measured below land surface				Source description:	nom wen.		
CONSTRUCTION				(mm/dd/y			No potential source	of contamin	ntion	_
Borehole interval: Borehole diameter:			measured above land surface on (mm/dd/yy):				No potential source of contamination within 100 feet.			
fromto ft.		in.	Ectima	ted vield:	gpm		PERMIT & ID NUMBERS	(AS REQUIR	ED)	
fromto ft.					ft. after	hours	DWR Application No:			
l.			water	ever was: _			DWR Application No.:KDHE / EPA Project Code:			
Casing height above land sur		in.	Dumn	installed?	pumping Yes No	_ gpm	Site Name:			
If casing height is less that has a variance been appro		s No	Pullip.	instaneu:	res No		KDHE UIC Class V Form Completed: Yes			
*variance not required for			Water well disinfected? Yes No				County Permit: Yes	-		
or environmental remediation wells			Date di	sinfected (mm/dd/yy):		Lease Name & Well #: _			
Casing type:							# of boreholes:			
Blank casing interval:	ft. to	ft.	Aquife	r, if known	:		# Of boreffoles.	# of dewaterin	ig weils: _	
Blank casing diameter:	in.		LITHOL	OGIC LOG						
Casing joints:			FROM	то	LITHOLOGY INTE	RVALS				
Weight:lbs/	/ft.									
Wall thickness or gauge n	10.:									_
Blank casing interval:	ft. to	ft.								
Blank casing diameter:	in.									
Casing joints:										
Weight:lbs/	/ft.									
Wall thickness or gauge n	10.:									
Grout interval: ft. to	ft									
Grout material:										
Grout interval: ft. to										
Grout material:			COMM	NTS						
Screen / perforation material:										
Screen / perforation opening			CONTR	ACTOR'S	OR LANDOWNERS CEF	RTIFICATION				
Screen / perforation intervals:					was constructed	reconstru	cted pursuant to the	ne stated wa	ter well	
Fromft. to							•			
Slot size unit _					=		I certify that			
From ft. to				-	_		vell record was complete			
Slot size unit _										
Gravel pack intervals:			Kansa	s Water V	Vell Contractor's Lice	nse No	under the auth	ority of the	designat	ed
Gravel pack not used:	Gravel size		person	n as defin	ed in K.A.R. 28-30-2(j) and signed	d and certified by the ele	ectronic sign	ature of	th
From ft. to		m	design	ated pers	on at its submittal:					
Gravel pack not used:		2	Send on	e copy to V	VATER WELL OWNER		for your records. Fee of \$5.	.00 for each co	nstructed	l w
From ft. to		III			KANSAS DEPAR	TMENT OF H	EALTH AND ENVIRONME ackson St., Suite 420, Tope	ENT		

KANSAS DEPARTMENT OF HEALTH AND ENVIRONMENT
Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka KS 66612-1367
(785) 296-3565 | K.S.A. 82a-1212 | v2022c

Form	WWC5.2 - Water Well Record	
Doc ID	1784224	
Well Owner	Love Ag	
Contractor	Hydro Resources Mid Continent, Inc. #145	

Lithology

From	То	Lithology Intervals
0	2	topsoil
2	20	clay,caliche stringers
20	34	sand,fine
34	90	clay,caliche stringers
90	99	sand,fine to coarse
99	119	clay,caliche stringers
119	156	clay,sandy
156	169	sand,fine to coarse
169	196	clay,caliche stringers
196	224	clay
224	269	clay,caliche stringers
269	288	clay,sandy
288	298	sand,fine,clayey
298	312	sand,fine to coarse,gravelly
312	319	clay,sandy
319	327	sand,fine
327	345	clay,sandy
345	350	sand,fine to coarse,clayey
350	360	sand,fine to coarse,gravelly
360	365	sandstone,moderately weathered
365	372	limey shale,completely weathered
372	380	shale,completely weathered,gray

Form	WWC5.2 - Water Well Record	
Doc ID	1784224	
Well Owner	Love Ag	
Contractor	Hydro Resources Mid Continent, Inc. #145	

Lithology

From	То	Lithology Intervals
380	385	shale,slightly weathered,gray