KOLAR Document ID: 1662194

Confiden	tiality Re	quested:
Yes	No	

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION Form ACO-1 January 2018 Form must be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No.:
Name:	Spot Description:
Address 1:	
Address 2:	Feet from North / South Line of Section
City: State: Zip:+	Feet from East / West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	
CONTRACTOR: License #	GPS Location: Lat:, Long:
Name:	(e.g. xx.xxxx) (e.gxxx.xxxx)
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84
Purchaser:	County:
Designate Type of Completion:	Lease Name: Well #:
New Well Re-Entry Workover	Field Name:
	Producing Formation:
	Elevation: Ground: Kelly Bushing:
	Total Vertical Depth: Plug Back Total Depth:
	Amount of Surface Pipe Set and Cemented at: Feet
CM (Coal Bed Methane) Cathodic Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used? Yes No
	If yes, show depth set: Feet
If Workover/Re-entry: Old Well Info as follows:	If Alternate II completion, cement circulated from:
Operator:	
Well Name:	feet depth to:w/sx cmt.
Original Comp. Date: Original Total Depth:	
Deepening Re-perf. Conv. to EOR Conv. to SWD	Drilling Fluid Management Plan
Plug Back Liner Conv. to GSW Conv. to Producer	(Data must be collected from the Reserve Pit)
Commingled Permit #:	Chloride content: ppm Fluid volume: bbls
Dual Completion Permit #:	Dewatering method used:
SWD Permit #:	Location of fluid disposal if hauled offsite:
EOR Permit #:	
GSW Permit #:	Operator Name:
	Lease Name: License #:
Spud Date or Date Reached TD Completion Date or	Quarter Sec Twp S. R East West
Recompletion Date Recompletion Date	County: Permit #:

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY					
Confidentiality Requested					
Date:					
Confidential Release Date:					
Wireline Log Received Drill Stem Tests Received					
Geologist Report / Mud Logs Received					
UIC Distribution					
ALT I II III Approved by: Date:					

KOLAR Document ID: 1662194

Operator Name:	Lease Name: Well #:
Sec TwpS. R East 🗌 West	County:

Page Two

INSTRUCTIONS: Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed.

Final Radioactivity Log, Final Logs run to obtain Geophysical Data and Final Electric Logs must be emailed to kcc-well-logs@kcc.ks.gov. Digital electronic log files must be submitted in LAS version 2.0 or newer AND an image file (TIFF or PDF).

Drill Stem Tests Taken (Attach Additional Sheets)		Y	Yes No		Log Formation (Top), Dep		n (Top), Depth	and Datum	Sample
			és 🗌 No	Ν	lame	e		Тор	Datum
Samples Sent to Geological Survey Cores Taken Electric Log Run Geologist Report / Mud Logs List All E. Logs Run:			ies No ies No ies No						
		Repo	CASING I] Ne	w Used rmediate, productio	on, etc.		
Purpose of String	Size Hole Drilled		ze Casing tt (In O.D.)	Weight Lbs. / Ft.		Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
			ADDITIONAL	CEMENTING /	SQU	EEZE RECORD			
Purpose: Depth Top Bottom Perforate		Туре	e of Cement	# Sacks Used		Type and Percent Additives			
 Did you perform a hydra Does the volume of the is Was the hydraulic fractu Date of first Production/Inj 	total base fluid of the h ring treatment informa	nydraulic fra tion submit	acturing treatment	al disclosure regis	-	Yes ns? Yes Yes	No (If No, s	kip questions 2 ar kip question 3) ill out Page Three	
Injection:			Flowing	Pumping		Gas Lift 🗌 O	ther <i>(Explain)</i>		
Estimated Production Oil Bbls. Ga Per 24 Hours		Gas	Mcf	Water Bbls. Gas-Oil Ratio Gravity			Gravity		
DISPOSITION OF GAS:		M	ETHOD OF COM	IPLE	TION:			ON INTERVAL:	
Vented Sold Used on Lease Open Hole (If vented, Submit ACO-18.)		Open Hole		Dually Comp. Commingled (Submit ACO-5) (Submit ACO-4)		Bottom			
Shots Per Perforation Perforation Bridge Plug Foot Top Bottom Type		Bridge Plug Set At		Acid,		ementing Squeeze			
TUBING RECORD:	Size:	Set At:		Packer At:					

Form	ACO1 - Well Completion
Operator	Griffin, Charles N.
Well Name	RILEY #1
Doc ID	1662194

Casing

	Size Hole Drilled	Size Casing Set		Setting Depth	Type Of Cement		Type and Percent Additives
Surface	12.25	8.625	23	0	0	0	0

QUALITY WELL SERVICE, INC. Federal Tax I.D. # 481187368

Home Office 30060 N. Hwy 281, Pratt, KS 67124

ويستعلاني ويتقربني المراجع بالمربع فكلب بالاستعادية والقليمين والمراجع

Mailing Address P.O. Box 468

Office 620-727-3410 Fax 620-672-3663

Rich's Cell 620-727-3409 Brady's Cell 620-727-6964

7962

	Sec.	Twp.	Range		County	State	On Location	Finish		
Date 5-13.22	9	305	15W	ß	prber	K,				
Lease Diler Well No. Location					on Cast	KIStoy	E the Kottl	E to Callle		
Contractor MURFIN DR. G. R.G 104					OwnerPERCE! SINTO					
Type Job Lost Cizc				To Quality W	ell Service, Inc.	cementing equipment	and furnish			
Hole Size 12/4		T.D.			cementer an	d helper to assist ow	ner or contractor to do	work as listed.		
Csg.		Depth			Charge To	Griffin				
Tbg. Size 41/2 DJ		Depth	63'		Street					
Tool		Depth			City State					
Cement Left in Csg.		Shoe Jo	pint		T.		nd supervision of owner a	agent or contractor.		
Meas Line		Displac	e		Cement Amo		35 (mnion	·		
	EQUIPN	AENT			21.GE	<u>L 31. CC Yz "I</u>	21 US(1) 25	<u>v</u>		
Pumptrk g No.					Common	232				
Bulktrk 12 No.					Poz. Mix					
Bulktrk No.					Gel. <u>5</u>	26'				
Pickup No.					Calcium	792				
JOB SE	RVICES	& REMA	RKS		Hulls	,				
Rat Hole					Salt					
Mouse Hole					Flowseal 140 #					
Centralizers			_		Kol-Seal					
Baskets					Mud CLR 48					
D/V or Port Collar	<u> </u>				CFL-117 or CD110 CAF 38					
K, 2 +15 2	F12 K) P 6	.3'		Sand					
Mic Pino 1750	<u>x (</u> -	M.nor			Handling	304				
21/11/31/11	1/2 'P	<u>(</u>	ire to Pi	F.	Mileage 25	10,000				
PLUG R-HOLE	325	(0. n	10/1			FLOAT EQUIPM	ENT .			
Z'/ (EL. 31/ CL	1/212	<u> </u>			Guide Shoe					
nix: Pono 75		i.) (0	Ulic .	_	Centralizer					
		•			Baskets					
			· · · ·		AFU Inserts					
					Float Shoe					
					Latch Down					
					SERVICE	Las I		· · · · ·		
THUNK YUJ					LAV Z	5				
PLEDGE COLL PGAIN					Pumptrk Cha	arge Pti		<u> </u>		
					Mileage 50	>				
TOAN MILE KEINY							Tax			
							Discount			
X Signature	17						Total Charge			
/	-							Taylor Printing, Inc. 🚽		