KOLAR Document ID: 1662372

Confidentiality Requested:

Yes No

Kansas Corporation Commission Oil & Gas Conservation Division

Form ACO-1
January 2018
Form must be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No.:
Name:	Spot Description:
Address 1:	
Address 2:	Feet from North / South Line of Section
City:	Feet from
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	□NE □NW □SE □SW
CONTRACTOR: License #	GPS Location: Lat:, Long:, (e.qxxx.xxxxx)
Name:	Datum: NAD27 NAD83 WGS84
Wellsite Geologist:	County:
Purchaser:	Lease Name: Well #:
Designate Type of Completion:	Field Name:
☐ New Well ☐ Re-Entry ☐ Workover	Producing Formation:
Oil SWD	Elevation: Ground: Kelly Bushing:
☐ Gas ☐ DH ☐ EOR	Total Vertical Depth: Plug Back Total Depth:
☐ OG ☐ GSW	Amount of Surface Pipe Set and Cemented at: Feet
CM (Coal Bed Methane)	
Cathodic Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used?
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set:Feet
Operator:	If Alternate II completion, cement circulated from:
Well Name:	feet depth to:w/sx cmt.
Original Comp. Date: Original Total Depth:	
Deepening ☐ Re-perf. ☐ Conv. to EOR ☐ Conv. to SWD Plug Back ☐ Liner ☐ Conv. to GSW ☐ Conv. to Producer	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Commingled Permit #:	Chloride content:ppm Fluid volume:bbls
Dual Completion Permit #:	Dewatering method used:
SWD Permit #:	Location of fluid disposal if hauled offsite:
EOR Permit #:	'
GSW Permit #:	Operator Name:
	Lease Name: License #:
Spud Date or Date Reached TD Completion Date or	QuarterSecTwpS. R East West
Recompletion Date Recompletion Date	County: Permit #:

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY								
Confidentiality Requested								
Date:								
Confidential Release Date:								
☐ Wireline Log Received ☐ Drill Stem Tests Received								
Geologist Report / Mud Logs Received								
UIC Distribution								
ALT I II Approved by: Date:								

KOLAR Document ID: 1662372

Page Two

Operator Name:					Lease Nam	ne:			Well #:	
Sec Tw	rpS	S. R	Eas	st West	County:					
	l, flowing an	d shut-in pres	sures, wh	ether shut-in pre	ssure reached	static	level, hydrostat	ic pressures, bo		val tested, time tool erature, fluid recovery,
Final Radioactivi files must be sub							gs must be emai	led to kcc-well-l	ogs@kcc.ks.go	v. Digital electronic log
Drill Stem Tests (Attach Addit		1		Yes No		Lo		n (Top), Depth a		Sample
Samples Sent to	Geological	Survey		Yes No		Name			Тор	Datum
Cores Taken Electric Log Run Geologist Report List All E. Logs F	t / Mud Log	s		Yes No Yes No Yes No						
			Rej	CASING	RECORD [Nev		on, etc.		
Purpose of St	tring	Size Hole Drilled		Size Casing let (In O.D.)	Weight Lbs. / Ft.		Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
				ADDITIONAL	CEMENTING /	SQUE	EEZE RECORD		'	
Purpose: Perforate		Depth Top Bottom	Тур	pe of Cement	# Sacks Use	ed	Type and Percent Additives			
Protect Ca										
Plug Off Z										
Did you perform Does the volume Was the hydraul	e of the total	base fluid of the	hydraulic	fracturing treatment		-	Yes S? Yes Yes	No (If No, s	kip questions 2 ar kip question 3) Il out Page Three	
Date of first Produ Injection:	ction/Injection	n or Resumed Pi	roduction/	Producing Meth	od:		Gas Lift O	ther <i>(Explain)</i>		
Estimated Product Per 24 Hours		Oil	Bbls.		Mcf	Water			Gas-Oil Ratio	Gravity
DISPO	OSITION OF	GAS:		N	METHOD OF CO	MPLET	ΓΙΟΝ:			ON INTERVAL:
Vented		Used on Lease		Open Hole		Dually (Submit A		nmingled	Тор	Bottom
,	ed, Submit AC							·		
Shots Per Foot	Perforation Top	on Perfor Bott		Bridge Plug Type	Bridge Plug Set At		Acid,		ementing Squeeze and of Material Used)	
TUBING RECORI	D: S	size:	Set A	: -	Packer At:					

Form	ACO1 - Well Completion
Operator	Somerset Energy Enterprises, LLC
Well Name	KERN 14
Doc ID	1662372

Casing

Purpose Of String	Size Hole Drilled	Size Casing Set	Weight	Setting Depth	Type Of Cement		Type and Percent Additives
Surface	9.875	7	21	21	Portland	3	NA
Production	5.625	2.875	6.5	764	Econobon d	90	See Ticket

Short Cuts

TANK CAPACITY

BBLS. (42 gal.) equals D2x.14xh D equals diameter in feet. h equals height in feet.

BARRELS PER DAY Multiply gals. per minute x 34.2

HP equals BPH x PSI x .0004 BPH - barrels per hour PSI - pounds square inch

TO FIGURE PUMP DRIVES

- * D Diameter of Pump Sheave
- * d Diameter of Engine Sheave

SPM - Strokes per minute

RPM - Engine Speed

R - Gear Box Ratio

*C - Shaft Center Distance

D - RPMxd over SPMxR

d - SPMxRxD over RPM

SPM - RPMXD over RxD

R - RPMXD over SPMxD

BELT LENGTH - 2C + 1.57(D + d) + $(D-d)^2$

* Need these to figure belt length

TO FIGURE AMPS:

WATTS = AMPS

746 WATTS equal 1 HP

Log Book

Well No	14	
Farm_Ke	<u> </u>	
(State)	M	(County)
(Section)	16 (Township)	24 (Range)
Sauce L	Farmer For	(Kange)

Town Oilfield Services, Inc.

1207 N. 1st East Louisburg, KS 66053 913-710-5400

Kern Farm: Miami County KS State; Well No. 14	CA	SING A	ND TUBING	MEASU	JREMENTS	
<u> 165</u> State; Well No. <u>14</u>	Feet	In.	Feet	In.	Feet	In.
Elevation /07/	733:3	1	III.			1 111.
Commenced Spuding $\frac{5/23}{202}$ 20 $\frac{32}{20}$	775,0	- 4	m, c			
Finished Drilling 5/24 2022	764	1	out			
Driller's Name Ryan Ward			-			
Driller's Name	780 -	T	7 ·			
Driller's Name	-				_	
Tool Dresser's Name Jay Sanders						
Tool Dresser's Name						
Tool Dresser's Name	-					
Contractor's Name TDR Construction 18 16 24						
18 16 24				-		
(Section) (Township) (Range)				-		
Distance from line,1563ft.			-			
Distance from $\frac{5}{\text{line}}$, $\frac{1563}{2496}$ ft.			-			
3 sacks cements 5-5/8 Borehole	-		·			
2-7/8" Casing.						-
10 hrs.						
CASING AND TUBING						
RECORD				_		
10" Set 10" Pulled						
8" Set 8" Pulled		_#				
8" Set 8" Pulled 7"%" Set 6%" Pulled						
4" Set 4" Pulled				!_	-	
2" Cot 2" Pulled			4			

Thickness of Strata	Tomacon	Total 7 Depth	Remarks
0-7	50		
15	Line	22	
17	Shale	39	
17	Line	56	
71	Shale	127	
े 20	Line	147	
11	Shale	158	
10	Line	168	
33	Shale	201	
U	Line.	205	
79	Shale	244	
10	Line	254	
16	Shale	270	
26	Lime	296	
5	Shale	301	
92	Line	323	
3	Shake	326	**
3	Lime	329	· ·
2	Shak	331	
12	Lime	343	-
3	Shale	346	
3	Line	349	
194	Shale	537	j,
6	C,me	543	
2	Shale	545	
4	Line	549	0
5	Shale	554	

-2-

		554	•
Thickness of Strata	Formation	Total Depth	Remarks
8	Line	562	"
6	Sand	568	Broken. Very little oil sho
12	Shale	580	7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7
-4	Line	584	
9	Shale	593	
5	Line	598	
4	Shal	602	
10	Cine	612	
17	5 hade	629	
5	Line	634	
	Shale	681	
2	Sand	683	Broken. Some oil show
8	Send	691	Mostly Solid. Good oil show
2	Sind	693	Broken, Little oil
33	Sardy Shale	726	
54	5hble	788	_ TD
		·	
	8%		
	·		
	·		
			,

-5-



CEMEN	TTRE	ATMEN	T REP	ORT						
		TDR Co			Well:		Voen 44 45		ED4005	
		Louisbu			County:		Kern 14, 15	Ticket		
		Lance 1			County: MI, KS S-T-R: 18-16-24			Date		
	ia itopi	Lance			5·1-R.		10-10-24	Service	Longstring	js
Dov	vnhole	Informati	on		Calculated Sig	urry - Lea	d	Cal	culated Slurry - Tail	
Hol	e Size:	5 5/8	3 In		Blend:	Econ	obond	Blend		
Hole	Depth:	780) ft		Weight:	13.61	ppg	Weight	ppg	
	g Size:				Water / Sx:	7.12	gal / sk	Water / Sx:	gal / sk	
_		764/737			Yield:	1.56	ft³/sk	Yield:	ft³/sk	
Tubing /	Liner: Depth:		In ft		Annular Bbls / Ft.:		bbs / ft.	Annular Bbls / Ft.:		
Tool / P					Depth:		ft	Depth:	···	
		733/707			Annular Volume: Excess:	0.0	bbls	Annular Volume:		<u> </u>
		4.24/4.09			Total Slurry:		bbls	Excess: Total Slurry:	 	
			STAGE	TOTAL	Total Sacks:	0	sks	Total Sacks:	· · · · · · · · · · · · · · · · · · ·	
TIME	RATE	PSI	BBLs	BBLs	REMARKS					
12:30 PM	ļ		-	·	on location, held safety r	neeting				
	ļ	ļ		-	 					
	 	ļ		-	#14				·····	
	4.0	<u> </u>		-	established circulation					
	4.0	-		*	mixed and pumped 400#					
	4.0			-	mixed and pumped 90 sk flushed pump clean	S Econobo	nd cement, cement to si	urface		
	1.0				pumped 2 7/8" rubber plu	un to haffle	w/ 4 24 bbls frach water	· · · · · · · · · · · · · · · · · · ·		
	1.0			-	pressured to 800 PSI, we			<u></u>		
				-	released pressure to set			·		
	4.0			-	washed up equipment					
								14		
					#15					··-··
	4.0	- -		 .	established circulation					
	4.0				mixed and pumped 200#					
	4.0 4.0		 		mixed and pumped 85 ski	s Econobo	nd cement, cement to su	ırface		
	1.0		 		flushed pump clean pumped 2 7/8" rubber plu	g to baffle	with 4.09 bble freeh und	ler		
	1.0				pressured to 800 PSI, wel	···		161		
					released pressure to set					
	4.0				washed up equipment					
2:30 PM					left location					
		CDEM								
Co	natar	CREW			UNIT			SUMMAR		
Cen Pump Ope	ienter:		y Kennedy Beets		931	}	Average Rate	Average Pressure	Total Fluid	
- amp of	Bulk:		Katzer		238	-	3.1 bpm	- psi	- bbls	
	H2O:		Detwiler		124					i
										

ftv: 15-2021/01/25 mplv: 264-2022/05/23