KOLAR Document ID: 1789065

Confidentiality Requested:

Yes No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form ACO-1
January 2018
Form must be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No.:
Name:	Spot Description:
Address 1:	SecTwpS. R East _ West
Address 2:	Feet from North / South Line of Section
City: State: Zip:+	Feet from _ East / _ West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	□NE □NW □SE □SW
CONTRACTOR: License #	GPS Location: Lat:, Long:
Name:	(e.g. xx.xxxxx) (e.gxxx.xxxxx)
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84
Purchaser:	County:
Designate Type of Completion:	Lease Name: Well #:
☐ New Well ☐ Re-Entry ☐ Workover	Field Name:
☐ Oil ☐ WSW ☐ SWD	Producing Formation:
Gas DH EOR	Elevation: Ground: Kelly Bushing:
□ OG □ GSW	Total Vertical Depth: Plug Back Total Depth:
CM (Coal Bed Methane)	Amount of Surface Pipe Set and Cemented at: Feet
Cathodic Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used?
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet
Operator:	If Alternate II completion, cement circulated from:
Well Name:	feet depth to:w/sx cmt.
Original Comp. Date: Original Total Depth:	
☐ Deepening ☐ Re-perf. ☐ Conv. to EOR ☐ Conv. to SWD	Drilling Fluid Management Plan
☐ Plug Back ☐ Liner ☐ Conv. to GSW ☐ Conv. to Producer	(Data must be collected from the Reserve Pit)
Commingled Permit #:	Chloride content: ppm Fluid volume: bbls
Commingled Permit #: Dual Completion Permit #:	Dewatering method used:
SWD Permit #:	Location of fluid disposal if hauled offsite:
EOR Permit #:	·
GSW Permit #:	Operator Name:
	Lease Name: License #:
Spud Date or Date Reached TD Completion Date or	Quarter Sec. Twp. S. R. East West
Recompletion Date Recompletion Date	County: Permit #:

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY						
Confidentiality Requested						
Date:						
Confidential Release Date:						
Wireline Log Received Drill Stem Tests Received						
Geologist Report / Mud Logs Received						
UIC Distribution						
ALT I II Approved by: Date:						

KOLAR Document ID: 1789065

Page Two

Operator Name:					Lease Na	ame: _			Well #:		
SecTwp	oS.	R	East	West	County: _						
open and closed, and flow rates if g	flowing and s gas to surface y Log, Final L	hut-in pressu test, along wi ogs run to ob	res, whe ith final c tain Geo	ther shut-in prechart(s). Attach	essure reache extra sheet i and Final Elec	ed stati if more ctric Lo	c level, hydrosta space is needed	tic pressures, d.	bottom hole tempe	val tested, time tool rature, fluid recovery, Digital electronic log	
Drill Stem Tests To			Y	es No		L	og Formatic	on (Top), Dept	h and Datum	Sample	
Samples Sent to	,	ırvey	Y	es No		Nam	е		Тор	Datum	
Cores Taken Electric Log Run Geologist Report List All E. Logs Ri	_		Y	es No es No es No							
			David		RECORD	☐ Ne					
	9	ize Hole	-	ze Casing	Weight		ermediate, producti	on, etc.	# Sacks	Type and Percent	
Purpose of Str		Drilled		t (In O.D.)	Lbs. / F		Depth	Cement	Used	Additives	
	'			ADDITIONAL	. CEMENTING	3 / SQL	JEEZE RECORD		'		
Purpose:	To	Depth p. Bottom	Туре	of Cement	# Sacks U	sed		Туре а	and Percent Additives		
Perforate Protect Cas Plug Back	Perforate Top Bottom Protect Casing										
Plug Off Zo											
Did you perform Does the volume Was the hydraulic	of the total bas	e fluid of the hy	draulic fra	acturing treatmen		•		No (If No	o, skip questions 2 an o, skip question 3) o, fill out Page Three o		
Date of first Produc	ction/Injection or	Resumed Prod	duction/	Producing Meth			0.1%	W 45 ()			
,				Flowing	Pumping			other (Explain) _			
Estimated Product Per 24 Hours	tion	Oil Bl	bls.	Gas	Mcf	Wate	er Bl	ols.	Gas-Oil Ratio	Gravity	
DISPO	SITION OF GA	S:		N	METHOD OF C	OMPLE	ETION:		PRODUCTIO		
Vented	Sold Us	ed on Lease		Open Hole	Perf.	_ ,		nmingled	Тор	Bottom	
(If vented	d, Submit ACO-1	8.)				(Submit	ACO-5) (SUD	mit ACO-4)			
Shots Per Foot	Perforation Top	Perforati Botton		Bridge Plug Type	Bridge Plug Set At		Acid,		Cementing Squeeze Kind of Material Used)	Record	
TUBING RECORD): Size.	:	Set At:		Packer At:						

Form	ACO1 - Well Completion
Operator	RJ Energy, LLC
Well Name	REMER 1 3
Doc ID	1789065

Casing

Purpose Of String	Size Hole Drilled	Size Casing Set	Weight	Setting Depth	''		Type and Percent Additives
Surface	9.875	7	17	42	portland	4	
Production	5.625	4.5	6.5	1047	portland	135	
Liner	4.5	2	4	960	portland	58	

Madison, KS 6 Office # 620- Brad Cell # 6	437-2			HURRICANE SERVICE OILFIELD SERVICE	S	Foreman	Brad Butter	
or cell # O.	20-437	-0703		MADISON, KANSA Cement Service				
Date	Cu	stomer	#	Well Name 8		Sec./Tow	nship/Range	County
8-23-13	7.66			Reamer #1		28-22		Coffey
ustomer				Mailing Address	1/000	City		Zip
Harcon	> Far	rav /	10.	P.O. Box 292		Lesoy	Ks. 668	357-0292
				11.0,000 0110		17,010		Deliver
lob Type:		Li	witab				Truck#	Driver Kelly
Hole Size:			Casing S	ize: 41/2" = 1037	Displacemen	nt: 3.7 Bbls.	201	Terry
Hole Depth:			Casing V			nt PSI: 400	106	David
Bridge Plug:			Tubing:	23/8"	Cement Left	in Casing: 6-		
Packer:			PBTD:	960-				
Ouantitu On	Unito			Description of	Servcies or P	Product	Pump charge	790.00
Quantity Or			D. G.T.		\$3.25/Mile	113.75		
	35		Mileage					
	-C		Cr.	/o - A	_		12.75	739.50
58 SACKS 80/20 POZMIX CEMENT							,30	31.20
10	14	165.		Gel 22				
	100	,,		Gel Flush Ahea	1		.30	30.00
	100	165.		GEL FIRST FILEGI	A .			
							20	150.00
3	500	165.	20	0/40 Frac SAND			,30	130.00
							Cuso	72/00
	4	Hrs.	n	PATE Truck			84.00	336.00
:	3/00	GAL		WATER			13-00 Pe/1000	THE RESERVE THE PERSON NAMED IN COLUMN 2 I
	3	3 miles		ick #290			1.50	5250
	To	ons	Bulk Tru	ck) minimum ch	1250		\$1.15/Mile	
			Wire	line Services			50.00	N/c
	1		Plugs d	238" Top Rubber			20.00	CONTROL OF THE PERSON NAMED IN COLUMN 1
							Subtotal	2553.6
						6.157.	Sales Tax	52.9
							Estimated 7	Total 2606.2
Pamarks: D	_	4116"			T 1	- 9777		
236"-	94010	720	ashy w	ith wireline -	aged SAM	Des //d.	- 0 .	RUCIFI 1
278 Tubin	Set	ct 76	O K	's yoto Tubing - I	Steak Circul	aliso with h	DATES Tumped 3	Dol. Gel Flush
irculated 6	charo	und To	condition	well. Mixed	2 X SKS 80/20	Pozmir Cement	126GeL Shu	Idowa-WASho

23/8" Tubing Set at 960" Rig yoto Tubing - Break circulation with water Pumped 5Bb. Gel Flush, circulated Gel around to condition well. Mixed 58sks. 80/20 Permiscement of 28 Gel, Shutdown-Washout, Drop 29/8" Plug, Displaced Plug with 39/4 Bbk water. Final Pumping of 400 PSI - Landed Plug with 1200 PSI Close Tubing in. Knock loose Soon well, washup Pumpituck, Hook back onto well.

Tubing Had 800 PSI precord Pressure on well Sor 1/2 Hours for KCC / Well Holding 300 PSI with essed by Havey

(Rev. 1-2011)

Then Kyou"

Customer Signature