CORRECTION #1

KOLAR Document ID: 1788787

For KCC Use:	Kansas Corporation Commission
Effective Date:	OIL & GAS CONSERVATION DIVISION
District #	Ole a One Concertminon Division

_ Agent: _

SGA?

Form C-1

March 2010

Form must be Typed

Form must be Signed

All blanks must be Filled

Yes No NOTICE OF INTENT TO DRILL Must be approved by KCC five (5) days prior to commencing well

	no and the second second		Spot Description:
	month day	year	Sec TwpS. R Te V
PERATOR: License#			(0/0/0/0) feet from N / S Line of Section
			feet from E / W Line of Sectio
			Is SECTION: Regular Irregular?
			(Note: Locate well on the Section Plat on reverse side)
ity:	State: Zip:	+	County:
ontact Person:			Lease Name: Well #:
none:			Field Name:
ONTRACTOR: License#	:		Is this a Prorated / Spaced Field?
ame:			Target Formation(s):
			Nearest Lease or unit boundary line (in footage):
Well Drilled For:	Well Class: Type Equ	uipment:	
Oil Enh F	Rec Infield Mud	d Rotary	
Gas Stora	ige Pool Ext. Air	Rotary	Water well within one-quarter mile: Yes N
Dispo		ble	Public water supply well within one mile: Yes N
Seismic ;# o			Depth to bottom of fresh water:
Other:			Depth to bottom of usable water:
If OWWO: old well	information as follows:		Surface Pipe by Alternate: II III
			Length of Surface Pipe Planned to be set:
Operator:			Length of Conductor Pipe (if any):
			Projected Total Depth:
Original Completion Da	ate: Original Total Dep	oth:	Formation at Total Depth:
inantianal Daviatad an Ha	rimental wallbara?	Yes No	Water Source for Drilling Operations:
irectional, Deviated or Ho			Well Farm Pond Other:
			DWR Permit #:
			(Note: Apply for Permit with DWR)
			Will Cores be taken?YesNo
			If Yes, proposed zone:
		AFF	IDAVIT
ne undersigned hereby	affirms that the drilling, completion		IDAVIT gging of this well will comply with K.S.A. 55 et. seq.
is agreed that the follow	ving minimum requirements will be	n and eventual plug e met:	
 is agreed that the follow Notify the appropria A copy of the appropria The minimum among through all unconstant of the well is dry ho The appropriate dis If an ALTERNATE of the pursuant to Appropriate to Appropriate of the pursuant to Appropriate of the Appropriate of the pursuant to Appropria	ving minimum requirements will be ate district office <i>prior</i> to spudding oved notice of intent to drill <i>shall bount</i> of surface pipe as specified be olidated materials plus a minimum ole, an agreement between the ope strict office will be notified before will COMPLETION, production pipe pendix "B" - Eastern Kansas surface	n and eventual plug e met: g of well; be posted on each elow shall be set b n of 20 feet into the erator and the distri well is either plugge shall be cemented be casing order #13	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set
is agreed that the follow 1. Notify the appropria 2. A copy of the appropria 3. The minimum amo through all uncons 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE Or pursuant to Appropriate of the completed	ving minimum requirements will be ate district office <i>prior</i> to spudding oved notice of intent to drill <i>shall b</i> bunt of surface pipe as specified be olidated materials plus a minimum ole, an agreement between the ope strict office will be notified before will COMPLETION, production pipe pendix "B" - Eastern Kansas surfact within 30 days of the spud date of	n and eventual plug e met: g of well; be posted on each elow shall be set b n of 20 feet into the erator and the distri well is either plugge shall be cemented be casing order #13	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging ; ed or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
is agreed that the follow 1. Notify the appropria 2. A copy of the appropria 3. The minimum amough all unconse 4. If the well is dry ho 5. The appropriate dia 6. If an ALTERNATE or pursuant to Appropriate to Exercise the Completed of the Completed of the Complete	ving minimum requirements will be ate district office <i>prior</i> to spudding oved notice of intent to drill <i>shall b</i> bunt of surface pipe as specified be olidated materials plus a minimum ole, an agreement between the ope strict office will be notified before will COMPLETION, production pipe pendix "B" - Eastern Kansas surfact within 30 days of the spud date of	n and eventual plug e met: g of well; be posted on each elow shall be set b n of 20 feet into the erator and the distri well is either plugge shall be cemented be casing order #13	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. In or office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; If from below any usable water to surface within 120 DAYS of spud date. In all cases, NOTIFY district office prior to any cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to:
is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amo through all uncons 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE Or pursuant to Appropriate to the completed of the complete of the comple	ving minimum requirements will be ate district office <i>prior</i> to spudding oved notice of intent to drill <i>shall b</i> bunt of surface pipe as specified be olidated materials plus a minimum ole, an agreement between the ope strict office will be notified before will COMPLETION, production pipe pendix "B" - Eastern Kansas surfact within 30 days of the spud date of mically	n and eventual plug e met: g of well; be posted on each elow shall be set b n of 20 feet into the erator and the distri well is either plugge shall be cemented be casing order #13	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. In or office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification
is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amo through all uncons 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE or pursuant to Appropriate of the completed bmitted Electron For KCC Use ONLY API # 15 -	ving minimum requirements will be ate district office <i>prior</i> to spudding oved notice of intent to drill <i>shall b</i> bunt of surface pipe as specified be olidated materials plus a minimum ole, an agreement between the ope strict office will be notified before will COMPLETION, production pipe bendix "B" - Eastern Kansas surfact within 30 days of the spud date of mically	n and eventual plug e met: g of well; be posted on each elow shall be set b n of 20 feet into the erator and the distri well is either plugge shall be cemented be casing order #13	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. In order office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. B3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amo through all uncons 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE Or pursuant to Approve to the completed bmitted Electron For KCC Use ONLY API # 15	ving minimum requirements will be ate district office <i>prior</i> to spudding oved notice of intent to drill <i>shall b</i> bunt of surface pipe as specified be olidated materials plus a minimum ole, an agreement between the ope strict office will be notified before will COMPLETION, production pipe pendix "B" - Eastern Kansas surfact d within 30 days of the spud date of mically	n and eventual pluge met: g of well; be posted on each elow shall be set be of 20 feet into the erator and the distrivell is either pluggeshall be cemented be casing order #13 or the well shall be	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. In or office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification
is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amo through all uncons 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE Or pursuant to Approve to the completed bmitted Electron For KCC Use ONLY API # 15	ving minimum requirements will be ate district office <i>prior</i> to spudding oved notice of intent to drill <i>shall b</i> bunt of surface pipe as specified be olidated materials plus a minimum ole, an agreement between the ope strict office will be notified before will COMPLETION, production pipe bendix "B" - Eastern Kansas surfact within 30 days of the spud date of mically	n and eventual pluge met: g of well; be posted on each elow shall be set be of 20 feet into the erator and the distrivell is either pluggeshall be cemented be casing order #13 or the well shall be	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill;
is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amo through all uncons 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE Or pursuant to App must be completed Ibmitted Electron For KCC Use ONLY API # 15	ving minimum requirements will be ate district office <i>prior</i> to spudding oved notice of intent to drill <i>shall b</i> bunt of surface pipe as specified be olidated materials plus a minimum ole, an agreement between the ope strict office will be notified before will COMPLETION, production pipe pendix "B" - Eastern Kansas surfact d within 30 days of the spud date of mically	n and eventual pluge met: g of well; be posted on each elow shall be set be of 20 feet into the erator and the distrivell is either pluggeshall be cemented be casing order #13 or the well shall be	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;
is agreed that the follow 1. Notify the appropria 2. A copy of the appropria 3. The minimum amo through all uncons 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE Or pursuant to Appropriate to the completed Ibmitted Electron For KCC Use ONLY API # 15 Conductor pipe required Minimum surface pipe recompleted.	ving minimum requirements will be ate district office <i>prior</i> to spudding oved notice of intent to drill <i>shall b</i> bunt of surface pipe as specified be olidated materials plus a minimum ble, an agreement between the ope strict office will be notified before will COMPLETION, production pipe bendix "B" - Eastern Kansas surfact within 30 days of the spud date of mically mically feet quired	n and eventual pluge met: g of well; be posted on each elow shall be set be of 20 feet into the erator and the distrivell is either pluggeshall be cemented be casing order #13 or the well shall be	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders;

please check the box below and return to the address below.

Well will not be drilled or Permit Expired Date: _

Signature of Operator or Agent:

KOLAR Document ID: 1788787



For KCC Use ONLY	
API # 15	-


IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:
Lease:	feet from N / S Line of Section
Well Number:	feet from E / W Line of Section
Field:	Sec Twp S. R 🗌 E 🔲 W
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW

PLAT

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032).



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

CORRECTION #1

KOLAR Document ID: 1788787

Form CDP-1 May 2010 Form must be Typed

Kansas Corporation Commission Oil & Gas Conservation Division

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:			License Number:	
Operator Address:				
Contact Person:		Phone Number:		
Lease Name & Well No.:		Pit Location (QQQQ):		
Type of Pit:	Pit is:			
Emergency Pit Burn Pit	Proposed Existing		SecTwp R	
Settling Pit Drilling Pit	If Existing, date constructed:		Feet from North / South Line of Section	
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:(bbls)		Feet from East / West Line of Section	
(II WE Supply AFTNO. OF leaf Diffied)			County	
Is the pit located in a Sensitive Ground Water Area? Yes No		Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)		
Is the bottom below ground level? Yes No	Artificial Liner?	lo	How is the pit lined if a plastic liner is not used?	
Pit dimensions (all but working pits):	Length (fee	et)	Width (feet) N/A: Steel Pits	
Depth fro	om ground level to dee	epest point:	(feet) No Pit	
If the pit is lined give a brief description of the liner material, thickness and installation procedure. Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring.				
Distance to nearest water well within one-mile of pit: Depth to shall Source of information in the state of the shall be shall b		west fresh water feet. nation:		
feet Depth of water well	feet	measured	well owner electric log KDWR	
Emergency, Settling and Burn Pits ONLY: Drillin		Drilling, Work	over and Haul-Off Pits ONLY:	
Producing Formation:		Type of materia	ype of material utilized in drilling/workover:	
Number of producing wells on lease: Number of		Number of worl	nber of working pits to be utilized:	
Barrels of fluid produced daily: Aband		Abandonment	procedure:	
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits mus		Drill pits must b	ust be closed within 365 days of spud date.	
Submitted Electronically				
KCC OFFICE USE ONLY Liner Steel Pit RFAC RFAS				
Date Received: Permit Num	ber:	Permi	t Date: Lease Inspection: Yes No	

CORRECTION #1

KOLAR Document ID: 1788787

Kansas Corporation Commission Oil & Gas Conservation Division Form KSONA-1
July 2021
Form Must Be Typed
Form must be Signed
All blanks must be Filled


CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (C	Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)
OPERATOR: License #	Well Location:
Name:	SecTwpS. R
Address 1:	County:
Address 2:	Lease Name: Well #:
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description of
Contact Person:	the lease below:
Phone: () Fax: ()	
Email Address:	
Surface Owner Information:	
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the
Address 2:	county, and in the real estate property tax records of the county treasurer.
City: State: Zip:+	
the KCC with a plat showing the predicted locations of lease roads, tank	dic Protection Borehole Intent), you must supply the surface owners and a batteries, pipelines, and electrical lines. The locations shown on the plat in the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.
Select one of the following:	
provided the following to the surface owner(s) of the land up Form C-1, Form CB-1, Form T-1, or Form CP-1 that I am filing C-1 or Form CB-1, the plat(s) required by this form; and 3) my one of the surface owner(s).	Act (see Chapter 55 of the Kansas Statutes Annotated), I have son which the subject well is or will be located: 1) a copy of the g in connection with this form; 2) if the form being filed is a Form operator name, address, phone number, fax, and email address. acknowledge that, because I have not provided this information, e owner(s). To mitigate the additional cost of the KCC performing
this task, I acknowledge that I must provide the name and add and that I am being charged a \$30.00 handling fee, payable to	ress of the surface owner by filling out the top section of this form the KCC, which is enclosed with this form.
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-	fee with this form. If the fee is not received with this form, the KSONA-1 will be returned.
Submitted Electronically	

MAI OIL OPERATIONS, INC. SYMS/TIEPERMANN UNIT LEASE NE. 1/4. SECTION 20. T21S. R12W STAFFORD COUNTY, KANSAS



Controlling data is based upon the best maps and photographs available to us and upon a regular section of land containing 640 ocres.


shown on this t be legally ndowner, for access.

*Ingress plot is opened f tenont o

Elevations derived from National Geodetic Vertical Datum.

July 30. 2024

Approximate section lines were determined using the normal standard of care of olifield surveyors practicing in the state of Konsas. The section corners, which establish the precise section lines, were not necessarily located, and the exact location of the drillsite location in the section is not guaranteed. Therefore, the operator securing this service and accepting this plat and all other parties relying therein agree to hold Central Kansas Diffield Services. Inc. its officers and exployees hormless from all losses, costs and expenses and said entities released from any liability from incidental or consequential damages.



Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Laura Kelly, Governor

Andrew J. French, Chairperson Dwight D. Keen, Commissioner Annie Kuether, Commissioner

August 01, 2024

Brent Homeier Mai Oil Operations, Inc. 8111 DOUGLAS AVE STE 710 DALLAS, TX 75225-6540

Re: Drilling Pit Application API 15-185-24158-00-00 Syms-Tieperamm Unit 1 NE/4 Sec.20-21S-12W Stafford County, Kansas

Dear Brent Homeier:

District staff has inspected the above referenced location and has determined that an unsealed condition will present a pollution threat to water resources.

District staff has recommended that the reserve pit be lined with bentonite or native clay, constructed <u>without slots</u>, the bottom shall be flat and reasonably level and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again within 96 hours after drilling operations have ceased.

KEEP PITS away from draw/drainage.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 682-7933 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to **Drill**. If you have any questions or concerns please feel free to contact the District Office at (620) 682-7933.

Summary of Changes

Lease Name and Number: Syms-Tieperamm Unit 1

API/Permit #: 15-185-24158-00-00

New Doc ID: 1788787
Parent Doc ID: 1787419
Correction Number: 1

Approved By: CeLena Peterson 08/02/2024

Field Name	Previous Value	New Value
Number of Feet East or West From Section Line	2270	2310
Number of Feet East or West From Section Line	2270	2310
Quarter Call 4 - Smallest	SE	S2
Ground Surface Elevation	1860	
ElevationPDF	1860 Surveyed	
Elevation Source	Surveyed	
Feet to Nearest Water Well Within One-Mile of	1606	1566
Pit KCC Only - Approved By	CeLena Peterson 07/30/2024	CeLena Peterson 08/02/2024
KCC Only - Approved Date	07/30/2024	08/02/2024
KCC Only - Date Received	07/22/2024	07/31/2024

Summary of changes for correction 1 continued

Field Name	Previous Value	New Value
KCC Only - Regular Section Quarter Calls	SE SW NW NE	S2 SW NW NE
Quarter Call 4 - Smallest	SE	S2

Summary of Attachments

Lease Name and Number: Syms-Tieperamm Unit 1

API: 15-185-24158-00-00

Doc ID: 1788787

Correction Number: 1

Approved By: CeLena Peterson 08/02/2024

Attachment Name

Bentonite Liner Fluids