WELL ID

KOLAR DOC ID

Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka KS 66612-1367 (785) 296-3565 | K.S.A. 82a-1212 | v2022c

WATER WELL RECORD (WWC-5)

From _____ ft. to _____ ft.

LOCATION OF WATER V	WELL					(Origina	l Recor	d Correction	Chang	e in Wel	ll Use	
Latitude	Longitude		S	ection		Township		Range	E W Fraction	1/4	1/4	1/4	
Datum	Elevation			County		1			VV				
WATER WELL OWNER		1		ATER US	E				NEAREST SOURCE OF P	OTENTIAL C	ONTAMIN	IATION	
Name									Source:				
Business			COMPL	FTION					I =				
Dustriess					. 1	11			from well:	_ from wel	l:		
Address			_	-		ell: encountered:		_ft.	Source description:				
			(1) ft.; (2) ft.;						Source:				
Well location			(3) ft.; (4) dry well					Distance from well:		n ll:			
at owner's address			Static water level in well: ft. measured below land surface on (mm/dd/yy):					Source description:					
CONSTRUCTION			mea	sured ab	ove la	nd surface			No potential source within 100 feet.	e of contami	nation		
Borehole interval:	Borehole dia	meter:	on (mm/dd/	yy):			_	PERMIT & ID NUMBER	S (AS REQUI	RED)		
fromto ft		in.	Estima	ted yield:		gpm							
fromto ft		in.	Water l	evel was:		ft. after			DWR Application No.:				
Casing height above lan	d surface:	in.				pumping	gpn	n	KDHE / EPA Project Code:				
If casing height is les has a variance been		s No	Pump installed? Yes No					Site Name: KDHE UIC Class V Form Completed: Yes No					
*variance not requir	• •	S NO	Water well disinfected? Yes No					County Permit: Yes No Permit ID:					
or environmental re			Date disinfected (mm/dd/yy):					Lease Name & Well #:					
Casing type:			Aquifer, if known:				$\overline{}$	# of boreholes:					
Blank casing interval:			_										
Blank casing diameter:				OGIC LO									
Casing joints: Weight:			FROM	ТО		ITHOLOGY IN	NIEKVAL	.5					
Wall thickness or ga													
Blank casing interval:													
Blank casing diameter:													
Casing joints:													
Weight:													
Wall thickness or ga													
Grout interval:													
Grout material:													
Grout interval:													
Grout material:)	COMME	NTS									
Screen / noutoustion	arial:												
Screen / perforation mat Screen / perforation ope			CONTR	ΔϹΤΩΡΊ	ORI	ANDOWNERS	CERTIE	C ΔΤΙΩΝΙ					
Screen / perforation inte									atad nursuant to	the stated w	ratan rurall		
Screen / perforation intervals: This water well was constructed reconstructed pursuant to the stated water well contractor's license and was completed on I certify that this record is true to													
							=		•			to	
Slot size unit the best of my knowledge and belief. This water well record was completed on							—						
Slot size u													
Gravel pack intervals:		Kansa	s Water	Well (Contractor's I	License N	No	under the aut	hority of th	e designa	ated		
Gravel pack not used	in	person as defined in K.A.R. 28-30-2(j) and signed and certified by the electronic signature of the											
From ft. to _			design	ated per	son a	t its submitta	մ։		·				
Gravel pack not used		in	Send on	e copy to	WATE	ER WELL OWN	NER and r	etain one	for your records. Fee of \$	5.00 for each	constructe	ed well.	
Enom. A.	<u>.</u>					KANSAS DE	PARTME	NT OF H	EALTH AND ENVIRONM	ENT			

Form	WWC5.2 - Water Well Record			
Doc ID	1786927			
Well Owner	Carroll Couture			
Contractor	Associated Drilling, Inc. #990			

Casing

From	То	Casing Diameter	Casing Joint	Wall Thickness or Gauge Number
0	20	6	Glued	sdr26
30	120	6	Glued	sdr26
140	160	6	Glued	sdr26

Form	WWC5.2 - Water Well Record
Doc ID	1786927
Well Owner	Carroll Couture
Contractor	Associated Drilling, Inc. #990

Lithology

From	То	Lithology Intervals
0	7	clay
7	12	clay,sandy
12	16	sandstone,unweathered,SHA LEY
16	23	sandstone,unweathered
23	60	shale,unweathered
60	116	sandstone,unweathered,SHA LEY
116	121	shale,completely weathered
121	123	shale,unweathered
123	131	sandstone,unweathered,CEM ENTED
131	160	shale,unweathered

Form	WWC5.2 - Water Well Record			
Doc ID	1786927			
Well Owner	Carroll Couture			
Contractor	Associated Drilling, Inc. #990			

Screen and Gravel

From	То		Gravel Pack Used			Gravel Size
20	30		Yes	20	35	
120	140		Yes	35	40	
			Yes	40	160	