\_ WELL ID\_

KOLAR DOC ID

Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka KS 66612-1367 (785) 296-3565 | K.S.A. 82a-1212 | v2022c

## **WATER WELL RECORD** (WWC-5)

From \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

LOCATION OF WATE	R WELL				Or	riginal Recor	rd Correction	Change in Well U
Latitude	Longitude		Se	ection	Township	Range	E W Fraction	1/4 1/4
Datum	Elevation		Co	ounty			**	
WATER WELL OWNE	R	l	WELL W	ATER USE			NEAREST SOURCE O	F POTENTIAL CONTAMINATI
Name							Source:	
Business			COMPLE	TION			Distance	Direction
					ad wall.	4	from well:	from well:
Address			Depth of completed well:ft.  Depth(s) groundwater encountered:			11.	Source description:	
			1 .					
Well location			(1) ft.; (2) ft.; (3) ft.; (4) dry well				Source:	
			-				from well:	Direction from well:
at owner's address			Static water level in well: ft.  measured below land surface				Source	
address			on (mm/dd/yy):				description:	
CONSTRUCTION			meas	sured abov	ve land surface		No potential sou within 100 feet.	arce of contamination
Borehole interval:	Borehole dia	meter:	on (ı	nm/dd/yy	y):			ERS (AS REQUIRED)
fromto	_ ft	in.	Estimate	ed yield: _	gpm		PERIVITI & ID NOMB	ERS (AS REQUIRED)
fromto	_ ft	in.	Water le	vel was:	ft. after	hours	1	No.:
Casing height above	land surface:	in.	pumpinggpm			gpm	KDHE / EPA Projec	et Code:
If casing height is			Pump ir	stalled?	Yes No		Site Name:	
		s No	Mistan well disinfected 2 W. N.					Form Completed: Yes
	uired for monitoring al remediation wells		Water well disinfected? Yes No				· ·	es No Permit ID:
Casing type:			Date disinfected (mm/dd/yy):					#:
Blank casing interval	:ft. to	ft.	Aquifer,	if known:	:		# of boreholes:	# of dewatering wells:
Blank casing diamete	er:in.		LITHOLO	GIC LOG		_		
Casing joints:			FROM	то	LITHOLOGY INT	ERVALS		
Weight:	lbs/ft.							
Wall thickness or	gauge no.:							
Blank casing interval		ft.						
Blank casing diamete								
Casing joints:								
Weight:								
Wall thickness or	gauge no.:							
Grout interval:	ft. toft.							
Grout material:_								
Grout interval:	ft. toft.		COMME	NTC				
Grout material:_			COMME	NIS				
Screen / perforation r								
Screen / perforation					OR LANDOWNERS C			
Screen / perforation i					was constructed		•	to the stated water well
Fromft. to					-		•	that this record is true to
	_ unit		the bes	t of my k	nowledge and belie	f. This water v	well record was comp	oleted on
From ft. to		under the business name of						,
Slot size unit			Kansas Water Well Contractor's License No under the authority of the designated					
Gravel pack intervals:			person as defined in K.A.R. 28-30-2(j) and signed and certified by the electronic signature of the					
Gravel pack not used: Gravel size in  From ft. to ft.			designated person at its submittal:					
		.					e for your records. Fee o	of \$5.00 for each constructed w
Gravel pack not used: Gravel sizein Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for KANSAS DEPARTMENT OF HEALTH AND ENVIRONMENT								

Form	WWC5.2 - Water Well Record
Doc ID	1787521
Well Owner	Pat Bottaro
Contractor	Kathleen Yoakum

## Lithology

From	То	Lithology Intervals
0	4	clay
4	12	limestone,unweathered,white
12	18	limestone,unweathered,tan
18	24	shale,unweathered,gray
24	36	limestone,unweathered,light,g ray
36	42	shale,unweathered,dark,gray
42	50	limestone,unweathered,gray
50	58	limestone,unweathered,sandy ,light,gray
58	70	limestone,unweathered,white
70	76	shale,unweathered,dark,gray
76	110	limestone,unweathered,gray
110	116	shale,unweathered,gray
116	120	shale,unweathered,red
120	130	limestone,unweathered,light,g ray
130	144	shale,unweathered,gray
144	150	limestone,unweathered,white
150	176	shale,unweathered,gray
176	210	limestone,unweathered,light,g ray
210	232	shale,unweathered,gray
232	268	limestone,unweathered,white
268	272	other,unweathered,slate
		<u> </u>

Form	WWC5.2 - Water Well Record
Doc ID	1787521
Well Owner	Pat Bottaro
Contractor	Kathleen Yoakum

## Lithology

From	То	Lithology Intervals
272	282	limestone,unweathered,sandy ,white
282	290	shale,unweathered,light,gray