WELL ID

KOLAR DOC ID

(785) 296-3565 | K.S.A. 82a-1212 | v2022c


WATER WELL RECORD (WWC-5)

LOCATION OF WATER WEL	.L					Original Reco	rd Correction	Change	in Wel ؛	ll Use
Latitude	Longitude			Section	Township	Range	E W Fraction	1/4	1/4	1/4
Datum	Elevation		(County	1		**			
WATER WELL OWNER			WELL V	VATER USE	•		NEAREST SOURCE OF PO	OTENTIAL CO	ONTAMIN	NATION
Name							Source:			
Business			COMPL	FTION			Distance from well:		1	
Dubiness					1 11		from well:	from well	:	
Address					ed well:		Source description:			
			1 -		water encountered	:	-			
Well location					(2) ft.; (4) dry well		Source:			
77611100411011							Distance from well:	Direction from well	l:	
at owner's					in well:	ft.	Source			
address				asured belo (mm/dd/yy	ow land surface		description:			
CONSTRUCTION					ve land surface		No potential source	of contamir	ation	
Borehole interval: Borehole diameter:			on (mm/dd/yy):			within 100 feet.				
fromto ft.		in.	Estima	ited vield:	gpm		PERMIT & ID NUMBERS	(AS REQUI	RED)	
fromto ft.			I	-	ft. after	hours	DWR Application No.:			
				_	pumping		KDHE / EPA Project Co	ode:		
Casing height above land surface:in. If casing height is less than 12 in.			Pump installed? Yes No				Site Name:			
has a variance been approved?* Yes No							KDHE UIC Class V For	m Complete	d: Yes	No
*variance not required f	Water well disinfected? Yes No				County Permit: Yes	No Permit	i ID:			
or environmental reme Casing type:	diation wells		Date d	isinfected (mm/dd/yy):		Lease Name & Well #: _			
Blank casing interval:	ft. to	ft	Aquife	r, if known	:		# of boreholes:	# of dewateri	ing wells:	
Blank casing diameter:			LITHOL	OGIC LOG						
Casing joints:			FROM	то то	LITHOLOGY	INTERVALS				
Weight: lb										
Wall thickness or gauge	no.:									
Blank casing interval:	ft. to	ft.								
Blank casing diameter:	in.									
Casing joints:										
Weight:lb	s/ft.									
Wall thickness or gauge	no.:									
Grout interval: ft. t	o ft.									
Grout material:										
Grout interval: ft. t	oft.									
Grout material:			COMM	ENTS						
Screen / perforation materia	l:									
Screen / perforation openin	-		CONTR	ACTOR'S	OR LANDOWNER	S CERTIFICATION				
Screen / perforation interval			This v	vater well	was constructe	d reconstru	icted pursuant to t	he stated wa	ater well	1
Fromft. to			contra	actor's lice	nse and was con	npleted on	I certify that	this record	l is true	to
Slot size unit			the be	est of my k	nowledge and b	elief. This water	well record was complet	ed on		
From ft. to	_		under	the busin	ess name of					,
Slot size unit			Kansa	ıs Water V	Vell Contractor's	License No	under the auth	nority of the	e designa	ated
Gravel pack intervals:	Cwarral -!	.	perso	n as defin	ed in K.A.R. 28-	30-2(j) and signe	d and certified by the ele	ectronic sig	nature o	of the
Gravel pack not used: From ft. to		in	1 -		on at its submitt	,	· 	C		
Gravel pack not used:		20-					e for your records. Fee of \$5	.00 for each c	constructe	ed well.
From ft. to		in			KANSAS D	EPARTMENT OF H	EALTH AND ENVIRONME	ENT		
11011111.10	1			Bureau	of Water, Geology	Section, 1000 SW	Jackson St., Suite 420, Tope	ka KS 66612	-1367	



Gilbert & Mosley: E. 1st N. and N. St. Francis Proposed Monitoring Wells





This information is not an official record, and cannot be used as such. The user should rely only upon official records available from the custodian of records in the appropriate City and/or County department. Some data provided here and used for the preparation of these maps has been obtained from public records not created or maintained by the City of Wichita.

1:360



Division of Environment Curtis State Office Building 1000 SW Jackson St., Suite 400 Topeka, KS 66612-1367



Fax: 785-559-4264 www.kdheks.gov Laura Kelly, Governor

Phone: 785-296-1535

Janet Stanek, Secretary

July 10, 2024 VIA ELECTRONIC COMMUNICATIONS

SUBJECT: Approval of Variance for Direct-Push Small Diameter Monitoring Wells – City of Wichita:

At E. 1st St N and N. St Francis Ave, Wichita, SG County, KS. NE, SE, SW, NW, Sec. 21, T. 27S, R. 1E.

Gilbert & Mosley Site, (KDHE Project Code C2-087-00175),

Mike Ocsody, P.G., Ks WWC Lic. 710 Below Ground Surface, Inc. 8110 Cole Parkway Shawnee, KS 66227 midwestbgs@sbcglobal.net

Dear Mr. Ocsody,

Today, the Kansas Department of Health & Environment, Bureau of Water, Geology & Well Technology Unit, Water Well Program (KDHE), received your variance request to construct three (3) nested, small diameter monitoring wells using direct-push technology (DPT) at the above referenced site. Monitoring wells MW-990S, I, D will be completed on south side of East 1st St. N, just west of N St. Francis Ave. The request was for constructing wells with less than the required minimum annular space as per K.A.R. 28-30-6(b)(2). KDHE considers the method of constructing and grouting the monitoring wells described in your email dated July 10, 2024, and supplemented with information from the City of Wichita, as adequate to protect each zone being monitored and the lower portion of the aquifer.

This letter provides notice of approval to construct three (3) small diameter monitoring wells at the location referenced above. Please indicate KDHE approval on the water well records and submit within 30 days of completion.

Please contact me at 785-296-3565 (o), 785-224-5259 (c), or Pam.Chaffee@ks.gov if you have questions.

Sincerely,

Pamela Chaffee, P.G., Water Well Program

Pamela Chaffee

Geology & Well Technology Unit/Bureau of Water/KDHE

Copy via email: Brooklyn Armijo, KDHE/BOW/GWTU Brooklyn.Armijo@ks.gov

Moses Kosin, KDHE/BER/Remedial Section, Site Remediation Unit Moses.Kosin@ks.gov Darren Brown, Mgr. Env. Assessment & Remediation, City of Wichita DLBrown@wichita.gov

Mike Boes, City of Wichita MBoes@wichita.gov

Copy to file: KDHE/BOW/GWTU, Sedgwick County File