WELL ID

KOLAR DOC ID

(785) 296-3565 | K.S.A. 82a-1212 | v2022c

## **WATER WELL RECORD** (WWC-5)

OCATION OF WATER W	'ELL					Original Re	ecord	d Co	rrection	Chang	e in We	ll Use
Latitude	Longitude		S	ection	Township	Rar	nge	E	Fraction	1/4	1/4	1/4
Datum	Elevation			County				VV				
WATER WELL OWNER				/ATER USI				NEAREST	OURCE OF	POTENTIAL C	ONTAMIN	OITAL
Name												.,
			COMPL	FTION				Dictance		Direction	2	
Business			COMPL	EHON			$\neg$	from well:		from we	l:	
Address					ed well:			Source				
			1 *		water encountered	:		descriptio				
747 11 1					(2) ft.;			Source:				
Well location			(3)	ft.;	(4) dry well			Distance from well		Direction from we	n I•	
at owner's			Static v	vater level	in well:		Source					
address					ow land surface			descriptio	n:			
CONSTRUCTION				(mm/dd/y	_		-	No pot	tential sour	ce of contami	nation	
Borehole interval:	Borehole dia	ımeter:		asured abo (mm/dd/y	ve land surface y):				100 feet.			
fromtoft.					·			PERMIT &	ID NUMBE	RS (AS REQU	RED)	
		in.			gpm	1		DIAID A	nlication Ma			
fromto ft.	*		water		ft. after			1		.: Code:		
Casing height above land		in.	n		pumping	gpm		KDHE / EPA Project Code:Site Name:				
If casing height is less has a variance been a		s No	Pump	instaneu:	Yes No			KDHE UIC Class V Form Completed: Yes N				
*variance not required			Water	well disinfo	ected? Yes N	o				No Perm		
or environmental rer			Date di	isinfected (	(mm/dd/yy):							
Casing type:										# of dewater		
Blank casing interval:		ft.	Aquite	r, if known	l <b>:</b>					" of dewater	ing wens.	
Blank casing diameter: _			LITHOL	OGIC LOG	i							
Casing joints:			FROM	то то	LITHOLOGY	NTERVALS						
Weight:												
Wall thickness or gau												
Blank casing interval:		ft.										
Blank casing diameter:												
Casing joints:												
Weight:	_											
Wall thickness or gau	ge no.:											
Grout interval: ft	t. toft.											
Grout material:												
Grout interval: ft			COMME	-NTS	l							
Grout material:			COMMIN									
	_											
Screen / perforation mater												
Screen / perforation open					OR LANDOWNER							
Screen / perforation interv			This w	ater well	was constructe	d recon	istruc	cted p	oursuant to	the stated w	ater well	
Fromft. to			contra	ctor's lice	ense and was con	npleted on $\_$		·	I certify th	at this recor	d is true	to
Slot size un			the be	st of my l	knowledge and b	elief. This wa	iter w	ell record	was comple	eted on		
From ft. to			under	the busir	ness name of							,
Slot size un	nıt		Kansa	s Water V	Vell Contractor's	License No.		uı	nder the au	thority of th	e designa	ated
Gravel pack intervals:	C 1 :		person	n as defin	ed in K.A.R. 28-	30-2(j) and si	igned	l and certif	ied by the	electronic sig	gnature o	f th
Gravel pack not used:		in	1 *		son at its submitt	•	_		•		•	
From ft. to					VATER WELL OW		n one	for your rec	ords. Fee of s	\$5.00 for each	construct	ed w
Gravel pack not used:		in	20114 011	r/ 10 V		EPARTMENT		,				***
From ft. to	rt.			Bureau	of Water, Geology						2-1367	

Form	WWC5.2 - Water Well Record
Doc ID	1789239
Well Owner	RANDY KRAFT
Contractor	Kansas Water Wells, Inc.

## Lithology

From	То	Lithology Intervals
0	2	topsoil
2	10	clay,sandy,brown
10	30	sand,fine to coarse,gravelly,1/4"-1/2" GRAVEL
30	43	sand,coarse,gravelly,1/2" + ROCKS
43	61	clay,fine,sandy,MIXED WITH LARGE ROCK
61	84	clay,tan
84	91	sand,fine to coarse,WITH CLAY STREAKS
91	120	sand,fine to medium
120	178	sand,fine to coarse,WITH CLAY STREAKS
178	198	clay,fine to medium,sandy,brown
198	204	clay,white,THIN LAYERS OF SANDSTONE
204	212	clay,fine,sandy
212	230	sand,fine to medium
230	241	clay,white,WITH FINE-MED SAND STREAKS
241	260	sand,fine to medium
260	280	sand,fine to coarse,clayey



## Kansas Water Wells inc.

## Test# 1 .

Customer	R	Randy Kraft			Date	7	7/12/24					
Adress	1245 Rd. S				City/State	e L	Lakin, Ks. 67860					
County	Kea	<u>Quarter</u>			<u>W</u>	Sec	<u>c.</u>	<u>3</u>	<u>Township</u>	<u>25</u>	Range	<u>36</u>
GPS Format WGS-84			La	at. N37.914983			983	Long.	W101.2	56665		
Static Water Level 28'					We	ell	Depth	1	260'			

Static vvat		20	vveii Deptii 200						
From	Pay	То	Description of Strata						
0		2	Top soil						
2	8	10	Brown sandy clay						
10		30	Fine-coarse sand/small ¼" – ½" gravel						
30	13	43	Coarse sand/½" + rocks						
43		61	Fine sandy tan clay/large rock						
61		84	Tan clay						
84	7	91	Fine-coarse sand/clay streaks						
91	29	120	Fine sand/trace of med sand						
120	10	130	70% fine sand/30% med-coarse sand						
130	48	178	Fine sand/med-coarse sand/clay streaks						
178		198	Fine-med brown sandy clay						
198		204	White clay/sandstone						
204		206	Sticky clay						
206		212	Sandy clay						
212	18	230	50% super fine-fine sand/20% med sand/30% clay streaks						
230		241	White clay/fine-med sand streaks						
241	19	260	40% fine sand/40% med sand/20% cemented fine sand streaks						
260		280	Med-coarse sandy yellow clay						
	144		Total pay						
0		240	5" SDR 21 plain						
240		260	5" SDR21 .015 slot						
		-							
Location F	rom Old F	Hole N/A							
Bags Of Hi		36	Bags Of Hole Plug 26						

Signature			