WELL ID

KOLAR DOC ID

(785) 296-3565 | K.S.A. 82a-1212 | v2022c

WATER WELL RECORD (WWC-5)

LOCATION OF WATER WEL	.L					Original Reco	rd Correction	Change	in Wel ؛	ll Use	
Latitude	Longitude			Section	Township	Range	E W Fraction	1/4	1/4	1/4	
Datum	Elevation		(County	1		**				
WATER WELL OWNER			WELL V	VATER USE	•		NEAREST SOURCE OF PO	OTENTIAL CO	ONTAMIN	NATION	
Name							Source:				
Business			COMPL	FTION			Distance from well:		1		
Dubiness					1 11		from well:	from well	:		
Address					ed well:		Source description:				
			1 -		water encountered	:	-				
Well location					(2) ft.; (4) dry well		Source:				
77611100411011							Distance from well:	Direction from well	l:		
at owner's					in well:	ft.	Source				
address				asured belo (mm/dd/yy	ow land surface		description:				
CONSTRUCTION					ve land surface		No potential source	of contamir	ation		
Borehole interval:	Borehole dia	meter:	on (mm/dd/yy):			within 100 feet.					
fromto ft.		in.	Estima	ited vield:	gpm		PERMIT & ID NUMBERS	(AS REQUI	RED)		
fromto ft.			I	-		hours	DWR Application No.:				
Casing height above land su			Water level was:ft. afterhours pumpinggpm				KDHE / EPA Project Co	ode:			
If casing height is less th			Pump installed? Yes No				Site Name:				
has a variance been approved?* Yes No							KDHE UIC Class V Form Completed: Yes No				
*variance not required for monitoring			Water well disinfected? Yes No				County Permit: Yes	No Permit	i ID:		
or environmental remediation wells Casing type:			Date disinfected (mm/dd/yy):				Lease Name & Well #: _				
Blank casing interval:	ft. to	ft	Aquife	r, if known	:		# of boreholes:	# of dewateri	ing wells:		
Blank casing diameter:			LITHOL	OGIC LOG							
Casing joints:			FROM	то то	LITHOLOGY	INTERVALS					
Weight: lb											
Wall thickness or gauge	no.:										
Blank casing interval:	ft. to	ft.									
Blank casing diameter:	in.										
Casing joints:											
Weight:lb	s/ft.										
Wall thickness or gauge	no.:										
Grout interval: ft. t	o ft.										
Grout material:											
Grout interval: ft. t	oft.										
Grout material:			COMM	ENTS							
Screen / perforation materia	l:										
Screen / perforation openings:			CONTRACTOR'S OR LANDOWNERS CERTIFICATION								
Screen / perforation interval			This v	vater well	was constructe	d reconstru	icted pursuant to t	he stated wa	ater well	1	
Fromft. to			contra	actor's lice	nse and was con	npleted on	I certify that	this record	l is true	to	
Slot size unit			the be	est of my k	nowledge and b	elief. This water	well record was complet	ed on			
From ft. to	_		under	the busin	ess name of					,	
Slot size unit			Kansa	ıs Water V	Vell Contractor's	License No	under the auth	nority of the	e designa	ated	
Gravel pack intervals:	Cwarral -!	.	perso	n as defin	ed in K.A.R. 28-	30-2(j) and signe	d and certified by the ele	ectronic sig	nature o	of the	
Gravel pack not used: From ft. to		in	1 -		on at its submitt	,	· 	C			
Gravel pack not used:		20-					e for your records. Fee of \$5	.00 for each c	constructe	ed well.	
From ft. to		in			KANSAS D	EPARTMENT OF H	EALTH AND ENVIRONME	ENT			
11011111.10	1			Bureau	of Water, Geology	Section, 1000 SW	Jackson St., Suite 420, Tope	ka KS 66612	-1367		

Form	WWC5.2 - Water Well Record			
Doc ID	1792137			
Well Owner	Cashco, Inc.			
Contractor	Environmental Priority Service, Inc.			

Lithology

From	То	Lithology Intervals
0	.3	topsoil
.3	5.5	sand,coarse,tan,moist
5.5	10.1	clay- lean,sandy,dark,brown,very moist,firm
10.1	11.5	clay- lean,sandy,dark,brown,saturat ed,firm
11.5	14	sand,coarse,tan,moist
14	17	clay-fat,brown,moist,soft
17	28	sand,fine,brown,wet

m-Site Monitoring Wells - All.par