

Sec. _____ Twp. _____ S. R. _____ ☐ East ☐ West County: _____

Final Radioactivity Log, Final Logs run to obtain Geophysical Data and Final Electric Logs must be emailed to kcc-well-logs@kcc.ks.gov. Digital electronic log files must be submitted in LAS version 2.0 or newer AND an image file (TIFF or PDF).

| | | | | | |
|---|------------------------------|-----------------------------|------------------------------|----------------------------------|---------------------------------|
| Drill Stem Tests Taken <i>(Attach Additional Sheets)</i> | <input type="checkbox"/> Yes | <input type="checkbox"/> No | <input type="checkbox"/> Log | Formation (Top), Depth and Datum | <input type="checkbox"/> Sample |
| Samples Sent to Geological Survey | <input type="checkbox"/> Yes | <input type="checkbox"/> No | Name | Top | Datum |
| Cores Taken | <input type="checkbox"/> Yes | <input type="checkbox"/> No | | | |
| Electric Log Run | <input type="checkbox"/> Yes | <input type="checkbox"/> No | | | |
| Geologist Report / Mud Logs | <input type="checkbox"/> Yes | <input type="checkbox"/> No | | | |
| List All E. Logs Run: | | | | | |

| <div style="text-align: center;"> CASING RECORD <input type="checkbox"/> New <input type="checkbox"/> Used Report all strings set-conductor, surface, intermediate, production, etc. </div> | | | | | | | |
|---|-------------------|---------------------------|-------------------|---------------|----------------|--------------|----------------------------|
| Purpose of String | Size Hole Drilled | Size Casing Set (In O.D.) | Weight Lbs. / Ft. | Setting Depth | Type of Cement | # Sacks Used | Type and Percent Additives |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |

| ADDITIONAL CEMENTING / SQUEEZE RECORD | | | | |
|---|---------------------|----------------|--------------|----------------------------|
| Purpose: | Depth Top Bottom | Type of Cement | # Sacks Used | Type and Percent Additives |
| <input type="checkbox"/> Perforate | | | | |
| <input type="checkbox"/> Protect Casing | | | | |
| <input type="checkbox"/> Plug Back TD | | | | |
| <input type="checkbox"/> Plug Off Zone | | | | |

1. Did you perform a hydraulic fracturing treatment on this well? ☐ Yes ☐ No (If No, skip questions 2 and 3)
2. Does the volume of the total base fluid of the hydraulic fracturing treatment exceed 350,000 gallons? ☐ Yes ☐ No (If No, skip question 3)
3. Was the hydraulic fracturing treatment information submitted to the chemical disclosure registry? ☐ Yes ☐ No (If No, fill out Page Three of the ACO-1)

| | | | | | |
|---|----------------|---|-------|-------|----------------------------|
| Date of first Production/Injection or Resumed Production/Injection: | | Producing Method: <input type="checkbox"/> Flowing <input type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain) _____ | | | |
| Estimated Production Per 24 Hours | Oil Bbls. | Gas Mcf | Water | Bbls. | Gas-Oil Ratio Gravity |

| | | | |
|--|--|----------------------|--------|
| DISPOSITION OF GAS: | METHOD OF COMPLETION: | PRODUCTION INTERVAL: | |
| <input type="checkbox"/> Vented <input type="checkbox"/> Sold <input type="checkbox"/> Used on Lease <i>(If vented, Submit ACO-18.)</i> | <input type="checkbox"/> Open Hole <input type="checkbox"/> Perf. <input type="checkbox"/> Dually Comp. <input type="checkbox"/> Commingled <i>(Submit ACO-5)</i> <i>(Submit ACO-4)</i> | Top | Bottom |
| | | | |
| | | | |

| Shots Per Foot | Perforation Top | Perforation Bottom | Bridge Plug Type | Bridge Plug Set At | Acid, Fracture, Shot, Cementing Squeeze Record <i>(Amount and Kind of Material Used)</i> |
|----------------|-----------------|--------------------|------------------|--------------------|---|
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| TUBING RECORD: | Size: | Set At: | Packer At: | | |

| | |
|-----------|---------------------------------|
| Form | ACO1 - Well Completion |
| Operator | Kent, Roger dba R J Enterprises |
| Well Name | BAILEY KREITLER 26W |
| Doc ID | 1792446 |

Casing

| Purpose Of String | Size Hole Drilled | Size Casing Set | Weight | Setting Depth | Type Of Cement | Number of Sacks Used | Type and Percent Additives |
|-------------------|-------------------|-----------------|--------|---------------|----------------|----------------------|----------------------------|
| Surface | 9.875 | 7 | 17 | 20 | portland | 5 | |
| Production | 5.625 | 2.875 | 6.5 | 561 | portland | 80 | |
| | | | | | | | |
| | | | | | | | |

bailey kreitler 26w

| | | | |
|-----|-------------|-----|---------------------|
| 4 | Soil | 4 | |
| 7 | Clay | 11 | |
| 25 | Shale | 36 | start 6/12/2024 |
| 106 | Lime | 141 | finish 6/13/2024 |
| 161 | Shale | 302 | set 20' 7" |
| 8 | Lime | 310 | ran 556' 2 7/8 |
| 52 | shale | 367 | cemented to surface |
| 30 | Lime | 393 | with 80 sxs |
| 30 | Shale | 423 | |
| 9 | Lime | 432 | |
| 12 | Shale | 444 | |
| 7 | Lime | 451 | |
| 10 | Shale | 461 | |
| 7 | Lime | 468 | |
| 16 | Shale | 484 | |
| 4 | sandy shale | 488 | odor |
| 23 | bkn sand | 511 | show |
| 39 | oil sand | 540 | good show |
| 4 | dk sand | 544 | show |
| 27 | Shale | 571 | td |

HAMMERSON CORPORATION

PO BOX 189
Gas, KS 66742**Invoice**

| Date | Invoice # |
|-----------|-----------|
| 6/19/2024 | 24207 |

Bill ToR.J. ENERGY LLC
22082 NE NEOSHO RD
GARNETT, KS 66032

P.O. No.

Terms

Project

Due on receipt

| Quantity | Description | Rate | Amount |
|------------------------------|--|--------------|-----------------|
| 160 | Well Mud (\$10.20 Per Sack) Bailey 29A & 18W Ticket #24207 | 10.20 | 1,632.00T |
| 1 | Fuel Surcharge | 35.00 | 35.00T |
| 1 | Hour Rate | 65.00 | 65.00T |
| 160 | Well Mud (\$10.20 Per Sack) Bailey 17W & 49A Ticket #24214 | 10.20 | 1,632.00T |
| 1 | Fuel Surcharge | 35.00 | 35.00T |
| 1 | Hour Rate | 65.00 | 65.00T |
| 160 | Well Mud (\$10.20 Per Sack) Bailey 26E & 50A Ticket #24229 | 10.20 | 1,632.00T |
| 1 | Fuel Surcharge | 35.00 | 35.00T |
| 1 | Hour Rate | 65.00 | 65.00T |
| | SALES TAX | 6.50% | 337.74 |
| Thank you for your business. | | Total | \$5,533. |