

Confidentiality Requested:

Yes No

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

Form ACO-1

January 2018

Form must be Typed

Form must be Signed

All blanks must be Filled

WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # _____

Name: _____

Address 1: _____

Address 2: _____

City: _____ State: _____ Zip: _____ + _____

Contact Person: _____

Phone: (_____) _____

CONTRACTOR: License # _____

Name: _____

Wellsite Geologist: _____

Purchaser: _____

Designate Type of Completion:

New Well Re-Entry Workover

Oil WSW SWD

Gas DH EOR

OG GSW

CM (Coal Bed Methane)

Cathodic Other (Core, Expl., etc.): _____

If Workover/Re-entry: Old Well Info as follows:

Operator: _____

Well Name: _____

Original Comp. Date: _____ Original Total Depth: _____

Deepening Re-perf. Conv. to EOR Conv. to SWD

Plug Back Liner Conv. to GSW Conv. to Producer

Commingled Permit #: _____

Dual Completion Permit #: _____

SWD Permit #: _____

EOR Permit #: _____

GSW Permit #: _____

Spud Date or Date Reached TD Completion Date or Recompletion Date

API No.: _____

Spot Description: _____

_____ - _____ - _____ Sec. _____ Twp. _____ S. R. _____ East West

_____ Feet from North / South Line of Section

_____ Feet from East / West Line of Section

Footages Calculated from Nearest Outside Section Corner:

NE NW SE SW

GPS Location: Lat: _____, Long: _____
(e.g. xx.xxxxx) (e.g. -xxx.xxxxx)

Datum: NAD27 NAD83 WGS84

County: _____

Lease Name: _____ Well #: _____

Field Name: _____

Producing Formation: _____

Elevation: Ground: _____ Kelly Bushing: _____

Total Vertical Depth: _____ Plug Back Total Depth: _____

Amount of Surface Pipe Set and Cemented at: _____ Feet

Multiple Stage Cementing Collar Used? Yes No

If yes, show depth set: _____ Feet

If Alternate II completion, cement circulated from: _____

feet depth to: _____ w/ _____ sx cmt.

Drilling Fluid Management Plan

(Data must be collected from the Reserve Pit)

Chloride content: _____ ppm Fluid volume: _____ bbls

Dewatering method used: _____

Location of fluid disposal if hauled offsite:

Operator Name: _____

Lease Name: _____ License #: _____

Quarter _____ Sec. _____ Twp. _____ S. R. _____ East West

County: _____ Permit #: _____

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY

Confidentiality Requested

Date: _____

Confidential Release Date: _____

Wireline Log Received Drill Stem Tests Received

Geologist Report / Mud Logs Received

UIC Distribution

ALT I II III Approved by: _____ Date: _____

Operator Name: _____ Lease Name: _____ Well #: _____

Sec. _____ Twp. _____ S. R. _____ East West County: _____

INSTRUCTIONS: Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed.

Final Radioactivity Log, Final Logs run to obtain Geophysical Data and Final Electric Logs must be emailed to kcc-well-logs@kcc.ks.gov. Digital electronic log files must be submitted in LAS version 2.0 or newer AND an image file (TIFF or PDF).

| | |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------|
| Drill Stem Tests Taken <input type="checkbox"/> Yes <input type="checkbox"/> No <i>(Attach Additional Sheets)</i> Samples Sent to Geological Survey <input type="checkbox"/> Yes <input type="checkbox"/> No Cores Taken <input type="checkbox"/> Yes <input type="checkbox"/> No Electric Log Run <input type="checkbox"/> Yes <input type="checkbox"/> No Geologist Report / Mud Logs <input type="checkbox"/> Yes <input type="checkbox"/> No List All E. Logs Run: | <input type="checkbox"/> Log Formation (Top), Depth and Datum <input type="checkbox"/> Sample Name Top Datum |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------|

| CASING RECORD <input type="checkbox"/> New <input type="checkbox"/> Used | | | | | | | |
|---------------------------------------------------------------------------|-------------------|---------------------------|-------------------|---------------|----------------|--------------|----------------------------|
| Report all strings set-conductor, surface, intermediate, production, etc. | | | | | | | |
| Purpose of String | Size Hole Drilled | Size Casing Set (In O.D.) | Weight Lbs. / Ft. | Setting Depth | Type of Cement | # Sacks Used | Type and Percent Additives |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |

| ADDITIONAL CEMENTING / SQUEEZE RECORD | | | | |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|----------------|--------------|----------------------------|
| Purpose: | Depth Top Bottom | Type of Cement | # Sacks Used | Type and Percent Additives |
| <input type="checkbox"/> Perforate <input type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone | | | | |
| | | | | |

1. Did you perform a hydraulic fracturing treatment on this well? Yes No *(If No, skip questions 2 and 3)*
2. Does the volume of the total base fluid of the hydraulic fracturing treatment exceed 350,000 gallons? Yes No *(If No, skip question 3)*
3. Was the hydraulic fracturing treatment information submitted to the chemical disclosure registry? Yes No *(If No, fill out Page Three of the ACO-1)*

| | | | | |
|---------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|-------------|-----------------------|
| Date of first Production/Injection or Resumed Production/Injection: | Producing Method: <input type="checkbox"/> Flowing <input type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other <i>(Explain)</i> _____ | | | |
| Estimated Production Per 24 Hours | Oil Bbls. | Gas Mcf | Water Bbls. | Gas-Oil Ratio Gravity |

| | | |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------|
| DISPOSITION OF GAS: <input type="checkbox"/> Vented <input type="checkbox"/> Sold <input type="checkbox"/> Used on Lease <i>(If vented, Submit ACO-18.)</i> | METHOD OF COMPLETION: <input type="checkbox"/> Open Hole <input type="checkbox"/> Perf. <input type="checkbox"/> Dually Comp. <input type="checkbox"/> Commingled <i>(Submit ACO-5)</i> <i>(Submit ACO-4)</i> | PRODUCTION INTERVAL: Top Bottom |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------|

| Shots Per Foot | Perforation Top | Perforation Bottom | Bridge Plug Type | Bridge Plug Set At | Acid, Fracture, Shot, Cementing Squeeze Record <i>(Amount and Kind of Material Used)</i> |
|----------------|-----------------|--------------------|------------------|--------------------|---------------------------------------------------------------------------------------------|
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

| | | | | |
|----------------|-------|---------|------------|--|
| TUBING RECORD: | Size: | Set At: | Packer At: | |
|----------------|-------|---------|------------|--|



P. O. Box 466
Ness City, KS 67560
Off: 785-798-2300



Invoice

| | |
|-----------|-----------|
| DATE | INVOICE # |
| 5/27/2022 | 34132 |

| |
|-----------------------------------------------------------------------------------|
| BILL TO |
| Carmen Schmitt, Inc. P. O. Box 47 915 Harrison Great Bend, KS 67530-0047 |

- Acidizing
- Cement
- Tool Rental

| TERMS | Well No. | Lease | County | Contractor | Well Type | Well Category | Job Purpose | Operator |
|------------|-----------------------------------------|----------|---------|-------------|-----------|---------------|-------------|-----------|
| Net 30 | #1 | Anderson | Decatur | Murfin Drlg | Oil | Development | Longstring | David E |
| PRICE REF. | DESCRIPTION | | | | QTY | UM | UNIT PRICE | AMOUNT |
| 575D | Mileage - 1 Way | | | | 100 | Miles | 7.00 | 700.00 |
| 578D-L | Pump Charge - Long String | | | | 1 | Job | 1,600.00 | 1,600.00 |
| 290 | D-Air | | | | 2 | Gallon(s) | 42.00 | 84.00T |
| 281 | Mud Flush | | | | 500 | Gallon(s) | 2.00 | 1,000.00T |
| 221 | Liquid KCL (Clayfix) | | | | 2 | Gallon(s) | 25.00 | 50.00T |
| 403-5 | 5 1/2" Cement Basket | | | | 1 | Each | 300.00 | 300.00T |
| 406-5 | 5 1/2" Latch Down Plug & Baffle | | | | 1 | Each | 250.00 | 250.00T |
| 407-5 | 5 1/2" Insert Float Shoe With Auto Fill | | | | 1 | Each | 350.00 | 350.00T |
| 409-5 | 5 1/2" Turbolizer | | | | 8 | Each | 100.00 | 800.00T |
| 325 | Standard Cement | | | | 200 | Sacks | 15.00 | 3,000.00T |
| 284 | Calseal | | | | 9 | Sack(s) | 50.00 | 450.00T |
| 283 | Salt | | | | 1,000 | Lb(s) | 0.25 | 250.00T |
| 292 | Halad 322 | | | | 100 | Lb(s) | 9.00 | 900.00T |
| 276 | Flocele | | | | 50 | Lb(s) | 3.00 | 150.00T |
| 581D | Service Charge Cement | | | | 200 | Sacks | 2.00 | 400.00 |
| 583D | Drayage | | | | 1.042 | Ton Miles | 1.00 | 1,042.00 |
| | Subtotal | | | | | | | 11,326.00 |
| | Sales Tax Decatur County | | | | | | 7.50% | 568.80 |

7/10/43
20044.0001
Well Site
Cement Long String

We Appreciate Your Business!

Total

\$11,894.80



CHARGE TO: **Armen Schmidt**
 ADDRESS
 CITY, STATE, ZIP CODE

TICKET **34132**

PAGE **1** OF **1**

SERVICE LOCATIONS
 1. **Hays Ks**
 2. **Ness City Ks**
 3.
 4.

WELL/PROJECT NO. # **1**
 LEASE **Andersons**
 COUNTY/PARISH **DeCatur**
 STATE **Ks**
 CITY

TICKET TYPE
 SERVICE
 SALES

CONTRACTOR **Martin**
 RIG NAME/NO.
 SHIPPED VIA **BT**

WELL TYPE **oil**
 WELL CATEGORY **Long String**
 JOB PURPOSE **Long String**
 DELIVERED TO **Location**
 WELL PERMIT NO.
 WELL LOCATION

INVOICE INSTRUCTIONS

| PRICE REFERENCE | SECONDARY REFERENCE/ PART NUMBER | ACCOUNTING | | | DESCRIPTION | QTY. | UM | QTY. | UM | UNIT PRICE | AMOUNT |
|-----------------|----------------------------------|------------|------|----|--------------------------------------|------|-----|------|----|------------|---------|
| | | LOC | ACCT | DF | | | | | | | |
| 575 | | | | | MILEAGE Tex # 111 | 100 | mi | | | 7.00 | 700.00 |
| 578 | | | | | Pump Charge - Long String | 1 | EA | | | 1600.00 | 1600.00 |
| 290 | | | | | D-Air | 2 | bar | | | 42.00 | 84.00 |
| 281 | | | | | MUFFLUSH | 500 | bar | | | 2.00 | 1000.00 |
| 221 | | | | | Liquid Krl | 2 | bar | | | 25.00 | 50.00 |
| 403 | | | | | Cement Basket | 1 | EA | | | 300.00 | 300.00 |
| 406 | | | | | LatH Down Plug & Baffle | 1 | EA | | | 250.00 | 250.00 |
| 407 | | | | | Insert Floor shoe w/ Ann Fill | 1 | EA | | | 350.00 | 350.00 |
| 409 | | | | | Turbolizer | 8 | EA | | | 100.00 | 800.00 |

LEGAL TERMS: Customer hereby acknowledges and agrees to the terms and conditions on the reverse side hereof which include, but are not limited to, **PAYMENT, RELEASE, INDEMNITY, and LIMITED WARRANTY** provisions.

MUST BE SIGNED BY CUSTOMER OR CUSTOMER'S AGENT PRIOR TO START OF WORK OR DELIVERY OF GOODS.

X

DATE SIGNED _____ TIME SIGNED _____ A.M. P.M.

REMIT PAYMENT TO:
SWIFT SERVICES, INC.
P.O. BOX 466
NESS CITY, KS 67560
785-798-2300

SURVEY

| | | | |
|--------------------------------------------------------------------------|------------------------------|-----------------------------|----------|
| OUR EQUIPMENT PERFORMED WITHOUT BREAKDOWN? | AGREE | UNDECIDED | DISAGREE |
| WE UNDERSTOOD AND MET YOUR NEEDS? | | | |
| OUR SERVICE WAS PERFORMED WITHOUT DELAY? | | | |
| WE OPERATED THE EQUIPMENT AND PERFORMED JOB CALCULATIONS SATISFACTORILY? | | | |
| ARE YOU SATISFIED WITH OUR SERVICE? | <input type="checkbox"/> YES | <input type="checkbox"/> NO | |
| <input type="checkbox"/> CUSTOMER DID NOT WISH TO RESPOND | | | |

PAGE TOTAL **0.1**
~~254.00~~
6192.00

TOTAL **11894.80**

CUSTOMER ACCEPTANCE OF MATERIALS AND SERVICES The customer hereby acknowledges receipt of the materials and services listed on this ticket.

SWIFT OPERATOR _____ APPROVAL _____

Thank You!



PO Box 466
Ness City, KS 67560
Off: 785-798-2300

TICKET CONTINUATION

TICKET No. 34132

| PRICE REFERENCE | SECONDARY REFERENCE PART NUMBER | ACCOUNTING | | TIME | DESCRIPTION | WELL | | DATE | PAGE | DAYS |
|--------------------|---------------------------------|------------|------|------|-----------------|---------------|------------|---------|------|------|
| | | LOC | ACCT | | | QTY | U/M | | | |
| 325 | | 2 | | | STANDARD CEMENT | 200 | SX | 5-27-22 | 2 | 3 |
| 284 | | 2 | | | CALSEAL | 9 | SX | | | |
| 283 | | 2 | | | SALT | 1000 | lbs | | | |
| 292 | | 2 | | | HYDRA - 322 | 100 | bs | | | |
| 276 | | 2 | | | FIBROCLE | 50 | lbs | | | |
| 581 | | 2 | | | Cement | 200 | SX | | | |
| 583 | | 2 | | | | | | | | |
| MILEAGE CHARGE | | | | | TOTAL MILES | LOADING MILES | CUBIC FEET | | | |
| | | | | | 10850 | 1001 | 200 SX | 2.00 | 400 | 50 |
| CONTINUATION TOTAL | | | | | | | | 1042 | 50 | |
| | | | | | | | | 6192 | 50 | |

JOB LOG

SWIFT Services, Inc.

DATE PAGE NO.

5-27-22

PAGE NO.

| CUSTOMER | | WELL NO. | | LEASE | | JOB TYPE | | TICKET NO. | |
|----------------|------|------------|--------------------|----------|---|----------------|--------|----------------------------------------|----------------------------------------------|
| Carmen Schmitt | | # 1 | | Anderson | | Long String | | 34132 | |
| CHART NO. | TIME | RATE (BPM) | VOLUME (BBL) (GAL) | PUMPS | | PRESSURE (PSI) | | DESCRIPTION OF OPERATION AND MATERIALS | |
| | | | | T | C | TUBING | CASING | | |
| | 1400 | | | | | | | | On location |
| | | | | | | | | | csg- 5 1/2 x 14 # |
| | | | | | | | | | Rtd - 4184 |
| | | | | | | | | | TOTAL Pipe - 4184.86 |
| | | | | | | | | | Shoc JT - 20.73 |
| | | | | | | | | | CENTRALIZERS - 3, 5, 7, 9, 11, 13, 15, 17 |
| | | | | | | | | | BASKET - 2 |
| | 1545 | | | | | | | | START Running Csg |
| | 1800 | | | | | | | | BREAK Circ on Bottom |
| | 1900 | 2.5 | 8 | | | 0 | | | plug RAT Hole - 30 sx |
| | | 2.5 | 3 | | | 0 | | | plug Mouse Hole - 15 sx |
| | | 6.5 | 12 | | | 300 | | | pump MUD FLUSH |
| | | 6.5 | 20 | | | 350 | | | pump KEE SPACE |
| | | 5 | 38 | | | 300 | | | pump CMT - 155 sx EA-2 e 15.5 ^{min} |
| | | | | | | | | | Drop plug - WASH P&L |
| | | 7 | 0 | | | 200 | | | START Disp |
| | 1945 | 6 | 101 | | | 800 | | | LAND plug @ 1500 psi |
| | | | | | | | | | Release psi - Dry |
| | | | | | | | | | JOB COMPLETE |
| | | | | | | | | | THANKS |
| | | | | | | | | | DAVID, SETH & JOHN |