_ WELL ID_

KOLAR DOC ID _

WATER WELL RECORD (WWC-5)

LOCATION OF WATER WEL	L				0	riginal Re	ecor	d Coi	rrection	Chang	e in Wel	l Use
Latitude	Longitude		Section	Т	ownship	Ran	nge	E W	Fraction	1/4	1/4	1/4
Datum	Elevation		County					**				
WATER WELL OWNER		W	ELL WATER U	ISE				NEAREST S	OURCE OF	POTENTIAL C	ONTAMIN	IATION
Name								Source:				
Business			OMPLETION					Distance		Direction	1	
Dusiness								from well:		from wel	l:	
Address			Depth of comp			ft.		Source				
			Depth(s) grou					descriptio				
Well location			1) ft.;					I				
wen location			3) ft.;					Distance from well:		Direction from wel	ı l:	
at owner's		S	Static water level in well: ft.					Source				
address			measured below land surface on (mm/dd/yy):					description:				
CONSTRUCTION			measured a		ırface		-			ce of contami	nation	
Borehole interval:	Borehole dia	meter:	on (mm/dd				_	within	100 feet.			
from to ft.				Estimated yield: gpm				PERMIT & ID NUMBERS (AS REQUIRED)				
fromto ft.			Vater level was			hours		DWR Apr	olication No	·:		
					mping					 Code:		
Casing height above land su			ump installed	-		8F***		Site Name:				
If casing height is less the has a variance been app		s No	r	165			_	KDHE UIC Class V Form Completed: Yes No				No
*variance not required for monitoring			Water well disinfected? Yes No				County Permit: Yes No Permit ID:					
or environmental remediation wells			Date disinfected (mm/dd/yy):			-	Lease Name & Well #:					
Casing type:	G .		Aquifer, if kno	w.n.				1		# of dewater		
Blank casing diameters			-									
Blank casing diameter: Casing joints:			FROM TO		OLOGY INT	EDVALC						
Weight:lb			-KOWI I	LIIA	OLOG1 IN	ERVALS						
Wall thickness or gauge												
Blank casing interval:												
Blank casing diameter:												
Casing joints:												
Weight: lb												
Wall thickness or gauge												
Court internal 6.4	- 6											
Grout interval: ft. to												
Grout material: ft. to												
Grout material:		cc	OMMENTS									
Grout material.												
Screen / perforation materia	1.											
Screen / perforation openin			ONTRACTOR ⁴	S OR LAND	OWNERS C	ERTIFICAT	ION					
Screen / perforation interval			This water we					cted p	oursuant to	the stated w	ater well	
Fromft. to								•		at this record		
Slot size unit					•				•			
Fromft. to				•	_				-	eted on		
Slot size unit										.1 6.1		
Gravel pack intervals:										thority of th	_	
Gravel pack not used:	Gravel size	in					gnec	d and certifi	ied by the	electronic sig	nature o	f the
From ft. to			lesignated pe	erson at its	submittal:				·			
Gravel pack not used:	Gravel size	in Se	nd one copy to							\$5.00 for each	constructe	ed well.
From ft. to	ft.		Bure		Geology Sec	ction, 1000	SW J	EALTH AND ackson St., S A. 82a-1212	uite 420, Toj	MENT peka KS 66612	-1367	

Form	WWC5.2 - Water Well Record		
Doc ID	1791270		
Well Owner	Dean Larson		
Contractor	Associated Drilling, Inc. #990		

Casing

From	То	Casing Diameter	Casing Joint	Wall Thickness or Gauge Number
0	78	6	Glued	sdr26
98	118	6	Glued	sdr26
138	139	6	Glued	sdr26

Form	WWC5.2 - Water Well Record
Doc ID	1791270
Well Owner	Dean Larson
Contractor	Associated Drilling, Inc. #990

Lithology

From	То	Lithology Intervals
0	9	clay
9	16	shale,unweathered
16	23	sandstone,unweathered,SHA LEY
23	26	shale,unweathered
26	29	sandstone,unweathered,SHA LEY
29	92	sandstone,unweathered
92	97	sandstone,unweathered,SHA LEY
97	110	shale,unweathered
110	117	sandstone,unweathered,SHA LEY
117	139	sandstone,unweathered