WELL ID

KOLAR DOC ID

Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka KS 66612-1367 (785) 296-3565 | K.S.A. 82a-1212 | v2022c

## **WATER WELL RECORD** (WWC-5)

From \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

LOCATION OF WATER WEL	L					Orio	ginal Recor	d Correction	Chang	e in Wel	l Use
Latitude	Longitude		Sec	ction	Townsh	ip	Range	E W Fraction	1/4	1/4	1/4
Datum	Elevation		Co	unty				VV			
WATER WELL OWNER		V	VELL WA	-				NEAREST SOURCE OF PO	OTENTIAL C	ONTAMIN	IATION
Name								Source:			
Business			OMPLET	TION							
Dusiness								from well:	from wel	l:	
Address			-	-	ted well: water encounte		ft.	Source description:			
			(1)	ft.;	(2) ft.;			Source:			
Well location		-			(4) dry well			Distance from well:		n l:	
at owner's address			Static water level in well: ft.  measured below land surface on (mm/dd/yy):					Source description:			
CONSTRUCTION			measi	ured abo	ve land surface			No potential source within 100 feet.	of contami	nation	
Borehole interval:	Borehole dia		on (m	nm/dd/y	у):			PERMIT & ID NUMBERS	(AS REQUI	RED)	
fromto ft.				_	gpm						
fromto ft.		in.	Water lev	vel was: _	ft. after			DWR Application No.:			
Casing height above land sur	rface:		pumpinggpm				_ gpm	KDHE / EPA Project Code:			
If casing height is less the has a variance been appr		s No	Pump installed? Yes No				Site Name:  KDHE UIC Class V Form Completed: Yes No				
*variance not required fo			Water we	ell disinfe	ected? Yes	No		County Permit: Yes No Permit ID:			
or environmental remed	liation wells		Date disinfected (mm/dd/yy):					Lease Name & Well #:			
Casing type:	G .		Aquifer, i	if known				# of boreholes:			
Blank casing interval:		—"   L									
Blank casing diameter: Casing joints:		-	ITHOLOG FROM	TO	LITHOLOG	VINTER	DVALC				
Weight:lbs			FROIN	10	LITHOLOG	II IIVIE	TVALS				
Wall thickness or gauge											
Blank casing interval:											
Blank casing diameter:											
Casing joints:											
Weight:lbs	s/ft.										
Wall thickness or gauge	no.:	_									
Grout interval: ft. to	ft.										
Grout material:			_								
Grout interval:ft. to											
Grout material:		(	OMMEN	ITS							
Screen / perforation material											
Screen / perforation opening			ONTRAC	CTOR'S	OR LANDOWN	ERS CER	RTIFICATION				
Screen / perforation intervals							reconstru	cted pursuant to t	he stated w	ater well	
Fromft. to			This water well was constructed reconstructed pursuant to the stated water well contractor's license and was completed on I certify that this record is true to								
Slot size unit _						_		•			
From ft. to	_ft.		the best of my knowledge and belief. This water well record was completed on								
Slot size unit _	under the business name or										
Gravel pack intervals:			Kansas Water Well Contractor's License No under the authority of the designated								
Gravel pack not used: Gravel size in   person as defined in K.A.R. 28-30-2(j) and signed and certified by the electronic signature				gnature o	t the						
From ft. to	ft.				son at its subn						
Gravel pack not used:	Gravel size _	in   S	Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well.  KANSAS DEPARTMENT OF HEALTH AND ENVIRONMENT								

Form	WWC5.2 - Water Well Record		
Doc ID	1792775		
Well Owner	Michael Gamerl		
Contractor	Kathleen Yoakum		

## **Contamination Source**

Source	Distance From Well	Direction From Well	Required Info for Local Entity	Source Other Description
Septic tank	84	Е		
Livestock pens	56	S		
Other (please specify)	102	W		Barnyard

Form	WWC5.2 - Water Well Record		
Doc ID	1792775		
Well Owner	Michael Gamerl		
Contractor	Kathleen Yoakum		

## Lithology

From	То	Lithology Intervals
0	2	clay
2	4	sandstone,unweathered,brow n
4	8	shale,unweathered,tan
8	10	limestone,unweathered,gray
10	24	shale,unweathered,gray
24	25	shale,unweathered,black
25	38	shale,unweathered,gray
38	60	shale,unweathered,sandy,gra y
60	83	sandstone,unweathered,gray
83	87	sandstone,unweathered,gray, shaley
87	110	sandstone,unweathered,brow n
110	118	sandstone,unweathered,gray, shaley
118	186	sandstone,unweathered,gray
186	190	limestone,unweathered,gray