
KOLAR DOC ID \_\_\_\_\_ WELL ID\_

#### **WATER WELL RECORD** (WWC-5)

OCATION OF WATER WEL	L				Ori	ginal Recor	d Correction	Change	in Wel	l Use	
Latitude	Longitude			Section	Township	Range	E W Fraction	1/4	1/4	1/4	
Datum	Elevation			County			***				
WATER WELL OWNER			WELL	WATER US	 E		NEAREST SOURCE OF PO	OTENTIAL CO	NTAMIN	ATION	
Name							Source:				
Business			COMPI	LETION			Distance	Direction			
Dustriess							from well:	from well:			
Address			Depth of completed well:ft.  Depth(s) groundwater encountered:				Source description:				
			(1)	ft.;	(2) ft.;		Source:				
Well location					(4) dry well		Distance from well:	Direction			
at owner's address			me		in well: ft. ow land surface		Source description:				
CONSTRUCTION				•	ove land surface		No potential source of contamination				
Borehole interval: Borehole diameter:			- 1	(mm/dd/y			within 100 feet.				
fromto ft.		in.	Estim	ated vield.	gpm		PERMIT & ID NUMBERS (AS REQUIRED)				
fromtoft.					gpm ft. after	hours	DWR Application No.:				
	Į.		rratel	ic rei was.	pumping		DWR Application No.:  KDHE / EPA Project Code:				
Casing height above land su		<sup>in.</sup>	Pump	installed?	Yes No	_ 8P'''	Site Name:				
If casing height is less th has a variance been appropriate the control of the case of the		s No	Lump	instanca.	165 110		KDHE UIC Class V Form Completed: Yes No				
*variance not required for		Water well disinfected? Yes No				County Permit: Yes No Permit ID:					
or environmental reme		Date disinfected (mm/dd/yy):				Lease Name & Well #:					
Casing type:			1				# of boreholes:				
Blank casing interval:		ft.	Aquif	er, if knowr	1:						
Blank casing diameter:				LOGIC LOG							
Casing joints:			FRO	и то	LITHOLOGY INTE	RVALS					
Weight:lbs											
Wall thickness or gauge											
Blank casing interval:		ft.									
Blank casing diameter:											
Casing joints:											
Weight:lbs											
Wall thickness or gauge	no.:										
Grout interval: ft. to	oft.										
Grout material:											
Grout interval: ft. to	oft.										
Grout material:			COMM	IENTS							
										ļ	
Screen / perforation material	l:									ļ	
Screen / perforation opening	gs:		CONT	RACTOR'S	OR LANDOWNERS CE	RTIFICATION					
Screen / perforation intervals	s:		This	water well	was constructed	reconstru	cted pursuant to tl	ne stated wa	ter well		
Fromft. to	_ft.		contr	actor's lice	ense and was complet	ted on	I certify that	this record	is true t	о	
Slot size unit					_		vell record was complete				
From ft. to	_ft.			-	=		ven record was complete				
Slot size unit											
Gravel pack intervals:							under the auth	•	_		
Gravel pack not used:	Gravel size	in	person as defined in K.A.R. 28-30-2(j) and signed and certified by the electronic signature of the								
From ft. to			designated person at its submittal:								
Gravel pack not used:	Gravel size	in	Send or	ne copy to V			for your records. Fee of \$5		onstructe	d well.	
From ft. to	Fromft. toft. KANSAS DEPARTMENT OF HEALTH AND ENVIRONMENT Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka KS 66612-1367										



### FIGURE 3 - 350 FT RADIUS AREA BASE MAP



1311 E 25th St., Suite B Lawrence, KS 66046

(785) 841-8707 office (785) 865-4282 fax

# PROJECT:

Manhattan Fire Department 2000 Denison Ave., Manhattan, KS KDHE ID: U5-081-15433


NDHE ID: U5-081-154; Date: 8/29/23

0 100 ft

#### **LEGEND**:

Approximate Location of Former UST Basin, Product Lines, and Pump Island

- Existing Monitoring Well
- Proposed Monitoring Well
- X Proposed Soil Boring
  - F Fire Hydrant



NOTE: Utility depths, heights and locations are approximate. NOTE: Utility depths and locations are approximate.

# **DENNIS L HANDKE**

1820 NW 59th Terrace TOPEKA, KANSAS 66618 785-286-4047 Home

Jess Chapman Larsen & Associates 1311 E. 25<sup>th</sup> Street, Suite B Lawrence, Kansas, 66046

August 10, 2024

RE: Monitor Well Elevation Survey 2000 Denison Ave., Manhattan, Kansas

Proj. 24-00JJ Manhattan Fire Department U5-081-15433

City of Manhattan Bench Mark: Aluminum cap on West side of concrete flag pole base West of the NW corner of building.

Elev: 1105	.52	North 260.57	Eas	t 110.39	(from SW Cor. Sec. 6-10-8E)
MW-2R	rim	1106.63	North	220.10	SW1/4,SW1/4,SW1/4
	top pipe	1106.36	East	311.82	Lat= 39.20474 Long = 96.58441
MW-3R	rim	1109.41	North	136.60	SW1/4,SW1/4,SW1/4,SW1/4
	top pipe	1109.01	East	372.77	Lat= 39.20452 Long = 96.58420
MW-5R	rim	1105.18	North	269.25	SW1/4,SW1/4,SW1/4,SW1/4
	top pipe	1104.86	East	76.08	Lat= 39.20487 Long = 96.58525

Lat & Long derived from Manhattan 7.5' quad map. WGS84

Elevation established from existing project. NAVD 88

If you have any questions, please feel free to call me. Thank you for the opportunity to be

LS-786

MANUEL SURVE