

WATER WELL RECORD (WWC-5)

KOLAR DOC ID _____ WELL ID _____
 Original Record Correction Change in Well Use

LOCATION OF WATER WELL

Latitude		Longitude		Section		Township		Range		E W	Fraction	¼	¼	¼
Datum		Elevation		County										

WATER WELL OWNER

Name	
Business	
Address	
Well location at owner's address	

WELL WATER USE

COMPLETION

Depth of completed well: _____ ft.
 Depth(s) groundwater encountered:
 (1) _____ ft.; (2) _____ ft.;
 (3) _____ ft.; (4) dry well

Static water level in well: _____ ft.
 measured below land surface
 on (mm/dd/yy): _____
 measured above land surface
 on (mm/dd/yy): _____

Estimated yield: _____ gpm
 Water level was: _____ ft. after _____ hours
 pumping _____ gpm
 Pump installed? Yes No

Water well disinfected? Yes No
 Date disinfected (mm/dd/yy): _____

Aquifer, if known: _____

NEAREST SOURCE OF POTENTIAL CONTAMINATION

Source: _____
 Distance from well: _____ Direction from well: _____
 Source description: _____

Source: _____
 Distance from well: _____ Direction from well: _____
 Source description: _____

No potential source of contamination within 100 feet.

CONSTRUCTION

Borehole interval: from _____ to _____ ft.	Borehole diameter: _____ in.
from _____ to _____ ft.	_____ in.
Casing height above land surface: _____ in. If casing height is less than 12 in. has a variance been approved? * Yes No *variance not required for monitoring or environmental remediation wells	
Casing type: _____	
Blank casing interval: _____ ft. to _____ ft.	
Blank casing diameter: _____ in.	
Casing joints: _____	
Weight: _____ lbs/ft.	
Wall thickness or gauge no.: _____	
Blank casing interval: _____ ft. to _____ ft.	
Blank casing diameter: _____ in.	
Casing joints: _____	
Weight: _____ lbs/ft.	
Wall thickness or gauge no.: _____	
Grout interval: _____ ft. to _____ ft.	
Grout material: _____	
Grout interval: _____ ft. to _____ ft.	
Grout material: _____	
Screen / perforation material: _____	
Screen / perforation openings: _____	
Screen / perforation intervals: From _____ ft. to _____ ft.	
Slot size _____ unit _____	
From _____ ft. to _____ ft.	
Slot size _____ unit _____	
Gravel pack intervals: Gravel pack not used: Gravel size _____ in	
From _____ ft. to _____ ft.	
Gravel pack not used: Gravel size _____ in	
From _____ ft. to _____ ft.	

PERMIT & ID NUMBERS (AS REQUIRED)

DWR Application No.: _____
 KDHE / EPA Project Code: _____
 Site Name: _____
 KDHE UIC Class V Form Completed: Yes No
 County Permit: Yes No Permit ID: _____
 Lease Name & Well #: _____
 # of boreholes: _____ # of dewatering wells: _____

LITHOLOGIC LOG

FROM	TO	LITHOLOGY INTERVALS

COMMENTS

CONTRACTOR'S OR LANDOWNERS CERTIFICATION

This water well was constructed reconstructed pursuant to the stated water well contractor's license and was completed on _____. I certify that this record is true to the best of my knowledge and belief. This water well record was completed on _____ under the business name of _____, Kansas Water Well Contractor's License No. _____ under the authority of the designated person as defined in K.A.R. 28-30-2(j) and signed and certified by the electronic signature of the designated person at its submittal: _____.

Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well.

Form	WWC5.2 - Water Well Record
Doc ID	1787196
Well Owner	HENRY D & MARGARET W WIEBE
Contractor	Downey Drilling, Inc. #748

Casing

From	To	Casing Diameter	Casing Joint	Casing Weigh	Wall Thickness or Gauge Number
0	378	16	Welded		.250
558	598	16	Welded		.250
738	748	16	Welded		.250

Form	WWC5.2 - Water Well Record
Doc ID	1787196
Well Owner	HENRY D & MARGARET W WIEBE
Contractor	Downey Drilling, Inc. #748

Lithology

From	To	Lithology Intervals
0	2	topsoil,brown,soft
2	58	clay,brown,soft
58	80	clay,sandy,tan,soft
80	95	sand,fine to coarse,firm
95	102	clay,sandy,brown,soft
102	126	sand,fine to coarse,firm
126	142	gravel,fine to medium,firm
142	175	gravel,fine to coarse,stiff
175	197	sand & gravel,fine to medium,tan,stiff
197	225	sand & gravel,fine to coarse,firm
225	263	sand,fine to coarse,brown,firm
263	297	clay,blue,soft
297	314	clay,sandy,tan,soft
314	347	sand,fine to coarse,sandy,firm
347	350	clay,brown
350	354	sand,fine to coarse,firm
354	357	clay,blue,soft
357	361	sand,fine to coarse,white,firm
361	365	clay,blue,soft
365	390	sand,fine to coarse,white,firm
390	406	clay,sandy,tan,firm
406	411	clay,sandy,tan,soft

Form	WWC5.2 - Water Well Record
Doc ID	1787196
Well Owner	HENRY D & MARGARET W WIEBE
Contractor	Downey Drilling, Inc. #748

Lithology

From	To	Lithology Intervals
411	435	sand,fine to coarse,firm
435	443	clay,brown,firm
443	448	sand,fine to coarse,firm
448	489	clay,sandy,tan,soft
489	543	sand,fine to coarse,white
543	551	sand,fine,clayey,tan,soft
551	563	clay,brown,soft
563	600	shale,unknown,blue,soft
600	653	shale,unknown,sandy,blue,soft
653	679	sandstone,unknown,gray,hard
679	706	shale,unknown,blue,soft
706	726	sandstone,unknown,hard
726	735	clay,green,hard
735	748	other,unknown,red,hard,RED BED

Form	WWC5.2 - Water Well Record
Doc ID	1787196
Well Owner	HENRY D & MARGARET W WIEBE
Contractor	Downey Drilling, Inc. #748

Screen and Gravel

From	To	Slot Size	Slot Size Units	Gravel Pack Used	Gravel Pack From	Gravel Pack To	Gravel Size
378	418	.1	inches	Yes	20	748	#1
418	448	.08	inches	No			
448	488	.1	inches	No			
488	558	.08	inches	No			
598	638	.06	inches	No			
638	738	.05	inches	No			