Confidentiality Requested:
☐ Yes ☑ No

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

Form ACO-1
January 2018
Form must be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # 6037
Name: Staab Oil Co., a General Partnership
Address 1: 1607 HOPEWELL RD
Address 2:
City: HAYS State: KS Zip: 67601 + 9443
Contact Person: Kurt Staab
Phone: (785) 625-5013
CONTRACTOR: License # 36106
Name: C&B Well Service
Wellsite Geologist: Janel Staab
Purchaser:

Designate Type of Completion:
☐ New Well ☐ Re-Entry ☑ Workover
☐ Oil ☐ WSW ☑ SWD
☐ Gas ☐ DH ☐ EOR
☐ OG ☐ GSW
☐ CM *(Coal Bed Methane)*
☐ Cathodic ☐ Other *(Core, Expl., etc.)*:

If Workover/Re-entry: Old Well Info as follows:
Operator: 6037
Well Name: Benno Farmer #3
Original Comp. Date: 05/01/1982 Original Total Depth: 3644
☐ Deepening ☐ Re-perf. ☐ Conv. to EOR ☑ Conv. to SWD
☐ Plug Back ☐ Liner ☐ Conv. to GSW ☐ Conv. to Producer

☐ Commingled Permit #:
☐ Dual Completion Permit #:
☐ SWD Permit #:
☐ EOR Permit #:
☐ GSW Permit #:

7/30/2024		7/30/2024
Spud Date or Recompletion Date	Date Reached TD	Completion Date or Recompletion Date

API No.: 15-051-19178-00-02
Spot Description:
__ - SE - NW - NE Sec. 28 Twp. 12 S. R. 17 ☐ East ☑ West
4346 Feet from ☐ North / ☑ South Line of Section
1727 Feet from ☑ East / ☐ West Line of Section
Footages Calculated from Nearest Outside Section Corner:
☐ NE ☐ NW ☑ SE ☐ SW
GPS Location: Lat: *(e.g. xx.xxxxx)*, Long: *(e.g. -xxx.xxxxx)*
Datum: ☐ NAD27 ☐ NAD83 ☐ WGS84
County: Ellis
Lease Name: BENNO FARMER Well #: 3
Field Name:
Producing Formation: Cedar Hill
Elevation: Ground: 2135 Kelly Bushing: 5
Total Vertical Depth: 3644 Plug Back Total Depth:
Amount of Surface Pipe Set and Cemented at: 165 Feet
Multiple Stage Cementing Collar Used? ☐ Yes ☑ No
If yes, show depth set: Feet
If Alternate II completion, cement circulated from:
feet depth to: w/ sx cmt.

Drilling Fluid Management Plan
(Data must be collected from the Reserve Pit)
Chloride content: ppm Fluid volume: bbls
Dewatering method used:
Location of fluid disposal if hauled offsite:
Operator Name:
Lease Name: License #:
Quarter Sec. Twp. S. R. ☐ East ☐ West
County: Permit #:

AFFIDAVIT
I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY
☐ **Confidentiality Requested**
Date:
☐ **Confidential Release Date:**
☐ **Wireline Log Received** ☐ **Drill Stem Tests Received**
☐ **Geologist Report / Mud Logs Received**
☑ **UIC Distribution**
ALT ☑ **I** ☐ **II** ☐ **III** **Approved by:** Kelsey Cox **Date:** 09/12/2024

Page Two

Operator Name: Staab Oil Co., a General Partnership Lease Name: BENNO FARMER Well #: 3

Sec. 28 Twp. 12 S. R. 17 ☐ East ☑ West County: Ellis

INSTRUCTIONS: Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed.

Final Radioactivity Log, Final Logs run to obtain Geophysical Data and Final Electric Logs must be emailed to kcc-well-logs@kcc.ks.gov. Digital electronic log files must be submitted in LAS version 2.0 or newer AND an image file (TIFF or PDF).

Drill Stem Tests Taken ☐ Yes ☑ No
(Attach Additional Sheets)

Samples Sent to Geological Survey ☐ Yes ☑ No

Cores Taken ☐ Yes ☑ No

Electric Log Run ☐ Yes ☑ No

Geologist Report / Mud Logs ☐ Yes ☑ No

List All E. Logs Run:

☐ Log Formation (Top), Depth and Datum ☐ Sample

Name	Top	Datum
Anhydrite	1342	+798
Topeka	3080	-940
Heebner Shale	3338	-1198
Toronto	3360	-1220
Lkc	3385	-1245
Arbuckle	3643	-1503

CASING RECORD ☐ New ☑ Used
Report all strings set-conductor, surface, intermediate, production, etc.

Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	12.25	8.625	14	165	common	100	65/35/6%cal3%gel
Production	7.875	5.5	14	3644	common	1844	80/20 QMDC

ADDITIONAL CEMENTING / SQUEEZE RECORD

Purpose:	Depth Top Bottom	Type of Cement	# Sacks Used	Type and Percent Additives
____ Perforate ____ Protect Casing ____ Plug Back TD ____ Plug Off Zone	-			
	-			

1. Did you perform a hydraulic fracturing treatment on this well? ☐ Yes ☑ No *(If No, skip questions 2 and 3)*
2. Does the volume of the total base fluid of the hydraulic fracturing treatment exceed 350,000 gallons? ☐ Yes ☐ No *(If No, skip question 3)*
3. Was the hydraulic fracturing treatment information submitted to the chemical disclosure registry? ☐ Yes ☐ No *(If No, fill out Page Three of the ACO-1)*

Date of first Production/Injection or Resumed Production/Injection: 5/01/1982

Producing Method: ☐ Flowing ☐ Pumping ☐ Gas Lift ☑ Other *(Explain)* vacuum

Estimated Production Per 24 Hours	Oil	Bbls.	Gas	Mcf	Water	Bbls.	Gas-Oil Ratio	Gravity

DISPOSITION OF GAS: ☐ Vented ☐ Sold ☐ Used on Lease
(If vented, Submit ACO-18.)

METHOD OF COMPLETION: ☐ Open Hole ☑ Perf. ☐ Dually Comp. *(Submit ACO-5)* ☐ Commingled *(Submit ACO-4)*

PRODUCTION INTERVAL: Top 922 Bottom 944

Shots Per Foot	Perforation Top	Perforation Bottom	Bridge Plug Type	Bridge Plug Set At	Acid, Fracture, Shot, Cementing Squeeze Record *(Amount and Kind of Material Used)*
4	922	944			

TUBING RECORD: Size: 2.9 Set At: 850 Packer At: 818

Mail to: KCC - Conservation Division, 266 N. Main, Suite 220, Wichita, Kansas 67202

Form	ACO1 - Well Completion
Operator	Staab Oil Co., a General Partnership
Well Name	BENNO FARMER 3
Doc ID	1793104

Casing

Purpose Of String	Size Hole Drilled	Size Casing Set	Weight	Setting Depth	Type Of Cement	Number of Sacks Used	Type and Percent Additives
Surface	12.25	8.625	14	165	common	100	65/35/6%cal3%gel
Production	7.875	5.5	14	3644	common	1844	80/20 QMDC