

Form	ACO1 - Well Completion
Operator	J-V Oil, LLC
Well Name	WATTERS 2-H
Doc ID	1790583

Casing

Purpose Of String	Size Hole Drilled	Size Casing Set	Weight	Setting Depth	Type Of Cement	Number of Sacks Used	Type and Percent Additives
Surface	12	7	14	20	Portland	5	na
Production	5.875	2.875	4	862	Portland	140	na

CONDITIONS Concrete to be delivered to the nearest accessible point over passable road. Concrete to be delivered to owner's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, curbs, streets, etc. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This contract contains correct strength tests when water is added at customer's request. \$30 charge will be added for each truck that is not washed. If contractor does not supply a place to wash truck out. Tow charges are buyers responsibility.

IOLA REGISTER PRINTING - IOLA, KS 66749

TIME	FORMULA	LOAD SIZE	YARDS ORDERED	BATCH#	YARDS DEL.	DRIVER/TRUCK	%	PLANT/TRANSACTION #
DATE		LOAD #				WATER TRIM	SLUMP	TICKET NUMBER
2.15 PM 2.15								

Driller's Log

TD

Lease:	Well #	Date:	Cement:	Fig:
Watters	2-H	4-1-2024	140	908
FT	Formation	Total	Remarks	
2	Soil	2		
26	Lime	28		
101	Shale	129		
1	Lime	130		
6	Shale	136		
13	Lime	149		
1	Shale	150		
5	Lime	155		
130	Shale	285		
14	Lime	298 299		
11	Shale	310		
2	Lime	312		
39	Shale	351		
99	Lime	450		
14	Shale sandy	464		
61	Lime	525		
68	Shale	593		
13	Lime	606		
11	shale	617		
19	Lime	636		
12	Shale	648		
10	Lime	658		
98	Shale	754		
36	Lime	780	30'	
2	Shale Coal	782		
3	Lime	785		
29	Shale	814		
17	Lime	831	20'	
8	Summit	839		
5	Lime	844	5'	
5	Mud Key	849		
11	Shale	860		
	Lime			
	861	oder	80	
	862	oder		
	863	oil sand	oil on pit	Good Bleed
	864	11	Great Bleed	82
	865	11	11 11	80
	866	11	11 11	82
	867	11	Lots of oil	82
	868	11	11 11	82
	869	11 Darker	Good Bleed	82
	870	Brown-1 Sand	82 82	Fair Bleed
	871	11		
	872	11		
	873	11		
	874	11		