WELL ID

KOLAR DOC ID

(785) 296-3565 | K.S.A. 82a-1212 | v2022c

WATER WELL RECORD (WWC-5)

LOCATION OF WATER WELL						Original Reco	ord (Correction	Chang	e in Wel	l Use	
Latitude	Longitude		S	ection	Township	Range		E W Fraction	1/4	1/4	1/4	
Datum	Elevation			ounty	1	8		W				
WATER WELL OWNER	Lievation			ATER USE			NEADE	ST SOURCE OF	DOTENTIAL C	ONITA MAIN	IATION	
			VV LLL VV	AI LK OJL	-						IATION	
Name							Distan	::	Direction			
Business			COMPL	ETION			from v	vell:	from wel	l:		
Address			Depth	of complet	ed well:	ft.	Source					
Address			Depth(s) groundv	water encountered:		descrip					
			(1)	ft.;	(2) ft.;		Source	::				
Well location			(3)	ft.; ((4) dry well		D		D: .:	n		
			Static v	ater level	in well:f	t.			from we	l:		
at owner's address			measured below land surface on (mm/dd/yy):				Source descrip					
CONSTRUCTION			mea	sured abo	ve land surface			potential source	e of contami	nation		
Borehole interval:	Borehole dia	meter:	on (mm/dd/y	y):				OS (AS DEQUI	DED)		
fromto ft.		in.	Estima	ed yield:	gpm		PERIVII	& ID NUMBER	IJ (MO REQUI	NEU)		
fromto ft.		in.	Water l	evel was:	ft. after	hours	DWR	Application No.	.:			
Casing height above land sur					pumping	gpm	KDHE	E / EPA Project (Code:			
If casing height is less tha			Pump i	nstalled?	Yes No		Site Name:					
has a variance been appro	s No					KDHE	E UIC Class V F	orm Complet	ed: Yes	No		
*variance not required for monitoring			Water well disinfected? Yes No				County Permit: Yes No Permit ID:					
or environmental remediation wells			Date disinfected (mm/dd/yy):				Lease Name & Well #:					
Casing type:Blank casing interval:	ft to		Aquife	; if known	:		# of bo	oreholes:	# of dewater	ing wells:		
Blank casing diameter:				OGIC LOG								
Casing joints:			FROM		LITHOLOGY I	NTERVALS						
Weight: lbs/			TROM	10	Emilozodii	NILIVALS						
Wall thickness or gauge n												
Blank casing interval:												
Blank casing diameter:												
Casing joints:												
Weight: lbs/												
Wall thickness or gauge n												
Grout interval: ft. to												
Grout material:												
Grout interval: ft. to			СОММЕ	NTS								
Grout material:												
Screen / perforation material:												
Screen / perforation opening					OR LANDOWNERS							
Screen / perforation intervals:			This w	ater well	was constructed	d reconsti	ructed	pursuant to	the stated w	ater well		
Fromft. to			contra	ctor's lice	ense and was com	pleted on		I certify th	at this recor	d is true 1	to	
Slot size unit _			the be	st of my k	nowledge and be	elief. This water	well reco	rd was comple	eted on			
Fromft. to			under	the busin	ess name of						,	
Slot size unit _			Kansa	s Water V	Vell Contractor's	License No.		under the au	thority of th	e designa	ited	
Gravel pack intervals:									•	_		
Gravel pack not used:	person as defined in K.A.R. 28-30-2(j) and signed and certified by the electronic signature of the designated person at its submittal:											
From ft. to							no for	racorda ECA	E 00 for1	conctu	d r.r.11	
Gravel pack not used:		in	Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. KANSAS DEPARTMENT OF HEALTH AND ENVIRONMENT									
From ft. to	_ ft.			Bureau	of Water, Geology					2-1367		




FIGURE 3 - 350 FT RADIUS AREA BASE MAP



1311 E 25th St., Suite B Lawrence, KS 66046

(785) 841-8707 office (785) 865-4282 fax

PROJECT:

Manhattan Fire Department 2000 Denison Ave., Manhattan, KS KDHE ID: U5-081-15433


NDHE ID: U5-081-154; Date: 8/29/23

0 100 ft

LEGEND:

Approximate Location of Former UST Basin, Product Lines, and Pump Island

- Existing Monitoring Well
- Proposed Monitoring Well
- X Proposed Soil Boring
 - F Fire Hydrant



NOTE: Utility depths, heights and locations are approximate. NOTE: Utility depths and locations are approximate.

DENNIS L HANDKE

1820 NW 59th Terrace TOPEKA, KANSAS 66618 785-286-4047 Home

Jess Chapman Larsen & Associates 1311 E. 25th Street, Suite B Lawrence, Kansas, 66046 April 4, 2024

RE: Monitor Well Elevation Survey 2000 Denison Ave., Manhattan, Kansas

Proj. 24-00P Manhattan Fire Department U5-081-15433

City of Manhattan Bench Mark: Aluminum cap on West side of concrete flag pole base West of the NW corner of building.

Elev: 1105.	52 No	orth 260.57	East	110.39	(from SW Cor. Sec. 6-10-8E)
MW-1	rim	1107.02	North	110.87	SW1/4,SW1/4,SW 1/4,SW1/4
	top pipe	1106.60	East	276.44	Lat= 39.20444 Long = 96.58453
MW-2	rim	1106.70	North	220.10	SW1/4,SW1/4,SW1/4,SW1/4
	top pipe	1106.34	East	309.96	Lat= 39.20474 Long = 96.58442
MW-3	rim	1110.00	North	124.78	SW1/4,SW1/4,SW1/4,SW1/4
	top pipe	1109.71	East	373.91	Lat= 39.20449 Long = 96.58419
MW-4	rim	1105.79	North	111.11	SW1/4,SW1/4,SW1/4,SW1/4
	top pipe	1105.43	East	189.50	Lat= 39.20444 Long = 96.58484
MW-5	rim	1105.05	North	269.21	SW1/4,SW1/4,SW1/4,SW1/4
	top pipe	1104.71	East	74.39	Lat= 39.20487 Long = 96.58525
MW-6	rim	1105.91	North	149.12	SW1/4,SW1/4,SW1/4,SW1/4
	top pipe	1105.57	East	119.55	Lat= 39.20454 Long = 96.58509

Lat & Long derived from Manhattan 7.5' quad map. WGS84

Elevation established from City of Manhattan BM #16. NAVD 88

If you have any attestions, please feel free to call me. Thank you for the opportunity to be

ennis L Handke RL

20HA