
KOLAR DOC ID _____ WELL ID_

WATER WELL RECORD (WWC-5)

OCATION OF WATER WELL	_				Orig	ginal Recor	d Correction	Change	ın Well	Us
Latitude	Longitude		S	ection	Township	Range	E W Fraction	1/4	1/4	1/2
Datum	Elevation		C	County						
VATER WELL OWNER			WELL W	ATER USE			NEAREST SOURCE OF PO	OTENTIAL CO	NTAMINA	\TIC
Name							Source:			
Business			COMPL	FTION			Distance	Direction		
Dusiness							from well:	from well:		
Address			Depth of completed well:ft. Depth(s) groundwater encountered:				Source description:			
			(1)	ft.;	(2) ft.;		Source:			_
Well location					(4) dry well		Distance from well:	Direction		
at owner's address			Static water level in well: ft. measured below land surface				Source description:	nom wen.		
CONSTRUCTION				(mm/dd/y			No potential source	of contamina	ition	_
Borehole interval: Borehole diameter:			measured above land surface on (mm/dd/yy):				No potential source of contamination within 100 feet.			
fromto ft.		in.	Fetima	ted vield:	gpm		PERMIT & ID NUMBERS	(AS REQUIR	ED)	
fromto ft.					ft. after	hours	DWR Application No:			
l.			vvateri	ever was: _			DWR Application No.:KDHE / EPA Project Code:			
Casing height above land sur		in.	Dump	installed?	pumping Yes No	_ gpm	Site Name:			
If casing height is less that has a variance been appro		s No	rump	instaneu:	res No		KDHE UIC Class V Form Completed: Yes			
			Water	well disinfe	ected? Yes No			-		
*variance not required for monitoring or environmental remediation wells			Date disinfected (mm/dd/yy):				County Permit: Yes No Permit ID: Lease Name & Well #:			
Casing type:							# of boreholes:			
Blank casing interval:	ft. to	ft.	Aquife	r, if known	:		# Of boreffoles.	# or dewaterin	ig weiis: _	
Blank casing diameter:	in.		LITHOL	OGIC LOG						
Casing joints:			FROM	то	LITHOLOGY INTE	RVALS				
Weight:lbs/	/ft.									
Wall thickness or gauge n	10.:									_
Blank casing interval:	ft. to	ft.								
Blank casing diameter:	in.									
Casing joints:										
Weight:lbs/	/ft.									
Wall thickness or gauge n	10.:									
Grout interval: ft. to	ft									
Grout material:										
Grout interval: ft. to										
Grout material:			COMME	NTS						
Screen / perforation material:										
Screen / perforation opening			CONTR	ACTOR'S	OR LANDOWNERS CEF	RTIFICATION				
Screen / perforation intervals:					was constructed	reconstru	cted pursuant to the	ne stated wa	ter well	
From ft. to							•			_
Slot size unit _					=		I certify that			
From ft. to				-	_		vell record was complete			
Slot size unit _										
Gravel pack intervals:			Kansa	s Water V	Vell Contractor's Lice	nse No	under the auth	ority of the	designat	ed
Gravel pack not used:	Gravel size		person	n as defin	ed in K.A.R. 28-30-2(j) and signed	d and certified by the ele	ctronic sign	ature of	th
From ft. to		m	designated person at its submittal:							
Gravel pack not used:		2	Send on	e copy to V	VATER WELL OWNER		for your records. Fee of \$5.	.00 for each cc	nstructed	l w
	Fromft. toft. KANSAS DEPARTMENT OF HEALTH AND ENVIRONMENT Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka KS 66612-1367									





1311 E 25th St., Suite B, Lawrence, KS 66046 Office: (785) 841-8707

Decatur Coop Association 9914 State Hwy 9 Lenora KS KDHE ID: A6-069-40530 Date: 5/2/24

100 feet

X Proposed Soil Boring

Overhead Lines (25-40 ft high)

NOTE: Utility depths and locations are approximate.

NOTE: SB5 & SB6 will be drilled to collect hydrologic samples

DENNIS L HANDKE

1820 NW 59th Terrace TOPEKA, KANSAS 66618 785-286-4047 Home

Jess Chapman Larsen & Assoc. 1311 E. 25th St., Suite B Topeka, Kansas 66046 July 24, 2024

RE: Monitor Well Elevation Survey 9914 State Hwy 9, Lenora, Kansas

Proj. 24-00BB Decatur Coop Association KDHE ID A6-069-40530

Bench Mark: Railroad spike in South face of power pole on the North side of the driveway to property and the East side of Main Street of Lenora .

Elev.: 2272.00		North 2217.18	Wes	st 5193.58	(from NE Cor. Sec. 14-5-24W)
MW-1	rim top pipe	2267.18 2266.63		2282.34 4834.31	SE1/4,NW1/4,NW1/4,SW1/4 Lat = 39.61671 Long = 100.00076
MW-2	rim top pipe	2268.73 2268.38	North West	2223.08 5110.48	SW1/4,NW1/4,NW1/4,SW1/4 Lat = 39.61655 Long = 100.00174
MW-3	rim top pipe	2268.42 2268.02	North West	2392.19 4821.83	NE1/4,NW1/4,NW1/4,SW1/4 Lat = 39.61701 Long = 100.00071
MW-4	rim top pipe	2267.12 2266.53		2287.99 4784.55	SE1/4,NW1/4,NW1/4,SW1/4 Lat = 39.61672 Long = 100.00058
MW-5	rim top pipe	2267.40 2267.00		2144.75 4941.64	SW1/4,NW1/4,NW1/4,SW1/4 Lat = 39.61633 Long = 100.00114
MW-6	rim top pipe	2267.29 2266.73		2146.77 4784.35	SE1/4,NW1/4,NW1/4,SW1/4 Lat = 39.61634 Long = 100.0058
MW-9	rim top pipe	2267.65 2267.28		2342.87 4649.69	NE1/4,NW1/4,NW1/4,SW1/4 Lat = 39.61687 Long = 100.00010

Lat & Long derived from Lenora East 7.5' quad map. WGS84.

Elevation derived from KDOT BM on the bridge over the North Fork of Solomon River on Main Street of Lenora. NAVD 88.

If you have any freestions, please feel free to call me. Thank you for the opportunity to be

Dennis L Handke RLS