WATER WELL RECORD (WWC-5)


VATER WELL RI	ECORD (WW	C-5)			KOLAR D	OC ID	WELL ID	
OCATION OF WATER W	ELL			0	riginal Recor	d Correction	Change in We	ell Us
Latitude	Longitude		Section	Township	Range	E W Fraction	1/4 1/4	1,
Datum	Elevation		County	-		***		
ATER WELL OWNER		WE	LL WATER USE			NEAREST SOURCE OF P	OTENTIAL CONTAMI	NATIO
Jame						Source:		
Business			MPLETION			Distance	Direction	
rusiness						from well:	_ from well:	
Address				ed well:	ft.	Source		
			1	water encountered:		description:		
Well location) ft.; () ft.; (Source:		
, car io canon						Distance from well:	_ from well:	
at owner's		St		in well: ft.		Source		
address			measured belo on (mm/dd/y	ow land surface		description:		
ONSTRUCTION				ve land surface		No potential source	of contamination	
Borehole interval:	Borehole diamet	er:	on (mm/dd/yy):			within 100 feet.		
fromto ft.		n. Es	stimated yield:	gpm		PERMIT & ID NUMBERS	(AS REQUIRED)	
fromto ft.	:			ft. after	hours	DWR Application No.:		
Casing height above land			_			KDHE / EPA Project C	ode:	
			ump installed?	Yes No		Site Name:		
If casing height is less than 12 in. has a variance been approved?* Yes No			-			KDHE UIC Class V Form Completed: Yes		
*variance not require			Water well disinfected? Yes No			County Permit: Yes No Permit ID:		
or environmental rer	nediation wells	D	ate disinfected (mm/dd/yy):		Lease Name & Well #:		
Casing type: Blank casing interval:	ft to	- A	quifer, if known	:		# of boreholes:	# of dewatering wells	s:
Blank casing diameter:			HOLOGIC LOG					
Casing joints:			ROM TO	LITHOLOGY INT	FRVALS			
Weight:								
Wall thickness or gau								
Blank casing interval:	·	t.						
Blank casing diameter:								
Casing joints:		_						
Weight:	lbs/ft.							
Wall thickness or gau	ge no.:							
Grout interval: ft	to ft							
Grout material:								
Grout interval: ft								
Grout material:		СО	MMENTS					
Screen / perforation mater	rial:							
creen / perforation open	ings:	co	NTRACTOR'S	OR LANDOWNERS C	ERTIFICATION			
Screen / perforation interv	vals:	Т	his water well	was constructed	reconstru	cted pursuant to t	the stated water we	11
Fromft. to	ft.		ontractor's lice	ense and was compl	eted on	I certify tha	t this record is true	e to
Slot size un	it			-		vell record was complet		
From ft. to	ft.		•			,r		
Slot size un	it	1 1				under the aut		
Gravel pack intervals:							_	
Gravel pack not used:		_ in -				d and certified by the el	ectionic signature	oi tu
From ft. to				on at its submittal:				
Gravel pack not used:	Gravel size	_in Sen	nd one copy to V			for your records. Fee of \$5		ted w
From ft. to	ft.		Bureau			EALTH AND ENVIRONMI ackson St., Suite 420, Tope		

(785) 296-3565 | K.S.A. 82a-1212 | v2022c

Form	WWC5.2 - Water Well Record		
Doc ID	1791855		
Well Owner	Decatur Coop Association		
Contractor	Larsen And Associates		

Lithology

From	То	Lithology Intervals
0	2	silt,clayey
2	4	clay,silty
4	21	silt
21	23.5	sand,fine
23.5	26	sand,medium
26	28	limestone,completely weathered
28	30	limestone,unknown,silty, shaley





1311 E 25th St., Suite B, Lawrence, KS 66046 Office: (785) 841-8707

Decatur Coop Association 9914 State Hwy 9 Lenora KS KDHE ID: A6-069-40530 Date: 5/2/24

100 feet

X Proposed Soil Boring

Overhead Lines (25-40 ft high)

NOTE: Utility depths and locations are approximate.

NOTE: SB5 & SB6 will be drilled to collect hydrologic samples

DENNIS L HANDKE

1820 NW 59th Terrace TOPEKA, KANSAS 66618 785-286-4047 Home

Jess Chapman Larsen & Assoc. 1311 E. 25th St., Suite B Topeka, Kansas 66046 July 24, 2024

RE: Monitor Well Elevation Survey 9914 State Hwy 9, Lenora, Kansas

Proj. 24-00BB Decatur Coop Association KDHE ID A6-069-40530

Bench Mark: Railroad spike in South face of power pole on the North side of the driveway to property and the East side of Main Street of Lenora .

Elev.: 22	72.00	North 2217.18	Wes	st 5193.58	(from NE Cor. Sec. 14-5-24W)
MW-1	rim top pipe	2267.18 2266.63		2282.34 4834.31	SE1/4,NW1/4,NW1/4,SW1/4 Lat = 39.61671 Long = 100.00076
MW-2	rim top pipe	2268.73 2268.38	North West	2223.08 5110.48	SW1/4,NW1/4,NW1/4,SW1/4 Lat = 39.61655 Long = 100.00174
MW-3	rim top pipe	2268.42 2268.02	North West	2392.19 4821.83	NE1/4,NW1/4,NW1/4,SW1/4 Lat = 39.61701 Long = 100.00071
MW-4	rim top pipe	2267.12 2266.53		2287.99 4784.55	SE1/4,NW1/4,NW1/4,SW1/4 Lat = 39.61672 Long = 100.00058
MW-5	rim top pipe	2267.40 2267.00		2144.75 4941.64	SW1/4,NW1/4,NW1/4,SW1/4 Lat = 39.61633 Long = 100.00114
MW-6	rim top pipe	2267.29 2266.73		2146.77 4784.35	SE1/4,NW1/4,NW1/4,SW1/4 Lat = 39.61634 Long = 100.0058
MW-9	rim top pipe	2267.65 2267.28		2342.87 4649.69	NE1/4,NW1/4,NW1/4,SW1/4 Lat = 39.61687 Long = 100.00010

Lat & Long derived from Lenora East 7.5' quad map. WGS84.

Elevation derived from KDOT BM on the bridge over the North Fork of Solomon River on Main Street of Lenora. NAVD 88.

If you have any freestions, please feel free to call me. Thank you for the opportunity to be

Dennis L Handke RLS