KOLAR Document ID: 1795634

Confidentiality Requested:

Yes No

Kansas Corporation Commission Oil & Gas Conservation Division

Form ACO-1
January 2018
Form must be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No.:
Name:	Spot Description:
Address 1:	
Address 2:	Feet from North / South Line of Section
City: State: Zip:+	Feet from _ East / _ West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	□NE □NW □SE □SW
CONTRACTOR: License #	GPS Location: Lat:, Long:
Name:	(e.g. xx.xxxxx) (e.gxxx.xxxxx)
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84
Purchaser:	County:
Designate Type of Completion:	Lease Name: Well #:
New Well Re-Entry Workover	Field Name:
	Producing Formation:
☐ Oil ☐ WSW ☐ SWD	Elevation: Ground: Kelly Bushing:
☐ Gas ☐ DH ☐ EOR	Total Vertical Depth: Plug Back Total Depth:
☐ OG ☐ GSW	Amount of Surface Pipe Set and Cemented at: Feet
CM (Coal Bed Methane) Cathodic Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used?
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet
•	If Alternate II completion, cement circulated from:
Operator:	•
Well Name:	feet depth to: sx cmt.
Original Comp. Date: Original Total Depth:	
☐ Deepening ☐ Re-perf. ☐ Conv. to EOR ☐ Conv. to SWD	Drilling Fluid Management Plan
Plug Back Liner Conv. to GSW Conv. to Producer	(Data must be collected from the Reserve Pit)
Commingled Permit #:	Chloride content: ppm Fluid volume: bbls
Dual Completion Permit #:	Dewatering method used:
SWD Permit #:	Location of fluid disposal if hauled offsite:
EOR Permit #:	·
GSW Permit #:	Operator Name:
	Lease Name: License #:
Spud Date or Date Reached TD Completion Date or	Quarter Sec. Twp. S. R. East West
Recompletion Date Recompletion Date	County: Permit #:

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY							
Confidentiality Requested							
Date:							
Confidential Release Date:							
Wireline Log Received Drill Stem Tests Received							
Geologist Report / Mud Logs Received							
UIC Distribution							
ALT I III Approved by: Date:							

KOLAR Document ID: 1795634

Page Two

Operator Name:					Lease Nam	ne:			Well #:	
Sec Tw	pS. F	R [East	West	County:					
open and closed and flow rates if	, flowing and sh gas to surface t ty Log, Final Lo	nut-in pressurest, along wit	es, whe h final c ain Geo	ther shut-in pre hart(s). Attach physical Data a	essure reached extra sheet if r and Final Electr	station more : ric Loc	level, hydrosta space is needed	tic pressures, d.	bottom hole tempe	val tested, time tool rature, fluid recovery, Digital electronic log
Drill Stem Tests Taken							n and Datum	Sample		
Samples Sent to	Geological Sur	vey	Ye	es 🗌 No		Name)		Тор	Datum
Cores Taken Electric Log Run Geologist Repor List All E. Logs F	t / Mud Logs		Y€ Y€	es No						
			Repo		RECORD [Nev	w Used rmediate, producti	on. etc.		
Purpose of St		ze Hole Orilled	Siz	e Casing (In O.D.)	Weight Lbs. / Ft.		Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
				ADDITIONAL	OF MENTING /					
Purpose:	[Depth	Typo	of Cement	# Sacks Use		EEZE RECORD	Typo a	nd Percent Additives	
Perforate Protect Ca Plug Back	Top	Bottom	туре	or cement	# Sacks Osed		Typo and Following admitted			
Plug Off Z										
Did you perform Does the volum Was the hydraul	e of the total base	fluid of the hyd	draulic fra	cturing treatmen		•	Yes ns? Yes	No (If No	, skip questions 2 an , skip question 3) , fill out Page Three o	,
Date of first Produ	ction/Injection or	Resumed Produ	uction/	Producing Meth			Coolift 0	thor (Fundain)		
Estimated Produc	otion	Oil Bb	le.	Flowing				Gas-Oil Ratio	Gravity	
Per 24 Hours		Oli Bb	15.	Gas	IVICI	vvale	ı Di	JIS.	Gas-Oil Hallo	Gravity
DISPO	OSITION OF GAS	S:		N	METHOD OF CO	MPLE.	TION:		PRODUCTIO	N INTERVAL:
Vented	Sold Use	d on Lease		Open Hole				nmingled	Тор	Bottom
(If vente	ed, Submit ACO-18	.)			(5	SUDITIIL I	ACO-5) (Subi	mit ACO-4)		
Shots Per Foot	Perforation Top	Perforation Bottom	on	Bridge Plug Bridge Plug Acid, Fracture, Shot, Cementing Squeeze Re Type Set At (Amount and Kind of Material Used)			Record			
TUBING RECOR	D: Size:		Set At:		Packer At:					

Form	ACO1 - Well Completion			
Operator	SOUTHERN SKY ENERGY, LLC			
Well Name	REVEY 31			
Doc ID	1795634			

Casing

Purpose Of String	Size Hole Drilled	Size Casing Set	Weight	Setting Depth	Type Of Cement		Type and Percent Additives
Surface	12.25	8.625	28	21	Portland	4	NA
Production	6.75	4.5	10.5	769	Econobon d	100	See Ticket



CEMENT	TRE	ATMEN'	T REPO	ORT							
		TDR Co			Well:	Revey #31, #33 Ticket:				EP13582	
City,	State:				County:		Franklin,KS Date			5/29/2024	
Field	d Rep:	Lance to	own		S-T-R:		30-15-2		Service:	Longstrings	
										3.1. 3.	
Dow	nhole I	nformatio	on		Calculated 9	Slurry - Lea	d		Calc	ulated Slurry - Tail	
Hole	e Size:		in		Blend:	Econo	obond		Blend:		
Hole I	Depth:		ft		Weight:	13.6	ppg		Weight:	ppg	
Casing	g Size:		in		Water / Sx:	7.1	gal / sx		Water / Sx:	gal / sx	
Casing I	Depth:		ft		Yield:	1.56	ft ³ / sx		Yield:	ft³/sx	
Tubing /	Liner:		in		Annular Bbls / Ft.:		bbs / ft.		Annular Bbls / Ft.:	bbs / ft.	
	Depth:		ft		Depth:		ft		Depth:	ft	
Tool / Pa	acker:				Annular Volume:	0.0	bbls		Annular Volume:	0 bbls	
Tool I	Depth:		ft		Excess:				Excess:		
Displace	ment:		bbls		Total Slurry:		bbls		Total Slurry:	0.0 bbls	
			STAGE	TOTAL	Total Sacks:		sx		Total Sacks:	0 sx	
TIME	RATE	PSI	BBLs	BBLs	REMARKS						
1:30 PM			-		On location held safety	/ meeting					
					#31 Hole TD: 800' Pipe	TD: 768' B:	offic: 747'				
	4.0				Hooked to the 4 1/2" ca						
	4.0				Mixed and pumped 200	-		4 BBL of	fresh water		
	4.0			-	Mixed and pumped 100			4 BBL 01	ncon water		
	4.0			-	Flushed pump and Dro						
	1.5			_	Displaced rubber plug to Baffle with 12.1 BBI of fresh water, Cement to surface						
		800.0		-		Landed Plug with 800 PSI, well held pressure					
				-	Released pressure to set float valve						
	4.0			-	Washed equipment an	Washed equipment and moved					
						· ·					
3:00 PM					#33 Hole TD:800' Pipe	#33 Hole TD:800' Pipe TD: 787 Baffle 757"					
	4.0				Hooked to the 2 7/8" ca	asing and est	ablished rate				
	4.0				Mixed and pumped 200	# of bentonit	te gel followed by	4 BBL of	fresh water		
	4.0				Mixed and pumped 85	sks of Econo	bond cement				
	4.0				Flushed pump and Dro	pped 2 7/8" r	ubber plug				
	1.0	800.0			Landed Plug with 800 I	PSI, well held	pressure				
					Released pressure to s	et float valve)				
	4.0				Washed equipment	Washed equipment					
4:00 PM					Left location						
		CREW			UNIT				SUMMAR	Υ	
Cer	nenter:	Garre			97		Average R	ate	Average Pressure	Total Fluid	
Pump Op		Nick E			209		3.5 bpr		800 psi	- bbls	
	Bulk #1:	Wes			248		5.5 Spi		occ poi		
Bulk #1: Wes c Bulk #2: Drew B			110								

ftv: 15-2021/01/25 mplv: 453-2024/05/20

Short Cuts

TANK CAPACITY

BBLS. (42 gal.) equals D²x.14xh D equals diameter in feet. h equals height in feet.

BARRELS PER DAY
Multiply gals. per minute x 34.2

HP equals BPH x PSI x .0004 BPH - barrels per hour PSI - pounds square inch

TO FIGURE PUMP DRIVES

- * D Diameter of Pump Sheave
- * d Diameter of Engine Sheave
- SPM Strokes per minute
- **RPM** Engine Speed
- R Gear Box Ratio
- *C Shaft Center Distance
- D RPMxd over SPMxR
- d SPMxRxD over RPM
- SPM RPMXD over RxD
- R RPMXD over SPMxD

BELT LENGTH - 2C + 1.57(D + d) + $\frac{(D \cdot d)^2}{4C}$

* Need these to figure belt length

TO FIGURE AMPS:

WATTS = AMPS

746 WATTS equal 1 HP

Log Book

Well No. 31

Farm Revey

165 Fran

(County)

(Section) (Tour

(Township) (Range)

For Southern Sky Energy, LLC (Well Owner)

Town Oilfield Services, Inc.

1207 N. 1st East Louisburg, KS 66053 913-710-5400

Revery Farm: Franklin County KS State; Well No. 31	_ CA	SING AI	ND TUBING ME	EASU	JREMENTS	
	Feet	In.	Feet I	n.	Feet	ln.
Elevation 987 Ft.	-747 S	, ,	Saffle			111.
Commenced Spuding May 24, 20 24	7-110	\	30++ VC	_		
Finished Drilling May 28 20 24	7/8-	<i>t</i>	Toat	\dashv		
Driller's Name Ryan Whrd	768.		1001			
Driller's Name	800 T	0				,
Driller'e Name				╣		
Tool Dresser's Name Nathan Seaman	-		* •.	\dashv		-
			· · · · ·	╢	· .	
Tool Dresser's Name				╢		
Tool Dresser's Name TDR Construction				\dashv		
Contractor's Name 15 21	•			╢		-
				╁		
(Section) (Township) (Range)				╢		
Distance from 5 line, 495 ft.			. v	$\neg \parallel$		
Distance from E line, 1330 ft.				╢		
4 sacks cement	•			╢	· .	
6-34" Bore hore				╢		
4-16" Casing		1		╢		
11 hrs.			*			
CASING AND TUBING			No. of Section			 ,
RECORD	Ť-					
-						
10" Set 10" Pulled			,* *			
8" Set 21 8" Pulled					:	
6%" Set 6%" Pulled ,	, .					
4" Set 4" Pulled			*			
2" Set 2" Pulled			-1-			

Thickness of	Formation	Total	Remarks
Strata 0-17	Soil Clay	Depth 1	Koniano
36	Shale	53	
4	Line	57	
5	Shale	62	
17	Line	79	
Co		85	
G 12	Shake Lime	97	
4	Shake	101	
17	Lime	118	
39	Shake	156	
24	Line	180	
76	Shah	256	
5 5 6 20 2	Lime	287	
5	Shake	292	*
6	Lime	298	
20	Shale	318	
2	Lime	320	The state of the s
20	Shak	340	A CANAL CONTRACTOR OF THE PARTY
1	Lime	341	
16	Shale	357	
. 8	Lime	365	
3	Shale	368	
13	Lime	381	
9	5hale	390	
23	cime	413	
4	Thale	417	
4	Line	1421	

-2-

-3-

	Lime	421	inger Vinger
Thickness of Strata	- Formation	Total Depth	Remarks
4	5 hale	425	
5	Line	430	Hertha
120	5hake	550	
18	Sand	568	Light grey. No oil show
38	Shale	606	7 7 7 100
8	Line	614	
19	Shake	633	
8	Lime	641	
12	Shale	653	
3	Lime	656	
15	Shahe	671	
15	Line	676	
19	Shake	695	
4	Lime	698	
10	Shake	708	
2	Sand	710	Broken, Some oil Show
3	Sand	713	Mostly Solid. OK ail show
1	Sandy lime	714	Slight Oil Show
3	Sand	717	Mostly Solid. Good oil show.
62	Sand	723	Broken Good oil show
56	SandyShale	744	
56	Shale	800	TD
	-4-	`	-5-

tod inverse