WATER WELL RECORD (WWC-5)

From _____ ft. to _____ ft.

WATER WELL REC	ORD (W	WC-5)				KOLAR [OOC ID		WELL ID_		
OCATION OF WATER WEL	L					Original Reco	rd Co	rrection	Chang	ge in We	ll Use
Latitude	Longitude			Section	Township	Range	E W	Fraction	1/4	1/4	1/4
Datum	Elevation			County							
ATER WELL OWNER			WELL	WATER USI	Ē		NEAREST S	OURCE OF F	POTENTIAL	CONTAMI	OITAN
Name							Source:				
Business			COMP	LETION			Distance		Directio	nn	
					ted well:	ft.	from well:		_ from we	ell:	
Address			-	-	water encountered:		Source descriptio	n:			
			-	-	(2) ft.;						
Well location					(4) dry well					\n	
			-		in well:		from well:	:	Direction from we	ell:	
at owner's address			me		ow land surface		Source descriptio	n:			
ONSTRUCTION Borehole interval:	Borehole dia	meter:	me	•	ve land surface			ential sourc 100 feet.	e of contam	ination	
fromto ft.		in.					PERMIT &	ID NUMBER	S (AS REQU	IRED)	
fromtoft.					gpm ft. after	hours	DWR Apr	olication No	:		
			water		pumping		1		· Code:		
Casing height above land su		in.	Pumn		Yes No	gpiii					
If casing height is less th has a variance been appropriate the control of the control of the case of		s No	Tump	motunea.	103 110				orm Comple		No
*variance not required for			Water	well disinfo	ected? Yes No	0			No Perm		
or environmental remed	diation wells		Date o	disinfected ((mm/dd/yy):		1				
Casing type:	<i>c.</i> .		Aquif	er, if known	•				# of dewate		
Blank casing interval:		π.									
Blank casing diameter: Casing joints:			FROI	LOGIC LOG	LITHOLOGY II	NTEDVALC					
Weight: lbs			FROI	vi 10	LITHOLOGITI	INTERVALS					
Wall thickness or gauge											
Blank casing interval:											
Blank casing diameter:											
Casing joints:											
Weight: lbs	s/ft.										
Wall thickness or gauge	no.:										
Grout interval: ft. to) ft										
Grout material:											
Grout interval:ft. to											
Grout material:			COMM	IENTS							
Screen / perforation material	:										
Screen / perforation opening	gs:		CONT	RACTOR'S	OR LANDOWNERS	S CERTIFICATION					
Screen / perforation intervals	S:		This	water well	was constructed	d reconstru	ıcted p	oursuant to	the stated v	water well	l
Fromft. to	_ft.		contr	actor's lice	ense and was com	pleted on	-				
Slot size unit _					knowledge and be	_		•			
From ft. to	_ft.			-	ness name of			_			
Slot size unit					Vell Contractor's						
Gravel pack intervals:									-	_	
Gravel pack not used:		in	-		ed in K.A.R. 28-3		a and certif	ied by the e	nectronic si	gnature c	n tne
From ft. to	ft.				son at its submitte			<u> </u>			
Gravel pack not used:	Gravel size	.	Send or	ne copy to V	VATER WELL OW	NER and retain on	e for your rec	ords. Fee of \$	5.00 for each	construct	ed w

KANSAS DEPARTMENT OF HEALTH AND ENVIRONMENT

Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka KS 66612-1367

(785) 296-3565 | K.S.A. 82a-1212 | v2022c

Form	WWC5.2 - Water Well Record			
Doc ID	1792467			
Well Owner	Johan Wolfe			
Contractor	Jantzen Water Well LLC #1046			

Casing

From	То	Casing Diameter	Casing Joint		Wall Thickness or Gauge Number
0	380	5	Glued	200	
400	420	5	Glued	200	
440	460	5	Glued	200	
480	500	5	Glued	200	
520	540	5	Glued	200	

Form	WWC5.2 - Water Well Record			
Doc ID	1792467			
Well Owner	Johan Wolfe			
Contractor	Jantzen Water Well LLC #1046			

Lithology

From	То	Lithology Intervals
0	3	topsoil
3	150	sand,very fine,clayey
150	265	clay,sandy
265	305	sand,fine
305	348	clay,sandy
348	425	sand,medium
425	475	sand,fine to medium
475	485	clay,sandy
485	510	sand,medium
510	520	sand,fine
520	551	clay,sandy
551	560	other,red bed

Form	WWC5.2 - Water Well Record
Doc ID	1792467
Well Owner	Johan Wolfe
Contractor	Jantzen Water Well LLC #1046

Screen and Gravel

From	То	Slot Size	Slot Size Units	Gravel Pack Used	Gravel Pack From		Gravel Size
380	400			Yes	25	400	
420	440			Yes	400	440	
460	480			Yes	440	480	
500	520			Yes	480	520	
540	560			Yes	520	560	