### KOLAR Document ID: 1792466

## WATER WELL RECORD (WWC-5)

KOLAR DOC ID

Original Record

Correction

Lease Name & Well #:

# of boreholes: \_\_\_\_\_ # of dewatering wells: \_\_

WELL ID\_\_\_\_\_ Change in Well Use

### LOCATION OF WATER WELL

Latitude	Longitude	Section	Township	Range	E W	Fraction	1⁄4	1⁄4	1⁄4
Datum	Elevation	County							

### WATER WELL OWNER

Name	
Business	
Address	
Well location	
at owner's address	
CONCERNICE	

#### CONSTRUCTION

Borehole interval:	Borehole diameter:
fromtoft.	in.
fromtoft.	in.
Casing height above land su	
If casing height is less th has a variance been app *variance not required fo	roved?* Yes No
or environmental reme	Ũ
Casing type:	
Blank casing interval:	ft. toft.
Blank casing diameter:	in.
Casing joints:	
Weight:lbs	s/ft.
Wall thickness or gauge	no.:
Blank casing interval:	ft. toft.
Blank casing diameter:	in.
Casing joints:	
Weight:lbs	s/ft.
Wall thickness or gauge	no.:
Grout interval: ft. to	oft.
Grout material:	
Grout interval: ft. to	oft.
Grout material:	
Screen / perforation material	:
Screen / perforation opening	gs:
Screen / perforation interval	s:
Fromft. to	_ft.
Slot size unit	
Fromft. to	_ft.
Slot size unit	
Gravel pack intervals:	
Gravel pack not used:	Gravel size in
From ft. to	ft.
Gravel pack not used:	
From ft. to	

	County					
WELL	WATER U	SE				
сомі	PLETION					
Dept	th of compl	eted we	11:		ft.	
	th(s) groun					
(1)_	ft.;	(2)	ft.;			
(3) _	ft.;	(4)	dry well			
Static water level in well: ft.						
	neasured be on (mm/dd/		d surface			
	measured above land surface on (mm/dd/yy):					
Estir	nated yield	:	_gpm			
Wate	er level was	:	ft. after		hours	
			pumping		gpm	
Pum	p installed	Yes	No			
Wate	er well disir	fected?	Yes	No		

Source:	
Distance from well:	Direction from well:
Source description:	
Source:	
Distance from well:	Direction from well:
Source description:	
No potential sour within 100 feet.	rce of contamination
PERMIT & ID NUMBE	RS (AS REQUIRED)
DWR Application N	0.:
KDHE / EPA Project	Code:
Site Name:	
KDHE UIC Class V	Form Completed: Yes No
County Permit: Ye	es No Permit ID:

## Aquifer, if known:

Date disinfected (mm/dd/yy):

FROM	то	LITHOLOGY INTERVALS

#### COMMENTS

### CONTRACTOR'S OR LANDOWNERS CERTIFICATION

This water well was constructed	reconstructed	pursuant to the stated water well
contractor's license and was complet	ed on	. I certify that this record is true to
the best of my knowledge and belief.	This water well rec	ord was completed on
under the business name of		,
Kansas Water Well Contractor's Lice	nse No	under the authority of the designated
person as defined in K.A.R. 28-30-20	(j) and signed and c	ertified by the electronic signature of the
designated person at its submittal:		
Send one copy to WATER WELL OWNER	and retain one for you	r records. Fee of \$5.00 for each constructed well
KANSAS DEPAR	TMENT OF HEALTH	AND ENVIRONMENT

Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka KS 66612-1367 (785) 296-3565 | K.S.A. 82a-1212 | v2022c

Form	WWC5.2 - Water Well Record	
Doc ID	1792466	
Well Owner	Doug Classen	
Contractor	Jantzen Water Well LLC #1046	

## Casing

From	То	Casing Diameter	Casing Joint	5 5	Wall Thickness or Gauge Number
0	400	5	Glued	200	
420	440	5	Glued	200	
460	480	5	Glued	200	
500	520	5	Glued	200	
540	560	5	Glued	200	

Form	WWC5.2 - Water Well Record	
Doc ID	1792466	
Well Owner	Doug Classen	
Contractor	Jantzen Water Well LLC #1046	

# Lithology

From	То	Lithology Intervals
0	2	topsoil
2	80	caliche
80	108	sand,medium,sandy, sandrock ledges
108	144	sand,medium
144	186	sand,medium,clayey,tan
186	190	other,sandrock
190	237	sand,medium
237	270	clay,caliche stringers
270	327	shale,unweathered,soft
327	330	shale,unweathered
330	337	sandstone,fractured
337	386	shale,unweathered,soft
386	398	sandstone,unknown
398	420	shale,unweathered,soft
420	443	siltstone,fractured
443	465	shale,unweathered
465	580	sandstone,broken

Form	WWC5.2 - Water Well Record			
Doc ID	1792466			
Well Owner	Doug Classen			
Contractor	Jantzen Water Well LLC #1046			

Screen and Gravel

From	То		Gravel Pack Used			Gravel Size
400	420		Yes	25	420	
440	460		Yes	420	460	
480	500		Yes	460	500	
520	540		Yes	500	540	
560	580		Yes	540	580	