## **WATER WELL RECORD** (WWC-5)

From \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

<b>WATER WELL REC</b>	ORD (W	WC-5)				KOLAR	DOC ID		WELL ID_		
OCATION OF WATER WELI	_					Original Reco	rd Co	rrection	Chang	e in Wel	ll Use
Latitude	Longitude		9	Section	Township	Range	E	Fraction	1/4	1/4	1/4
Datum	Elevation		(	County	,						
VATER WELL OWNER			WELL V	VATER USE	 E		NEAREST	SOURCE OF I	POTENTIAL C	ONTAMIN	IOITAI
Name							Source:				
Business			COMPL	ETION			Dietance		Directio	n	
Dusiness							from well	l:	_ from we	ll:	
Address					ted well:		Source description				
			1 -	-	water encountered: (2) ft.;						
Well location					(2) it.; (4) dry well						
			-				Distance from well	:	Directio from we	n ll:	
at owner's address			me	asured belo	in well: f	t.	Source description				
ONSTRUCTION	D 1 1 1	,	me		ve land surface			tential sourc	e of contami	nation	
Borehole interval:	Borehole dia			(mm/dd/y			PERMIT &	ID NUMBER	S (AS REQU	IRED)	
fromto ft.		in.			gpm						
fromto ftin.			Water level was:ft. afterhours				DWR Application No.:  KDHE / EPA Project Code:				
Casing height above land sur		in.			pumping	gpm					
If casing height is less that		NI-	Pump	installed?	Yes No				orm Complet		No
has a variance been approved?* Yes No *variance not required for monitoring			Water well disinfected? Yes No				KDHE UIC Class V Form Completed: Yes N County Permit: Yes No Permit ID:				
or environmental remediation wells			Date disinfected (mm/dd/yy):				Lease Name & Well #:				
Casing type:							1		# of dewate		
Blank casing interval:	ft. to	ft.	Aquife	r, if known	1:		" of bores		# Of dewate	ing wens.	
Blank casing diameter:			LITHOL	OGIC LOG	i						
Casing joints:			FROM	1 то	LITHOLOGY	NTERVALS					
Weight:lbs											
Wall thickness or gauge 1		I									
Blank casing interval:		ft.									
Blank casing diameter:											
Casing joints:											
Weight:lbs											
Wall thickness or gauge 1	10.:										
Grout interval: ft. to	ft.										
Grout material:											
Grout interval: ft. to	ft.		501414	FNITC							
Grout material:			COMM	ENIS							
Screen / perforation material:											
Screen / perforation opening	gs:		CONTR	ACTOR'S	OR LANDOWNERS	S CERTIFICATION	I				
Screen / perforation intervals	:		This v	vater well	was constructed	d reconstru	ucted	pursuant to	the stated v	vater well	
Fromft. to	_ft.		contra	actor's lice	ense and was com	npleted on		I certify that	at this recor	d is true	to
Slot size unit _			the be	est of my l	knowledge and be	elief. This water	well record	was comple	ted on		
From ft. to				-	ness name of			_			
Slot size unit _					Vell Contractor's						
Gravel pack intervals:					ed in K.A.R. 28-3				-	_	
Gravel pack not used:		in	-				a and Cill	aca by the e	icenomic si	511atu1€ 0	1 1116
From ft. to					son at its submitts						,
Gravel pack not used	Craval ciza	•	Send on	e copy to V	VATER WELL OW:	NEK and retain or	ne for your red	oras. Fee of §	5.00 for each	constructe	ed we

KANSAS DEPARTMENT OF HEALTH AND ENVIRONMENT

Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka KS 66612-1367

(785) 296-3565 | K.S.A. 82a-1212 | v2022c

Form	WWC5.2 - Water Well Record
Doc ID	1793580
Well Owner	City of Jetmore, KS
Contractor	Associated Drilling, Inc. #990

## Lithology

From	То	Lithology Intervals
0	10	fill (man-made material)
10	16	clay,sandy
16	19	sand,medium
19	26	clay,sandy
26	40	sand,medium to coarse,clayey
40	47	sand,coarse,clayey
47	50	sand & gravel,coarse
50	51	limestone,unweathered
51	54	shale,unweathered
54	67	shaley limestone,unweathered
67	68	limestone,unweathered
68	73	shaley limestone,unweathered
73	75	shale,unweathered
75	77	shaley limestone,unweathered
77	113	shale,unweathered
113	141	shale,unweathered,oily
141	148	shale,unweathered,white
148	151	sandstone,unweathered,ceme nted
151	152	limestone,unweathered
152	167	shale,unweathered
167	170	sandstone,unweathered,ceme nted
170	177	shale,unweathered,whiteish

Form	WWC5.2 - Water Well Record
Doc ID	1793580
Well Owner	City of Jetmore, KS
Contractor	Associated Drilling, Inc. #990

## Lithology

From	То	Lithology Intervals
177	178	limestone,unweathered
178	201	shale,unweathered,red
201	213	shale,unweathered,gray
213	240	shale,unweathered,sandstone lenses
240	253	sandstone,unweathered,pyrite and shale lenses
253	272	shale,unweathered,sandstone lenses
272	313	sandstone,unweathered,shale lenses
313	325	sandstone,unweathered