KOLAR DOC ID _____ WELL ID_

WATER WELL RECORD (WWC-5)

From _____ ft. to _____ ft.

LOCATION OF WATER W	/ELL				1	Original Reco	ord Correction	Change	e in Well	l Use	
Latitude	Longitude			Section	Township	Range	E Fraction	1/4	1/4	1/4	
Datum	Elevation			County							
WATER WELL OWNER			WELL	WATER USI			NEAREST SOURCE OF	POTENTIAL CO	ONTAMIN	ATIOI	
Name							Source:				
Business			COMP	LETION			Distance	Direction	1		
Dusiness							from well:	from well	l:		
Address			-	-	ted well:	ft.	Source description:				
			Depth(s) groundwater encountered: (1) ft.; (2) ft.;								
Well location							Source:				
wen location			(3) ft.; (4) dry well				Distance Direction from well:				
at owner's			Static water level in well: ft.				Source				
address					ow land surface	description:					
CONSTRUCTION				(mm/dd/y			No potential source	e of contamir	nation		
Borehole interval: Borehole diameter:			measured above land surface on (mm/dd/yy):				within 100 feet.				
fromto ft.							PERMIT & ID NUMBER	RS (AS REQUI	RED)		
		in.	Estimated yield:gpm				DWD Andinetic N				
fromto ft.			Water level was: ft. afterhours				DWR Application No.:				
Casing height above land		in.	D	:	pumping	gpm	KDHE / EPA Project Code:				
If casing height is less		, No	Pump installed? Yes No				Site Name: KDHE UIC Class V Form Completed: Yes N				
has a variance been approved?* Yes No *variance not required for monitoring			Water well disinfected? Yes No				County Permit: Yes No Permit ID:				
or environmental remediation wells			Date disinfected (mm/dd/yy):				Lease Name & Well #:				
Casing type:							# of boreholes:				
Blank casing interval:	ft. to	ft.	Aquif	er, if known	1:		" of borenoies.	# 01 dewater	ing wens:		
Blank casing diameter:	in.		LITHO	LOGIC LOG	i						
Casing joints:			FRO	и то	LITHOLOGY IN	NTERVALS					
Weight:											
Wall thickness or gau											
Blank casing interval:		ft.									
Blank casing diameter:											
Casing joints:											
Weight:											
Wall thickness or gau	ige no.:										
Grout interval:f	t. toft.										
Grout material:											
Grout interval:f	t. toft.										
Grout material:			COMM	IENTS							
Screen / perforation mate	erial:										
Screen / perforation oper	nings:		CONT	RACTOR'S	OR LANDOWNERS	CERTIFICATION	N				
Screen / perforation inter	vals:		This	water well	was constructed	reconstr	ucted pursuant to	the stated w	ater well		
Fromft. to	ft.		contr	actor's lice	ense and was com	pleted on	I certify th	at this record	l is true t	0	
Slot size u	nit					_	well record was comple				
From ft. to	ft.			•	_						
Slot size u	nit						under the au				
Gravel pack intervals:								· ·	_		
Gravel pack not used:	: Gravel size _	in	1 -			, .	ed and certified by the e	nectronic sig	nature of	tne	
From ft. to _	ft.				son at its submitta		·				
Gravel pack not used:	: Gravel size	in	Send or	ne copy to V	VATER WELL OWN	NER and retain or	ne for your records. Fee of \$	\$5.00 for each o	onstructe	d wel	

KANSAS DEPARTMENT OF HEALTH AND ENVIRONMENT
Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka KS 66612-1367
(785) 296-3565 | K.S.A. 82a-1212 | v2022c




FIGURE 3 - 350 FT RADIUS AREA BASE MAP



1311 E 25th St., Suite B, Lawrence, KS 66046 Office: (785) 841-8707

PROJECT:

Ken Car, Inc. - Western Tire 207 E Fulton, Garden City, KS KDHE ID: U1-028-15393

Date: 8/7-8/24

0 100 ft

LEGEND:

- 8 Approximate Location of Inactive UST Basin and Pump Island
- Approximate Location of Former Pump Island
- Building with Basement
- Existing Monitoring Well (Hort's Tire & Service U1-028-00264)
- ⊕ New Monitoring Welledgetalles 8/5-7/24)

_ss ___ _ Sanitary Sewer (2 - 6 ft BGS)

NOTE: Utility depths and locations are approximate.



August 26, 2024

Jessica Chapman Larsen & Associates 1311 E 25th Street, Suite B Lawrence, KS 66046

RE:

Project No. 2408-0290

Jessica,

The following is the information requested on a Monitoring Well Site, Ken Car, Inc. – Western Tire, Garden City, Finney County, Kansas.

Point	North Coord.	East Coord.	Distance SE Cor. North	From Sec. West	Elev. Top Of Rim or PK Nail	Elev. Top of PVC Pipe	Latitude North	Longitude West	
SE cor:	40000	40000							
S18-T24S-R32W									
MW1	41821.35	38175.67	1821.35	1824.33	2837.18	2837.00	37.96547	100.87177	
MW2	41767.87	38177.02	1767.87	1822.98	2836.65	2836.69	37.96532	100.87176	
MW3	41785.48	38149.54	1785.48	1850.46	2837.02	2836.66	37.96537	100.87186	
MW4	41800.57	38072.74	1800.57	1927.26	2837.10	2836.69	37.96541	100.87213	
MW9	41628.85	38233.90	1628.85	1766.10	2836.13	2835.89	37.96494	100.87156	
Site BM	41782.41	38164.58	1782.41	1835.42		SBM Elevation = 2837.42			

Description: square cut on center of Northeast side of East Pump Island

MW1,MW2,MW3,MW4 are in the: MW9, is in the:

NW% SE% NW% SE% S18-T24S-R32W SW% SE% NW% SE% S18-T24S-R32W

If you have any questions, please do not hesitate in giving us a call.

Sincerely,

COLORADO SPRINGS 411 South Tejon Street, Suite i Colorado Springs, CO 80903

P: 719-465-2145

Tim Sloan, L.S. SMH CONSULTANTS

DODGE CITY 707 3rd Avenue, Suite A Dodge City, KS 67801 P: 620-255-1952 MANHATTAN - HQ 2017 Vanesta Place, Suite 110 Manhattan, KS 66503 P: 785-776-0541 KANSAS CITY 5201 Johnson Drive, Suite 405 Mission, KS 66205 P: 913-444-9615