KOLAR Document ID: 1671164

Confiden	tiality Requested:
Yes	No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION Form ACO-1 January 2018 Form must be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM

WELL	HISTORY -	DESCRIPT	FII &	
VVELL	HISIONI -	DESCRIPT		LEASE

OPERATOR: License #	API No.:
Name:	Spot Description:
Address 1:	Sec TwpS. R East West
Address 2:	Feet from Dorth / South Line of Section
City: State: Zip:+	Feet from East / West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	
CONTRACTOR: License #	GPS Location: Lat:, Long:
Name:	(e.g. xx.xxxx) (e.gxxx.xxxxx)
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84
Purchaser:	County:
Designate Type of Completion:	Lease Name: Well #:
New Well Re-Entry Workover	Field Name:
	Producing Formation:
	Elevation: Ground: Kelly Bushing:
	Total Vertical Depth: Plug Back Total Depth:
	Amount of Surface Pipe Set and Cemented at: Feet
CM (Coal Bed Methane) Cathodic Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used? Yes No
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet
·	If Alternate II completion, cement circulated from:
Operator:	
Well Name:	feet depth to:w/sx cmt.
Original Comp. Date: Original Total Depth:	
Deepening Re-perf. Conv. to EOR Conv. to SWD	Drilling Fluid Management Plan
Plug Back Liner Conv. to GSW Conv. to Producer	(Data must be collected from the Reserve Pit)
Commingled Permit #:	Chloride content: ppm Fluid volume: bbls
Dual Completion Permit #:	Dewatering method used:
SWD Permit #:	Location of fluid disposal if hauled offsite:
EOR Permit #:	
GSW Permit #:	Operator Name:
	Lease Name: License #:
Spud Date or Date Reached TD Completion Date or	Quarter Sec Twp S. R East West
Recompletion Date Recompletion Date	County: Permit #:

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY					
Confidentiality Requested					
Date:					
Confidential Release Date:					
Wireline Log Received Drill Stem Tests Received					
Geologist Report / Mud Logs Received					
UIC Distribution					
ALT I II III Approved by: Date:					

KOLAR Document ID: 1671164

Operator Name:	Lease Name: Well #:
Sec TwpS. R East _ West	County:

Page Two

INSTRUCTIONS: Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed.

Final Radioactivity Log, Final Logs run to obtain Geophysical Data and Final Electric Logs must be emailed to kcc-well-logs@kcc.ks.gov. Digital electronic log files must be submitted in LAS version 2.0 or newer AND an image file (TIFF or PDF).

Drill Stem Tests Taken (Attach Additional Sh	eets)	Y	es 🗌 No			og Formatio	n (Top), Depth	and Datum	Sample
Samples Sent to Geolog	*		és 🗌 No	Ν	lame	e		Тор	Datum
Cores Taken Electric Log Run Geologist Report / Mud List All E. Logs Run:			ies No ies No ies No						
		Repo	CASING I] Ne	w Used rmediate, productio	on, etc.		
Purpose of String	Size Hole Drilled		ze Casing tt (In O.D.)	Weight Lbs. / Ft.		Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
			ADDITIONAL	CEMENTING /	SQU	EEZE RECORD			
Purpose: Perforate	Top Bottom		Type of Cement # Sac		k	Type and Percent Additives			
Protect Casing Plug Back TD Plug Off Zone									
 Did you perform a hydra Does the volume of the is Was the hydraulic fractu Date of first Production/Inj 	total base fluid of the h ring treatment informa	nydraulic fra tion submit	acturing treatment	al disclosure regis	-	Yes Yes Yes Yes	No (If No, s	kip questions 2 ar kip question 3) ill out Page Three	
Injection:			Flowing	Pumping		Gas Lift 🗌 O	ther <i>(Explain)</i>		
Estimated Production Per 24 Hours	Oil	Bbls.	Gas	Mcf	Wate	er Bb	ls.	Gas-Oil Ratio	Gravity
DISPOSITION	I OF GAS:		M	ETHOD OF COM	IPLE	TION:			ON INTERVAL:
Vented Sold Used on Lease Open Hole F (If vented, Submit ACO-18.)			-		mingled	Тор	Bottom		
	oration Perfora Top Botto		Bridge Plug Type	Bridge Plug Set At		Acid,		ementing Squeeze	
TUBING RECORD:	Size:	Set At:		Packer At:					

Form	ACO1 - Well Completion	
Operator	Hoepker, Justin and Nicole dba RCS Oil	
Well Name	HOLMAN 4	
Doc ID	1671164	

Casing

		Size Casing Set	U U	Setting Depth	Type Of Cement		Type and Percent Additives
Surface	12	7	12	20	Portland	6	0
Production	5.625	2.875	6.7	828	Econobon d	96	0

lite #200

X



Customer	RCS OII	Contraction of the Property of	Lease & Well #	Holman 4	~						
Service District	Garnett		County & State					Date		9/7/2022	2
Job Type	Longstring	PROD			Legals S/T/R	1	7-18	Job #			
Equipment #	Driver				New Well?	☑ YES	□ No	Ticket #		EP5858	1
931	Casey Kennedy	☑ Hard hat			y Analysis - A Discu						1. 13
239	Nick Beets	Hard hat		Gloves		□ Lockout/Ta		Warning Sig		g	
248	Doug Gipson	Safety Footwe		Eye ProtectiRespiratory		Required Pe		□ Fall Protectie			
124	Keith Detwiler	☑ FRC/Protectiv			hemical/Acid PPE	☑ Slip/Trip/Fa		Specific Job			S
	in potential	Hearing Prote		 ☑ Fire Extingui 		□ Overhead H		Muster Point		cations	
				- The Extingu	And and a subscription of the subscription of	mments	oncerns or is	sues noted below			
		-									
Product/ Service Code			cription		Unit of Measure	e Quantity				Not	A
:010	Cement Pump Serv	rice			ea	1.00				Net /	Amour \$750
											\$750
1010	Heavy Equipment N	fileage			mi	43.00					\$172
											<i>Q</i> 112
1015	Light Equipment Mil	eage			mi	43.00					\$86
005	-										
025	Ton Mileage - Minim	ium			each	1.00					\$300
010	Voouum Truste 001										
010	Vacuum Truck - 80 I	Idc			hr	2.25					\$202.
-											
P049	EconoBond										
					sack	96.00				\$	1,920.
P125	Pheno Seal										
					lb	96.00				~	\$168.
P095 E	Bentonite Gel										
					lb	200.00					\$80.
[:] 080 F	Fresh Water				gal	2 000 00					
					yai	3,000.00					\$60.0
Custon	ner Section: On the	following scale he	ow would you rate H	lurricane Service	es Inc.?				Net		1 764
age de courset	and Street in	995-87 (S.)	C. No. States of	Service and		Total Taxable	\$ -	Tax Rate:	Net:	\$3	3,738.5
Bas	ed on this job, how	likely is it you w	ould recommend	ISI to a colleag	ue?	State tax laws dee	m certain proc	iucts and services	Sale Tax:	\$	_
					2 10 10 10 10 10 10 10 10 10 10 10 10 10	used on new wells	to be sales ta	x exempt.		+	
						Humcane Service	s relies on the	customer provided			
	LLL kety 1 2 3		6 7 8			well information at services and/or pr	ove to make a	customer provided determination if			

TERMS: Cash in advance unless Hurricane Services Inc. (HSI) has approved credit prior to sale. Credit terms of sale for approved accounts are total invoice due on or pefore the 30th day from the date of invoice. Past due accounts shall pay interest on the balance past due at the rate of 1 ½% per month or the maximum allowable by applicable state or federal laws. In the event it is necessary to employ an agency and/or attorney to previously applied in arriving at net invoice price. Upon revocation, the full invoice price without discount is immediately due and subject to collection. Prices quoted are estimates only and are egitimates only and are egitimates only and are good for 30 days from the services. Any discount is based on 30 days net payment terms or cash. <u>DISCIAMER NOTICE</u>: Technical data is presented in good faith, but no warranty is stated or implied. HSI assumes no liability for advice or purposes and HSI makes no guarantee of future production performance. Customer represents and warrants that well and all associated equipment in acceptable condition to receive services by HSI. Likewise, the terms/conditions stated above, and Hurricane has been provided accurate well information in determining taxable services.

CUSTOMER AUTHORIZATION SIGNATURE

R	CS	0	- Standards

Ft.	Formation	Thickness	Remarks
5-11	Topsoil / Clay	11	100 Jula 22 - 4-22
1-22	Linestine	11	
22-49	Shale	27	and the old
19-187	Rime	138	K.C.
87-370	Shale	183	10 12 0 2 C
270-385		15	
385-47		91	X-EOS ho
176-494		18	· · · · · ·
194 - 516	Shale	22	KANSAS
516-518	Coal	2	-
518-534	4	16	in flotman
534-54		14	
548-59		48	H.
596 - 59		2	
598-639	÷	36	2 27 BE
34-638	Coal	4	
38-65		14	15-133-27804
52-65		3	
55-700		51	20 20
66-721	Shale	15	79
21-732	Black Shall	11	5 B11 of 218
32-745	Shale	13	
45-746	Black Shale	1	828
46-765		19	
	Shak	4	
	oil SAND	16	Good Show / ODOR
	SANO/ Coal Seam	2	
18-100		12	
558-00	3 Shale	28	

5 5/8" Bit

T.D. 828' L.S. 811' of 27/8"